

The Library
of the
University of North Carolina



Collection of North Caroliniana

C614.1

N87v

1934

c. 2



00017472450

This book may be kept out one month unless a recall notice is sent to you. It must be brought to the North Carolina Collection (in Wilson Library) for renewal.

ANNUAL REPORT

OF THE

BUREAU OF VITAL
STATISTICS

OF THE

NORTH CAROLINA
STATE BOARD OF HEALTH

1934

CARL V. REYNOLDS, M. D.
SECRETARY
AND STATE HEALTH OFFICER

ANNUAL REPORT

OF THE

BUREAU OF VITAL
STATISTICS

OF THE

NORTH CAROLINA
STATE BOARD OF HEALTH

1934

CARL W. REYNOLDS, M.D.
SECRETARY
AND STATE HEALTH OFFICER

CONTENTS

	PAGE
Introduction	7
GENERAL TABLES	
Table I.—Total births and deaths (exclusive of stillbirths) with rate per 1,000 population for the years 1914-1934 inclusive.....	16
Table II.—Births (exclusive of stillbirths) in each county, by color, with rate per 1,000 population, per cent attended by physicians and number illegitimate, 1934.	17
Table II-A.—Births (exclusive of stillbirths) in each city of 10,000 population or over in 1930, by color, with rate per 1,000 population; per cent attended by physicians and number illegitimate, 1934	21
Table III.—Deaths (exclusive of stillbirths) for the State as a whole from each cause, by sex, color and age 1934 (includes all deaths occurring in North Carolina and residents of North Carolina who died in other states)	22
Table IV.—Deaths (exclusive of stillbirths) in each county, by color, with rate per 1,000 population, 1934	68
Table V.—Deaths (exclusive of stillbirths) in each county, by cause of death (abridged international list) and by color of decedent, 1934	72
Table VI.—Deaths (exclusive of stillbirths) in cities or towns, by cause of death (abridged international list) and by color of decedent, 1934.....	122
Table VII.—Death rates per 100,000 population (by place of death, also by place of usual residence) in each county, from nine important causes, with estimated population, 1934	132
Table VIII.—Deaths (exclusive of stillbirths) by cause by certain subdivisions of the first year of life, 1934	136
Table IX.—Deaths under 1 year of age (exclusive of stillbirths), and maternal deaths in each county with rates per 1,000 live births, 1934	138
Table X.—Cases and deaths from special diseases by month of occurrence, 1934.....	140
Table XI.—Cases from 30 of the reportable diseases by counties, 1934.....	144
Table XII.—Death rates per 100,000 population from ten important causes, for the State as a whole, with estimated population for each year, 1914-1934.....	148

244765

CHAPTER I

1840

THEORY OF THE

1. The first part of the theory of the
2. and the second part of the theory
3. of the third part of the theory
4. of the fourth part of the theory
5. of the fifth part of the theory
6. of the sixth part of the theory
7. of the seventh part of the theory
8. of the eighth part of the theory
9. of the ninth part of the theory
10. of the tenth part of the theory
11. of the eleventh part of the theory
12. of the twelfth part of the theory
13. of the thirteenth part of the theory
14. of the fourteenth part of the theory
15. of the fifteenth part of the theory
16. of the sixteenth part of the theory
17. of the seventeenth part of the theory
18. of the eighteenth part of the theory
19. of the nineteenth part of the theory
20. of the twentieth part of the theory

1840

LETTER OF TRANSMITTAL

Raleigh, N. C., March 27, 1936.

*To His Excellency, J. C. B. Ehringhaus,
Governor of North Carolina,
Raleigh.*

My Dear Governor Ehringhaus:

I have the honor of transmitting the report for the Bureau of Vital Statistics covering the calendar year 1934.

With assurance of my very best respect, I am

Very sincerely,

CARL V. REYNOLDS, M.D.,
Secretary and State Health Officer.

INTRODUCTION

The Bureau of Vital Statistics began the recording of births and deaths in the latter part of 1913, but it was not until 1916 for deaths and 1917 for births that registration was complete enough for admission to the United States Registration Area. The first annual report related to 1914, and one has been published annually ever since with the exception of 1918 and 1919.

The present report follows the plan begun in 1931 in that the abridged International List of Causes of Death has been used in tabulating deaths by counties and cities, in preference to the detailed list used prior to the 1931 report. The deaths recorded for the State as a whole has been tabulated, as formerly, according to the detailed International List of Causes. Births have been allocated to the place of legal residence of the mother and deaths to the place of legal residence of the deceased before death. Prior to 1932 births and deaths had been recorded by place of occurrence only. This gives too high a rate for those counties containing hospitals that draw a large number of patients from other counties and too low a rate for the counties from which the patients are drawn. In order to permit comparison with years before tabulations by place of residence was begun deaths and births have been recorded by place of occurrence and by place of residence.

Although tabulation by residence corrects one, probably the greatest, source of error in comparing the rates of different localities there are other factors that must be taken into consideration. The rates given in this report are crude rates, in the calculation of which no allowance is made for the differences in the sex, age and color distribution of the population. Furthermore, the degree of completeness of reporting may vary in different localities, and this should be taken into consideration when comparing two areas.

POPULATION

The total population of North Carolina in 1930 was 3,170,276, a gain in ten years of 611,153 or 23.9 per cent. This was the largest addition of any ten years on record. There was an increase of 352,836 between 1910 and 1920, and an increase of 312,477 for the period 1900-1910. It is not reasonable to predict as great a growth between 1930 and 1940 as occurred in the preceeding decade.

Of the total population in 1930, 2,234,948 or 70.5 per cent were white; 918,647 or 29.0 per cent negro; and 0.5 per cent or 16,681 classified as "other races," 16,579 being Indians. The number classified as urban was

809,847 or 25.5 per cent of the total. This included all incorporated places of 2,500 inhabitants or more. Cities of 10,000 population or over grew from fourteen in 1920 to twenty-one in 1930.

TABLE 1. TOTAL, URBAN AND RURAL POPULATION OF NORTH CAROLINA BY RACE. (1930 U. S. Census)

	<i>Total</i>	<i>White</i>	<i>Negro</i>	<i>Other</i>
Total	3,170,276	2,234,948	918,647	16,681
Urban	809,847	563,478	246,237	132
Rural	2,360,429	1,671,470	672,410	16,549

The mid-year population of the State in 1934, as estimated by the Bureau of Vital Statistics, is 3,306,000. This represents an increase of 31,000 over 1933. The estimate for the white population is 2,332,000 and for the colored 974,000.

NATALITY

Live Births: The birth rate increased from a low of 23.0 per 1,000 population in 1933 to 24.1 in 1934. The rate of 23.0 for 1933 was the lowest recorded since the beginning of registration in 1913. In actual numbers there were 79,556 live births recorded, 4,234 more than for 1933. Of the 79,556 live births, 54,438 were white, 24,432 negro and 686 Indian, which gives a birth rate of 23.3 per 1,000 population for white and 25.5 for negro. The birth rate ranged between 30 and 35 per 1,000 population from 1914 to 1924. Since that time the rate has gradually declined to the record low of 23.0 in 1933.

Stillbirths: In conformity with statistical practice, the stillbirths were not included in the totals of either births or deaths but tabulated separately. Parallel to the increase in the number of births, there were 181 more stillbirths than last year. The 3,303 stillbirths represent a rate of 41.5 per 1,000 live births. For 1933 the rate was 41.4. If they were classified as a single cause of death, the rate based on 100,000 population would be greater than that of tuberculosis and influenza combined. In every 100 deliveries there were approximately four stillbirths.

MORTALITY

In the compilation of mortality statistics, the cause of death as stated by the physician is used as the basis of classification by causes. Since the accuracy of statistics can be no greater than that of the material upon which it is based, it is desirable that physicians give as accurate and complete a diagnosis of cause of death as possible. A specific cause, rather than a general condition or symptom is essential if the greatest accuracy

is to be expected. Hundreds of certificates are queried yearly as to cause of death in order to classify them correctly.


The health conditions in North Carolina for 1934 were, in general, not so favorable as for the preceeding year. There were more deaths recorded from all causes combined, and consequently a higher death rate, than for any year since 1930. The 31,112 deaths, exclusive of stillbirths, represent an annual death rate of 10.6 per 1,000 population. The mortality rate for 1933 was 9.3; for 1932, 9.6; for 1931, 10.2; and for 1930, 11.2. Considered in terms of total deaths, the number reported for 1934 was 4,616 more than for 1933, and 4,112 more than in 1932.

A great majority of the causes of death participated in the increase. Diseases of the heart, nephritis, cerebral hemorrhage, embolism and thrombosis, caused a larger number of deaths in 1934 than the year before. Pneumonia and influenza alone killed over 900 more people than in 1933, and heart diseases nearly 800 more. Diarrhea and enteritis under two years increased. The measles epidemic accounted for 333 in 1934 against 91 for the previous year, and whooping-cough doubled. Scarlet fever, diphtheria and tuberculosis showed little change, while typhoid fever deaths were lower. The infant and maternal death rates manifest a considerable increase.

Violent and accidental deaths increased in 1934. The suicide rate was somewhat below that of 1933, while homicides had a slight increase. Fatalities from automobile accidents continued to climb as did deaths from accidental burns. Deaths from railway, drowning and firearm accidents remained practically unchanged.

The principal causes of death in 1934 in order of their rank were diseases of the heart, nephritis, congenital malformations and diseases of early infancy, the pneumonias, cerebral hemorrhage, accidents, tuberculosis and cancer. Chart 1 shows the death rates in North Carolina from these eight leading causes in 1934, in comparison with the eight leading causes in 1914. The relative positions of the various causes of death have changed within the past twenty years. Tuberculosis ranking first in 1914 with a rate of 139 per 100,000 population has decreased to seventh place in 1934 with a rate of 64.8. This is an outstanding example of the success of preventive medicine and public health in the control of an infectious disease.

CHART 1. EIGHT LEADING CAUSES OF DEATH IN NORTH CAROLINA, 1914 AND 1934.



Diseases of the heart rank first in 1934 in the list of causes of death. In 1914 there were 1,780 deaths charged to this condition and in 1934 diseases of the heart accounted for 5,251 deaths. This represents a rate twice that of 1914. Nephritis, second in importance, was seventh twenty years ago. Pneumonia has dropped from second to fourth place although the rate has remained practically unchanged. Diarrhea and enteritis, a major cause of death in 1914, does not appear among the eight leaders in 1934. The rate has fallen from 98.8 per 100,000 population in 1914 to 40.2 in 1934. Modern sanitary measures have played a large part in reducing the death rate from diarrhea among infants.

Typhoid Fever: There was a noticeable decrease in the number of deaths from typhoid fever. The 91 deaths from this cause were thirty-seven fewer than for 1933, and sixty-seven fewer than for 1932, with a consequent lowering of the death rate from 3.9 per 100,000 population in 1933 to 2.8 for the present year. The improvement in this condition can be appreciated by comparing the rate of 35.8 in 1914, or a total of 839 deaths, to the present record low rate of 2.8.

Smallpox: This is the third consecutive year that no deaths were reported from smallpox. There were 18 cases reported to the Division of Epidemiology. In 1933 there were 35 cases reported.

Measles: During 1934 North Carolina had a more or less state-wide epidemic of measles. There were 333 deaths accounting for a rate of 10.2 per 100,000 population. This epidemic was much less severe than the last one in 1928 when there were 501 deaths with a rate of 27.

Diphtheria: The records concerning diphtheria show little improvement. There were 207 deaths with a rate of 6.3 per 100,000 population compared to 218 deaths with a rate of 6.6 for 1933. There was a seventy per cent reduction in the mortality rate from this disease between 1915 and 1931, but no significant change in the rate since. This failure to show continued improvement is all the more striking since diphtheria is a disease for which we have a specific protective vaccine. In round numbers, five-sixths of the deaths from diphtheria occur in children under five years of age. This indicates that vaccination to be most profitable must be done long before the child becomes of school age.

Influenza and Pneumonia: There were 3,176 deaths from pneumonia, and 804 deaths from influenza, making a total of 3,980 recorded for 1934. The deaths from these two conditions give a rate of 120.4 per 100,000 population for 1934, as against a rate of 96.8 for 1933.

Tuberculosis: The death rate from all forms of tuberculosis was 64.8 in 1934 and 64.4 in 1933. This is one disease that did not participate in the increased mortality for 1934 as did the majority of other conditions. In the past 20 years the mortality rate has declined by more than 50 per cent. Tuberculosis ranked first among the causes of death in 1914, but has fallen to seventh place in 1934. The present rate is the lowest ever recorded with the exception of 1933, and compares favorably with that year when the fact that most other conditions increased is taken into account. Thus the relative position occupied by tuberculosis among the principle causes of death was changed from fifth to seventh place.

Of the 2,149 deaths from all forms of tuberculosis 49.1 per cent were males and 50.9 per cent females, 44.0 per cent were white and 55.8 per

cent negro. The colored rate of 123.5 for tuberculosis is more than three times the white rate of 40.6.

Cancer: Cancer accounted for 1,774 deaths in 1934, giving a rate of 53.7 against a rate of 53.1 for 1933 and 51.7 for 1932. While the trend of cancer mortality has been steadily upward in the past, we have almost held our own for the past three years, and it is not unreasonable to hope for the prevention of an increase.

Pellagra: The mortality from pellagra failed to continue its downward trend begun in 1931. In fact the rate increased from 12.0 per 100,000 population in 1933 to 13.2 in 1934. However, the 436 deaths are far below the 1,015 for 1930, the peak year for pellagra deaths.

Suicides and Homicides: The deaths from suicides decreased and those from homicides increased for 1934, the total showing only 3 more than for 1933. There were 242 suicidal and 469 homicidal deaths.

Accidental Causes: Violent and accidental deaths, exclusive of suicides and homicides, increased from 1,968 in 1933 to the record high of 2,347 in 1934, placing violent and accidental deaths sixth among the principal causes of death. Automobile accidents accounted for the greatest number of accidental deaths and for a large part of the increase. There were 938 deaths from all types of automobile accidents in 1934, and 780 in 1933. There were 109 railroad accidents in 1934 and 106 in 1933, exclusive of collision with automobiles.

Maternal Mortality: The diseases of pregnancy, childbirth and the puerperal state continued to exact a large number of lives. There was an increase in the number of puerperal deaths, but parallel to this there was likewise an increase in the number of births which fact accounts for no greater rise in the maternal mortality rate than is shown. There were 606 maternal deaths in 1934 to 535 in 1933, giving a rate of 7.6 per 1,000 live births for the former year and 7.1 for the latter. This is in excess of the rate of approximately 6.5 for the United States Registration Area. There were 363 white, 4 Indian, and 239 negro puerperal deaths, accounting for a death rate of 6.7 per 1,000 live births for the white and 9.7 for the colored.

TABLE 2. DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE BY CAUSE BY AGE GROUPS.

Cause	10- 15- 20- 25- 30- 35- 45 & Und.							
	Total	14	19	24	29	34	44	over
Abortion	66		3	16	12	13	20	1
Ectopic gestation	14		1	6	3	2	2	
Other accidents of pregnancy ..	25		3	7	5	3	6	1
Puerperal hemorrhage	78		6	9	16	14	32	1

Puerperal septicemia	118	1	20	34	24	23	15	1
Puerperal albuminuria and eclampsia	181	1	43	38	33	26	39	1
Other toxemias of pregnancy ..	39		6	7	7	5	13	1
Puerperal phlegmasia alba- dolens, embolus, sudden death ..	22		1	4	8	4	5	
Other accidents of childbirth ..	63	1	8	12	11	15	16	
Total	606	3	91	133	119	105	148	6 1

Albuminuria and eclampsia, as in previous years, accounted for more of the puerperal deaths than any other single cause. The second and third greatest offenders were puerperal septicemia and puerperal hemorrhage, respectively. Albuminuria and eclampsia with other toxemias of pregnancy account for 220 maternal deaths, which is over one-third of all maternal deaths.

Infant Mortality: The total number of deaths under one year of age was 6,200, 1,226 more than occurred in 1933. However, there were more births than in 1933, but not enough more to account for the increased number of deaths. In 1933 the death rate was 66.0 per 1,000 live births and in 1934 the rate was 77.9. Of the total deaths 3,661 were white and 2,539 colored. This gave a rate of 67.2 for the white and a rate of 101.1 for the colored.

TABLE 3. INFANT DEATHS FROM TEN LEADING CAUSES BY AGE GROUPS.

	Total	Under 1 day	1-6 days	7-29 days	1-11 mos.
All Causes	6200	1354	967	769	3110
Ten Leading Causes	5330	1317	917	679	2417
Premature birth	1671	936	424	222	89
Pneumonias	947	2	22	115	808
Diarrhea and enteritis	736	1	4	51	680
Congenital debility	728	155	185	132	256
Congenital malformations	316	68	79	55	114
Whooping-cough	276	0	2	15	259
Injury at birth	233	88	109	25	11
Other diseases peculiar to early infancy	188	50	79	46	13
Influenza	152	1	7	11	133
Syphilis	83	16	6	7	54

The ten leading causes of infant deaths shown in table 3 accounted for 86 per cent of all infant deaths. Premature birth was given as the

cause for 1,671 deaths and ranked first among the conditions affecting infants. The pneumonias, diarrhea and enteritis, and congenital debility ranked second, third and fourth, respectively. Of the 5,330 deaths from the ten leading causes 25 per cent or 1,317 occurred under one day of age, and 42 per cent or 2,234 within the first weeks of life.

REGISTRATION

Every birth and death occurring in North Carolina should be recorded with the Bureau of Vital Statistics. To the individual the registration of a birth occurring in North Carolina makes it possible always to obtain an official record of the facts surrounding his advent into life. The purposes for which certified copies of birth certificates are requested indicate that their value is becoming more generally realized from year to year. Likewise, the demand for death certificates show that this vital record is essential in upholding the right of citizens in the establishment of necessary facts in the closing event of life.

Vital statistics are of inestimable value to the public health workers. But without complete registration full reliance cannot be placed on the data. For health organizations accurate certificates are essential if our true problems are to be known, if our programs are to be intelligently planned and we are to ascertain their effectiveness, and if errors in our work are to be detected. It is, therefore, important that every effort be made to promote the completeness of our birth and death records.

TABLE I—TOTAL BIRTHS AND DEATHS (EXCLUSIVE OF STILLBIRTHS) WITH RATE PER 1000 POPULATION FOR THE YEARS 1914-1934 INCLUSIVE

YEAR	Births		Deaths	
	Number	Rate	Number	Rate
1914.....	*71,931	31.2	29,044	12.4
1915.....	*79,409	33.4	31,324	13.2
1916.....	76,658	31.9	31,372	13.0
1917.....	76,539	31.8	33,989	14.1
1918.....	76,175	30.8	42,411	17.6
1919.....	69,791	29.3	30,114	12.4
1920.....	81,407	31.8	32,336	12.6
1921.....	87,456	33.4	29,010	11.0
1922.....	81,673	30.8	30,660	11.5
1923.....	84,190	31.3	32,396	12.0
1924.....	87,023	31.9	33,234	12.2
1925.....	83,700	29.7	32,524	11.5
1926.....	82,459	28.8	34,608	12.1
1927.....	83,330	28.7	32,911	11.3
1928.....	80,887	27.5	36,133	12.3
1929.....	77,164	24.7	36,894	12.4
1930.....	76,717	24.1	35,739	11.2
1931.....	74,743	23.2	33,069	10.2
1932.....	77,880	24.0	31,000	9.6
1933.....	75,322	23.0	30,496	9.3
1934.....	79,556	24.1	35,112	10.6

*Stillbirths included in births 1914 and 1915.

TABLE II—BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY COLOR, WITH RATE PER 1000 POPULATION; PER CENT ATTENDED BY PHYSICIANS AND NUMBER ILLEGITIMATE—1934

COUNTY	Place of Birth			Usual Place of Residence			Place of Birth			Usual Place of Residence			Per Cent Attended by Physicians			Number Illegitimates			Number Illegitimates			
	Total			White			Colored			White			Colored			Total			Total			
	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	Rate	No.	Rate	White	Col.	Ind.	Total	White	Col.	Ind.			
Entire State-----	79,556	24.1	79,369	24.0	54.438	23.3	54,268	23.3	24.432	25.5	24,415	25.5	87.6	31.2	6,490	1,527	4,865	98	6,468	1,507	4,863	98
Alamance-----	1,077	24.4	1,119	25.3	832	23.5	867	24.5	245	27.8	252	28.6	100	83	50	9	41	58	14	44	---	
Alexander-----	342	26.1	343	26.2	313	26.1	314	26.2	29	26.4	29	26.4	88	41	23	16	7	23	16	7	---	
Alleghany-----	143	19.9	143	19.9	132	19.3	132	19.3	11	32.1	11	32.1	90	36	5	2	3	5	2	3	---	
Anson-----	749	25.1	731	24.5	350	24.5	338	23.6	399	25.7	393	25.4	75	11	101	13	88	100	13	87	---	
Ashe-----	576	27.2	589	27.8	562	27.0	573	27.5	14	35.0	16	40.0	51	14	29	27	2	29	27	2	---	
Avery-----	441	36.1	396	32.5	439	36.9	394	33.1	2	6.7	2	6.7	65	50	26	26	---	22	22	---	---	
Beaufort-----	859	23.9	835	23.2	481	21.8	460	20.8	378	27.2	375	27.0	91	24	97	14	83	94	12	82	---	
Bertie-----	758	28.7	763	28.9	241	21.0	247	21.5	517	34.7	516	34.6	76	7	112	3	109	112	3	109	---	
Bladen-----	729	31.7	745	32.4	402	30.0	413	30.8	322	34.1	327	34.6	73	9	68	7	61	73	10	62	---	
Brunswick-----	467	29.0	476	29.6	281	27.8	287	28.4	186	31.0	189	31.5	52	7	50	14	36	49	12	37	---	
Buncombe-----	1,934	18.5	1,894	18.1	1,696	19.5	1,657	19.1	238	13.3	237	13.3	95	67	123	70	53	111	59	52	---	
Burke-----	772	25.1	774	25.1	702	25.0	703	25.0	70	25.9	71	26.3	78	56	38	25	13	38	25	13	---	
Cabarrus-----	1,014	21.8	1,033	22.6	859	22.5	899	23.5	155	18.7	154	18.6	96	39	59	23	36	60	25	35	---	
Caldwell-----	966	32.5	973	32.8	909	33.5	915	33.8	57	21.9	58	22.3	88	77	57	45	12	59	47	12	---	
Camden-----	118	21.1	119	21.3	55	16.2	55	16.2	63	28.6	64	29.1	67	5	7	3	4	7	3	4	---	
Carteret-----	337	20.5	355	20.4	295	19.9	294	19.9	62	23.8	61	23.5	91	37	29	14	15	27	13	14	---	
Caswell-----	434	23.1	442	23.5	235	23.3	240	23.8	199	22.9	202	23.2	92	43	24	22	22	25	3	22	---	
Catawba-----	1,105	24.0	1,122	24.3	997	24.4	1,011	24.7	108	20.8	111	21.3	91	50	57	36	21	61	39	22	---	
Chatham-----	458	18.8	474	19.4	272	16.7	288	17.7	186	23.0	186	23.0	88	33	43	9	34	44	9	35	---	
Cherokee-----	442	26.8	440	26.7	430	26.7	428	26.6	12	35.2	12	35.2	54	42	17	16	1	17	16	1	---	
Chowan-----	275	23.9	275	23.9	132	21.6	134	22.0	143	20.4	141	20.4	95	17	25	1	24	25	1	24	---	
Clay-----	151	26.5	153	26.8	150	26.8	152	27.1	1	10.0	1	10.0	74	---	1	1	---	1	1	---	---	
Cleveland-----	1,281	23.1	1,290	23.3	1,003	23.6	1,010	23.8	278	21.6	280	21.7	94	16	63	16	47	68	20	48	---	

TABLE II—Continued

COUNTY	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegimates				Number Illegimates			
	Total		Total		White		Colored		Colored		Colored		Physicians		Place of Birth				Place of Residence			
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Col.	Total	White	Col.	Ind.	Total	White	Col.	Ind.
Columbus	1,170	29.7	1,198	30.4	751	27.7	780	28.8	411	34.0	410	34.0	54	8	105	16	86	3	107	17	87	3
Craven	685	22.0	690	22.1	327	20.3	332	20.6	358	23.7	358	23.7	85	13	87	8	79	---	90	10	80	---
Cumberland	1,248	26.3	1,226	25.9	803	27.3	780	26.5	442	24.6	443	24.7	90	28	109	25	84	---	109	24	85	---
Currituck	127	18.9	129	19.2	71	15.9	74	16.6	56	24.8	55	24.4	89	38	5	---	5	---	5	---	5	---
Dare	111	21.3	116	22.3	99	20.6	103	21.5	12	30.0	13	32.5	74	25	7	4	3	---	7	4	3	---
Davidson	1,167	23.1	1,175	23.3	1,034	23.0	1,042	23.2	133	24.1	133	24.1	95	73	50	25	25	---	52	27	25	---
Davie	357	24.5	368	25.2	297	24.5	309	25.5	60	24.0	59	23.6	89	43	14	7	7	---	16	9	7	---
Duplin	986	27.2	995	27.5	634	27.8	642	28.2	352	26.2	353	26.3	89	33	63	12	51	---	64	13	51	---
Durham	1,686	23.4	1,452	20.1	1,070	22.8	870	18.5	616	24.4	582	23.1	99	66	282	84	198	---	200	19	181	---
Edgecombe	1,257	25.1	1,244	24.8	430	20.0	420	19.5	827	28.9	824	28.8	96	26	251	14	237	---	253	16	237	---
Forsyth	2,338	19.7	2,286	19.3	1,601	20.2	1,549	19.6	737	18.7	737	18.7	99	60	261	46	215	---	260	45	215	---
Franklin	715	23.7	731	24.2	337	19.9	351	20.8	378	28.4	380	28.6	91	28	55	6	49	---	62	10	52	---
Gaston	2,045	24.5	2,076	24.9	1,795	25.5	1,828	26.0	250	18.9	248	18.8	99	44	109	51	58	---	111	54	57	---
Gates	219	20.5	221	20.7	78	13.9	80	14.3	141	27.6	141	27.6	74	23	21	---	21	---	21	---	21	---
Graham	153	25.1	155	25.4	153	25.9	155	26.3	---	---	---	---	48	---	10	10	---	---	10	10	---	---
Granville	753	25.7	753	25.7	295	19.8	297	19.9	458	31.8	456	31.7	95	50	44	2	42	---	46	3	43	---
Greene	581	30.1	598	31.0	332	33.2	347	34.7	249	26.8	251	27.0	95	24	43	2	41	---	47	5	42	---
Guilford	2,790	19.4	2,730	19.0	2,235	19.9	2,177	19.3	555	17.9	553	17.8	99	70	207	82	125	---	183	57	126	---
Halifax	1,567	28.3	1,558	28.1	513	22.0	512	22.0	1,054	32.8	1,046	32.6	89	9	170	15	155	---	171	17	154	---
Harnett	1,135	28.4	1,157	28.9	813	28.0	831	28.7	310	28.3	314	28.7	87	18	65	14	50	1	69	17	51	1
Haywood	838	28.5	843	28.7	826	28.8	831	29.0	12	17.1	12	17.1	92	100	28	25	3	---	30	27	3	---
Henderson	561	22.9	560	22.9	514	23.2	513	23.1	47	20.4	47	20.4	90	40	20	11	9	---	23	14	9	---
Hertford	452	25.1	452	25.1	143	19.3	144	19.5	309	29.2	308	29.1	82	17	41	3	38	---	41	3	38	---
Hoke	354	23.9	357	24.1	88	16.0	90	16.4	255	28.6	256	28.7	91	12	60	2	55	3	62	3	56	3

Hyde	173	19.9	181	20.8	84	16.5	92	18.0	89	24.7	89	24.7	89	24.7	11	15	1	14	17	3	14
Iredell	1,100	22.6	1,032	21.2	882	22.6	814	20.9	218	22.5	218	22.5	218	22.5	96	33	81	59	82	23	59
Jackson	507	27.6	512	27.8	481	28.1	484	28.1	16	26.2	16	26.2	16	26.2	61	50	21	14	22	15	7
Johnston	1,602	26.8	1,620	27.1	1,257	27.3	1,269	27.5	345	25.4	351	25.8	351	25.8	88	17	84	62	88	24	64
Jones	306	28.9	317	29.9	129	22.2	137	23.8	177	36.9	179	37.3	186	34	24	33	2	31	34	3	31
Lee	378	21.2	376	21.1	259	21.4	257	21.2	119	20.9	119	20.9	119	20.9	90	30	35	7	35	7	28
Lenoir	896	24.2	870	23.5	493	23.5	498	22.3	403	25.0	402	25.0	402	25.0	92	16	111	98	111	12	99
Lincoln	576	24.1	559	23.4	482	23.6	490	23.0	94	26.9	90	25.7	97	17	36	17	19	32	31	14	17
McDowell	589	27.9	596	28.2	535	28.2	542	28.5	54	25.7	54	25.7	54	25.7	89	54	31	13	32	19	13
Macon	421	30.3	419	30.1	406	30.3	404	30.1	15	30.0	15	30.0	15	30.0	65	33	27	20	26	19	7
Madison	579	28.2	582	28.4	576	28.5	579	28.7	3	10.0	3	10.0	44	67	24	22	2	25	23	2	
Martin	780	32.5	792	33.0	343	27.0	354	27.9	437	38.7	438	38.8	84	11	96	5	91	100	8	92	
Mecklenburg	2,501	18.2	2,417	17.6	1,713	17.7	1,628	16.9	788	19.3	789	19.3	99	74	279	76	203	250	47	203	
Mitchell	479	33.0	483	33.3	478	33.2	482	33.5	1	10.0	1	10.0	57			21	21	23	23	23	
Montgomery	357	21.4	369	22.1	255	19.8	265	20.5	102	26.8	104	27.4	84	26	32	4	28	33	5	28	
Moore	593	20.0	591	19.9	387	19.9	385	19.8	206	20.0	206	20.0	79	11	54	10	44	54	10	44	
Nash	1,397	25.3	1,400	25.3	764	24.9	764	24.9	633	25.7	636	25.9	92	32	122	15	107	130	23	107	
New Hanover	845	19.3	795	18.2	503	18.4	464	17.4	342	20.1	331	19.4	98	71	93	9	84	93	10	83	
Northampton	534	19.0	556	19.8	128	12.2	140	13.3	406	23.1	416	23.6	89	12	77	1	76	79	2	77	
Onslow	447	28.8	453	29.2	331	29.0	338	29.6	116	28.3	115	28.0	86	28	32	5	27	32	5	27	
Orange	434	19.8	489	22.3	245	16.5	292	19.7	189	26.6	197	27.7	97	57	25	2	23	29	4	25	
Pamlico	212	22.6	214	22.8	103	16.6	105	16.9	109	34.1	109	34.1	72	12	12	22	2	22	2	20	
Pasquotank	395	20.2	383	19.5	197	17.6	187	16.7	198	23.6	196	23.3	92	12	33	8	25	32	7	25	
Pender	418	26.3	430	27.0	197	24.0	207	25.1	221	28.7	224	29.1	72	8	47	2	45	47	2	45	
Perquimans	244	22.9	247	23.2	104	19.3	107	19.9	140	26.5	140	26.5	90	14	29		29	31	2	29	
Person	654	28.7	673	29.5	356	26.0	371	27.1	291	32.6	295	33.1	93	52	37	4	32	41	5	35	1
Pitt	1,486	26.3	1,498	26.5	685	23.5	695	23.9	801	29.2	803	29.3	89	18	187	10	177	193	16	177	
Polk	233	22.0	232	21.9	201	22.3	202	22.4	32	20.0	30	18.8	81	31	12	5	7	10	5	5	
Randolph	864	23.0	872	23.2	778	23.0	785	23.3	86	22.1	87	22.3	90	65	26	16	10	28	17	11	
Richmond	870	24.3	881	24.6	571	26.1	582	26.7	299	21.4	299	21.4	94	16	106	11	95	113	17	96	
Robeson	2,060	29.8	2,018	29.2	823	25.3	782	24.1	686	28.9	685	28.8	89	23	241	22	140	238	19	140	79
Rockingham	1,395	26.4	1,408	26.7	1,091	26.7	1,102	26.9	302	25.7	304	25.9	95	56	71	23	48	73	25	48	
Rowan	1,217	20.5	1,235	20.8	969	20.4	986	20.8	248	20.5	249	20.6	97	40	65	17	48	71	22	49	
Rutherford	1,050	24.8	1,045	24.6	927	25.1	927	25.1	123	22.0	123	22.0	94	58	30	10	20	33	12	21	
Sampson	1,102	26.7	1,114	27.0	672	25.1	684	25.6	416	29.5	416	29.5	74	14	81	10	71	83	12	71	
Scotland	539	25.4	539	25.4	219	23.5	222	23.9	308	27.3	305	27.0	84	8	72	11	58	72	11	58	3
Stanly	695	22.4	686	22.1	641	23.3	632	23.1	54	15.0	54	15.0	87	41	24	14	10	26	16	10	

TABLE II—Continued

COUNTY	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegitimates				Place of Residence					
	Total		Total		White		White		Colored		Colored		White		Col.		Number Illegitimates				Place of Residence			
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Col.	Total	White	Col.	Ind.	Total	White	Col.	Ind.		
Stokes	519	22.8	528	23.2	490	22.7	468	23.1	59	23.6	60	24.0	90	37	14	7	7	---	17	10	7	---		
Surry	1,029	24.9	1,009	24.4	972	25.1	951	24.6	57	20.4	58	20.7	91	37	32	22	10	---	33	23	10	---		
Swain	345	29.8	348	30.1	287	27.8	291	28.2	7	36.3	7	36.3	66	57	17	7	2	8	18	8	2	8		
Transylvania	235	24.2	232	23.9	225	23.0	222	24.7	10	14.3	10	14.3	80	50	8	6	2	---	8	6	2	---		
Tyrrell	148	28.5	145	27.9	72	20.6	69	19.7	76	44.7	76	44.7	79	20	17	1	16	---	17	1	16	---		
Union	1,003	23.8	1,003	23.8	767	24.0	766	24.0	236	22.9	237	23.0	87	31	43	15	28	---	42	14	28	---		
Vance	685	24.1	685	24.1	315	19.8	315	19.8	370	29.6	370	29.6	93	21	67	7	60	---	68	7	61	---		
Wake	2,009	20.3	1,994	20.1	1,121	17.6	1,118	17.6	888	25.1	876	24.7	96	45	226	23	203	---	221	27	194	---		
Warren	726	30.4	730	30.5	154	17.7	157	18.0	572	37.6	573	37.7	72	10	64	4	60	---	66	5	61	---		
Washington	328	28.0	328	28.0	150	24.1	151	24.4	178	32.4	177	32.2	82	7	37	2	35	---	38	3	35	---		
Watauga	399	25.6	403	26.2	393	25.7	402	26.3	6	20.0	7	23.3	74	100	12	12	---	12	12	---	---			
Wayne	1,266	23.0	1,265	23.0	730	23.5	730	23.5	536	22.2	535	22.2	95	46	101	14	87	---	105	18	87	---		
Wilkes	1,049	28.3	1,040	28.0	983	28.7	973	28.4	66	23.9	67	23.9	58	41	44	36	8	---	44	36	8	---		
Wilson	1,283	27.5	1,256	26.2	698	26.2	703	26.4	585	29.1	583	29.0	95	28	155	15	140	---	160	19	141	---		
Yadkin	368	19.9	411	22.2	350	20.0	302	22.4	18	18.0	19	19.0	86	39	9	8	1	---	11	10	1	---		
Yancey	493	34.0	498	34.4	489	34.1	494	34.5	4	24.5	4	24.5	62	100	21	21	---	---	23	23	---	---		

Indian Births: Total, 686; Bladen 5; Columbus 8; Cumberland 3; Harnett 12; Hoke 11; Jackson 10; Person 7; Robeson 551; Rockingham 2; Sampson 14; Scotland 12; Swain 51.

TABLE III—DEATHS (EXCLUSIVE OF STILLBIRTHS) FOR THE STATE AS A WHOLE
RING IN NORTH CAROLINA AND RESIDENTS OF

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
All Causes.....		35,232	6,200	1,912	620	525
Males.....	Total.....	18,858	3,457	1,025	326	302
	White.....	12,174	2,062	621	226	188
	Indian.....	84	27	6	1	3
	Colored.....	6,600	1,368	398	99	111
Females.....	Total.....	16,374	2,743	887	294	223
	White.....	10,040	1,599	588	190	128
	Indian.....	89	20	9	2	1
	Colored.....	6,245	1,124	290	102	94
I. INFECTIOUS AND PARASITIC DISEASES:						
Males.....	Total.....	2,495	409	306	84	52
	White.....	1,385	228	203	61	31
	Indian.....	12	7			
	Colored.....	1,098	174	103	23	21
Females.....	Total.....	2,431	353	278	94	59
	White.....	1,238	182	201	68	23
	Indian.....	14	4		1	
	Colored.....	1,179	167	77	25	36
1. Typhoid fever.....	W { Male.....	26	1	3	1	2
	Female.....	16		1	1	1
	I { Male.....	1				
	Female.....	1				
	C { Male.....	29			1	6
	Female.....	16	1	1	4	2
2. Paratyphoid fever.....	W Female....	1	1			
	C Male.....	1				
3. Typhus fever.....	C Female....	2				
4. Undulant fever.....	C Male.....	2				
7. Measles.....	W { Male.....	150	41	57	18	11
	Female.....	128	16	53	16	6
	I { Male.....					
	Female.....	1			1	
	C { Male.....	27	11	12	3	
	Female.....	27	10	6	4	2
8. Scarlet fever.....	W { Male.....	11	1	8		2
	Female.....	26	2	12	7	1
	C { Male.....	2		2		
	Female.....					

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
9. Whooping-cough.....	W	Male.....	99	67	29	3
		Female....	119	66	45	5
	I	Male.....	4	4		
		Female....	3	3		
	C	Male.....	101	65	34	1
		Female....	101	71	28	2
10. Diphtheria.....	W	Male.....	83	11	51	19
		Female....	89	13	52	19
	C	Male.....	15	6	7	
		Female....	22	7	11	2
11. Influenza.....	W	Male.....	259	48	16	7
		Female....	243	38	19	5
	I	Male.....	3	1		
		Female....	3			
	C	Male.....	151	35	19	3
		Female....	145	30	9	2
13. Dysentery.....	W	Male.....	51	15	19	
		Female....	41	20	4	1
	I	Male.....				
		Female....	2	1		
	C	Male.....	18	13	2	
		Female....	18	10	2	
15. Erysipelas.....	W	Male.....	22	9		
		Female....	30	9		1
	I	Male.....				
		Female....	1			
	C	Male.....	3	1		1
		Female....	2	2		
16. Acute poliomyelitis and acute polio- encephalitis.....	W	Male.....	5	1		1
		Female....	7	1	3	
	C	Male.....	7		2	1
		Female....	3			
17. Lethargic or epidemic encephalitis.....	W	Male.....	5			
		Female....	5		1	
	C	Male.....	2			
		Female....	5			1
18. Epidemic cerebrospinal meningitis.....	W	Male.....	11	4	1	
		Female....	5	1	1	1
	C	Male.....	2		1	
		Female....	3	2		
21. Rabies.....	W	Male.....				
		Female....	1			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
				1							
1											
1			1	1		1					
1				1							
4	8	1	10	35	31	26	29	26	16	1	
4	6	10	7	16	21	29	35	28	16	4	
					1		1	2	1		
4	9	8	7	14	19	15	6	2	4	1	
8	12	5	11	13	22	10	12	5	3		
	1	1			3	2	4	6			
				2	1		3	5	5		
						1			1		
		1		2			1	2		1	1
2			1	2		2	2	4			
	1				4	5	2	6	1	1	
							1				
1	1			1							
1	1			1							
2	2				2						
1											
			1	2		1	1				
1		1		1	2			1			
	1			1		2					
1	1	1		1							
	1		1		1						
	1										
							1				

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
22. Tetanus.....	W	Male.....	9	2	1	2	3
		Female.....	3				
	C	Male.....	10	3		1	1
		Female.....	2	2			
23. Tuberculosis of the respiratory system.....	W	Male.....	459	2	1	2	
		Female.....	397	1	3		
	I	Male.....	1				
		Female.....	2				
	C	Male.....	489	1	5	4	5
		Female.....	595	1	5	4	19
24. Tuberculosis of the meninges and central nervous system.....	W	Male.....	17	1	8	3	1
		Female.....	9	2	2	2	2
	C	Male.....	17	2	7	1	
		Female.....	11		2	2	2
25. Tuberculosis of the intestines and peritoneum.....	W	Male.....	11		1	1	1
		Female.....	13				
	C	Male.....	16			1	1
		Female.....	20				
26. Tuberculosis of the vertebral column.....	W	Male.....	4		1		
		Female.....	6				
	C	Male.....	1				
		Female.....	3				1
27. Tuberculosis of the bones and joints (vertebral column excepted).....	W	Male.....	5				1
		Female.....	1				
	C	Male.....	6		1		1
		Female.....	4		1		
29. Tuberculosis of the lymphatic system, (bronchial, mesenteric, and retroperitoneal glands excepted).....	W	Male.....	2	1			
		Female.....	1				
	C	Male.....					
		Female.....	1				1
30. Tuberculosis of the genitourinary system.....	W	Male.....	6				
		Female.....	4				1
	C	Male.....					
		Female.....	1				
31. Tuberculosis of other organs.....	W	Male.....	1				
		Female.....					
	C	Male.....	1				
		Female.....	1				
32. Disseminated tuberculosis.....	W	Male.....	6	1			
		Female.....	4			1	
	C	Male.....	13	1	3	1	1
		Female.....	21		1	1	

Continued

[illegible]

TABLE III.—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
34. Syphilis.....	W	Male.....	54	18	1	1
		Female.....	24	9	1	1
	I	Male.....	2	1		
		Female.....				
	C	Male.....	139	30	1	1
		Female.....	111	25	5	1
35. Gonococcus infection and other venereal diseases.....	W	Male.....	3			
		Female.....	8			
	C	Male.....	4			
		Female.....	22	1		1
36. Purulent infection, septicemia(non-puerperal)	W	Male.....	41	2	4	1
		Female.....	27	2	1	3
	I	Male.....				
		Female.....	1			
	C	Male.....	8	2		
		Female.....	8		2	
38. Malaria.....	W	Male.....	23			1
		Female.....	11		2	
	I	Male.....	1	1		
		Female.....				
	C	Male.....	21	1	5	1
		Female.....	24	2	1	2
39. Other diseases due to protozoal parasites.....	W	Male.....				
		Female.....	3	1		
	C	Male.....	1			
		Female.....	2			
40. Ankylostomiasis.....	W	Male.....	1			1
		Female.....				
	C	Male.....	1		1	
		Female.....				
42. Other diseases caused by helminths.....	W	Male.....	1		1	
		Female.....	2		1	
	C	Male.....	2		1	
		Female.....	4		4	
43. Mycoses.....	W	Male.....	5	1		
		Female.....	3			1
	C	Male.....	6	3	1	
		Female.....	4	4		
44. (a). Chicken pox.....	W	Male.....	3	1	1	
		Female.....	2		1	
	C	Male.....	2		1	
		Female.....				
44. (b). Devil's grip.....	W	Male.....	3	1		
		Female.....	2			

Continued

[illegible]

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
44. (c). Mumps.....	W Male.....	1				
	C Female.....	1			1	
44. (d). Milk sickness.....	W Female.....	1				
44. (e). Parotitis.....	W {Male.....	4			2	
	{Female.....	1				
44. (f). Rocky Mountain spotted fever.....	W {Male.....	3			1	1
	{Female.....	5		1	2	1
44. (g). Tularemia.....	W Male.....	1				
44. (h). Roseola.....	C Male.....	1			1	
II. CANCERS AND TUMORS:						
Males.....	Total.....	733	2	6	7	7
	White.....	587	2	5	3	4
	Indian.....					
	Colored.....	146		1	4	3
Females.....	Total.....	1,180	3	6	8	8
	White.....	841	3	5	5	6
	Indian.....	6				
	Colored.....	333		1	3	2
45. Cancer and other malignant tumors of the buccal cavity.....	W {Male.....	38				
	{Female.....	19				
	C {Male.....	8				1
	{Female.....	3				
46. Cancer and other malignant tumors of the digestive tract and peritoneum.....	W {Male.....	276		2		
	{Female.....	305				1
	I {Male.....					
	{Female.....	1				
47. Cancer and other malignant tumors of the respiratory system.....	C {Male.....	65				
	{Female.....	91			1	
	W {Male.....	31		1		
	{Female.....	15				
48. Cancer and other malignant tumors of the uterus.....	C {Male.....	14				
	{Female.....	2				
	W Female.....	198				
	I Female.....	4				
49. Cancer and other malignant tumors of other female organs.....	C Female.....	138				
	W Female.....	25				
	C Female.....	3				
50. Cancer and other malignant tumors of the breast.....	W Female.....	113				
	C Female.....	30				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
					1						
		1									
				1		1		1			
1				1							
				1							
				1							
6	12	11	18	55	121	152	180	129	26	1	
6	10	6	14	39	93	124	149	113	19		
	2	5	4	16	28	28	31	16	7	1	
10	18	19	41	175	247	259	217	139	27	3	
8	11	9	26	93	171	193	171	113	24	3	
				2	2	2					
2	7	10	15	80	74	64	46	26	3		
			2	1	4	9	12	9	1		
				1	2	3	6	6	1		
					2	1	2	2			
						1	1	1			
1		1	6	16	60	61	71	48	10		
2	4	2	4	20	44	86	81	51	9	1	
						1					
				10	19	14	15	6	1		
	2	1	2	11	22	25	20	7			
	2	1		6	6	5	9	1			
			2	1	7	2	2	1			
		1	2	4		5	2				
	1				1						
		2	8	35	52	50	28	20	2	1	
				2	1	1					
1		3	8	41	32	27	14	11	1		
	1	1	3		7	6	5		2		
			2	1							
			3	18	36	25	21	8	2		
				5	10	3	5	5	2		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
51. Cancer and other malignant tumors of the male genitourinary organs.....	W Male..... C Male.....	97 30	----- -----	----- -----	----- -----	----- -----
52. Cancer and other malignant tumors of the skin.....	W { Male..... Female..... I { Male..... Female..... C { Male..... Female.....	34 30 1 1 1 2	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- -----
53. Cancer and other malignant tumors of other or unspecified organs.....	W { Male..... Female..... C { Male..... Female.....	83 87 17 23	2 1 ----- -----	1 3 1 -----	1 5 2 1	2 4 2 1
54. Non-malignant tumors.....	W { Male..... Female..... C { Male..... Female.....	19 38 4 36	----- 2 ----- -----	1 1 ----- -----	1 ----- 1 -----	1 1 ----- 1
55. Tumors of which the nature is not specified..	W { Male..... Female..... C { Male..... Female.....	9 11 7 5	----- ----- ----- -----	----- 1 ----- 1	----- ----- 1 1	1 ----- ----- -----
III. RHEUMATIC DISEASES, NUTRITIONAL DISEASES, DISEASES OF THE ENDOCRINE GLANDS AND OTHER GENERAL DISEASES:						
Males.....	Total..... White..... Indian..... Colored.....	459 331 4 124	32 21 ----- 11	15 6 ----- 9	15 13 ----- 2	16 13 ----- 3
Females.....	Total..... White..... Indian..... Colored.....	661 424 2 235	22 17 ----- 5	16 10 ----- 6	11 6 ----- 5	13 8 ----- 5
56. Acute rheumatic fever.....	W { Male..... Female..... C { Male..... Female.....	33 29 18 18	----- ----- ----- -----	----- 1 ----- 3	8 4 ----- 2	9 2 1 -----
57. Chronic rheumatism, osteoarthritis.....	W { Male..... Female..... C { Male..... Female.....	25 25 5 3	----- ----- ----- -----	1 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----
59. Diabetes mellitus.....	W { Male..... Female..... C { Male..... Female.....	155 131 31 69	1 ----- ----- -----	1 ----- 1 -----	5 1 1 -----	4 4 2 3

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	2		2	3	6	22	30	30	2		
			1		2	6	7	8	5	1	
		1			4	6	7	13	3		
			1	1	1	4	3	13	6	1	
					1						
									1		
	1						1				
3	3	3	3	10	7	17	18	10	3		
1	3	1	3	6	15	11	20	12	2		
	2	2			3	1	4				
1	1	2	1	3	2	5	4	2			
2	2		1		4	3	2	2			
3	1	3	2	9	7	4	4	1			
		1			1	1					
	2	4	2	19	4	3	1				
	1			3	2	1					
2	2			2		2	1	1			
		1	1	2	1		1				
					3						
10	14	17	15	47	58	94	77	40	7	1	1
6	5	9	10	33	38	73	62	35	6		1
				1		1	2				
4	9	8	5	13	20	20	13	5	1	1	
17	31	31	42	88	117	111	100	45	17		
12	12	13	24	40	74	79	77	39	13		
		1				1					
5	19	17	18	48	43	31	23	6	4		
3	2	2		3	2	2	1	1			
5	4	2	2	5		1	1	1	1		
2	6		4	1	2	1					
1	3		2	3	1	2			1		
	1			5	3	7	4	4			
				3	2	3	5	9	3		
					1	2	1		1		
	1				1		1				
3	1	4	7	8	17	38	40	21	4		1
3	3	1	5	5	20	30	39	16	4		
2		1	1	3	5	6	6	3			
		2	2	10	20	15	13	3	1		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
60. Scurvy.....	W { Male..... Female.....	1 1	1 1	-----	-----	-----
	C { Male..... Female.....	1 1	1 1	-----	-----	-----
62. Pellagra.....	W { Male..... Female.....	86 174	-----	1 -----	-----	-----
	I { Male..... Female.....	4 2	-----	-----	-----	-----
	C { Male..... Female.....	50 121	-----	1 1	-----	2 2
63. Rickets.....	W { Male..... Female.....	3 6	3 1	-----	4 -----	-----
	C { Male..... Female.....	10 2	4 -----	5 -----	1 1	-----
65. Diseases of the pituitary body.....	W Female.....	1	-----	-----	-----	-----
66. Diseases of the thyroid and parathyroid glands.....	W { Male..... Female.....	8 32	2 -----	1 1	-----	-----
	C { Male..... Female.....	2 12	2 1	-----	-----	1 -----
67. Diseases of the thymus gland.....	W { Male..... Female.....	11 11	11 9	-----	2 -----	-----
	C { Male..... Female.....	1 2	1 1	-----	-----	-----
68. Diseases of the adrenals (Addison's disease, not specified as tuberculosis).....	W Female.....	2	1	-----	-----	-----
69. Other general diseases.....	W { Male..... Female.....	9 12	3 5	2 2	-----	-----
	C { Male..... Female.....	7 7	4 2	1 1	1 -----	1 -----
IV. DISEASES OF THE BLOOD AND BLOOD-MAKING ORGANS:						
Males.....	Total.....	93	9	7	5	11
	White.....	78	6	7	4	11
	Indian.....	2	1	-----	1	-----
	Colored.....	13	2	-----	-----	-----
Females.....	Total.....	100	9	10	2	1
	White.....	70	6	8	2	-----
	Indian.....	2	-----	-----	-----	-----
	Colored.....	28	3	2	-----	1
70. Hemorrhagic conditions.....	W { Male..... Female.....	6 6	2 2	1 -----	2 -----	-----
	I { Male..... Female.....	1 -----	1 -----	-----	-----	-----
	C { Male..... Female.....	1 2	1 2	-----	-----	-----

Continued

[illegible]

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
71. Anemias.....	W	Male.....	32	1	3	2	
		Female....	37	4	3		
	I	Male.....					
		Female....	2				
	C	Male.....	6	1			
		Female....	17		1		
72. Leukemias and pseudoleukemias.....	W	Male.....	35	3	2	8	
		Female....	25		5	1	
	I	Male.....	1			1	
		Female....					
	C	Male.....	5				
		Female....	8	1	1	1	
73. Diseases of the spleen.....	W	Male.....	3		1	1	
		Female....	2				
	C	Male.....	1				
		Female....	1				
74. Other diseases of the blood-making organs.....	W	Male.....	2				
		Female....					
V. CHRONIC POISONINGS AND INTOXICATIONS:							
Males.....	Total.....	128		2	7	2	
	White.....	86		1	3		
	Indian.....						
	Colored.....	42		1	4	2	
Females.....	Total.....	8		1			
	White.....	2					
	Indian.....	1		1			
	Colored.....	5					
75. Alcoholism (acute or chronic).....	W	Male.....	80		1	3	
		Female....	1				
	I	Male.....					
		Female....	1		1		
	C	Male.....	40			4	2
		Female....	5				
76. Chronic poisonings by other organic substances.....	W	Male.....	6				
		Female....	1				
	C	Male.....	1		1		
		Female....					
	C	Male.....	1				
		Female....					
VI. DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE:							
Males.....	Total.....	1,897	55	27	16	19	
	White.....	1,252	27	14	14	9	
	Indian.....	3	2				
	Colored.....	642	26	13	2	10	

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1				3	8	7	4	2	1		
2		3		5	8	7	2	3			
	1				1						
	3		1	1							
3	2			2	3	5		1			
1			6	4	3	2	3	1			
2		2			4	8	2	1			
1	2			1		1					
2			1	1	1						
1											
			1			1					
			1								
					1		1				
1	2	15	13	34	31	13	5	1			2
1	1	10	8	27	20	8	5	1			1
	1	5	5	7	11	5					1
1			3	1	2						
			1		1						
1			2	1	1						
1	1	10	8	27	19	5	4				1
			1								
	1	4	5	7	11	5					1
1			2	1	1						
					1	3	1	1			
					1						
		1									
24	29	36	33	133	257	429	443	320	70	6	
15	13	17	19	47	140	282	346	260	48	1	
						1					
9	16	19	14	86	117	146	97	60	22	5	

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
Females.....	Total.....	1,656	37	28	19	11
	White.....	993	23	22	15	9
	Indian.....	7	1			
	Colored.....	656	13	6	4	2
78. Encephalitis (non-epidemic).....	W { Male.....	24	3		3	2
	Female.....	19		3	3	
	C { Male.....	6	1	1		1
	Female.....	7	1			
79. Meningitis.....	W { Male.....	21	6	5	3	2
	Female.....	11	2	6	2	1
	I { Male.....	1	1			
	Female.....					
	C { Male.....	24	8	5	2	2
	Female.....	14	4	4	2	
80. Progressive locomotor ataxia (tabes dorsalis).....	W { Male.....	4				
	Female.....					
	C { Male.....	2				
	Female.....	1				
81. Other diseases of the spinal cord.....	W { Male.....	19		2		
	Female.....	13		1		
	C { Male.....	3				
	Female.....	6				
82. Cerebral hemorrhage, cerebral embolism and thrombosis.....	W { Male.....	1,013	2	1		1
	Female.....	820	4	4	1	1
	I { Male.....	1				
	Female.....	6				
	C { Male.....	483				2
	Female.....	559				
83. General paralysis of the insane.....	W { Male.....	27				
	Female.....	10				
	C { Male.....	30				
	Female.....	9				
84. Dementia praecox and other psychoses.....	W { Male.....	18				
	Female.....	21				
	C { Male.....	16				1
	Female.....	19				
85. Epilepsy.....	W { Male.....	34		2		1
	Female.....	22	1			1
	C { Male.....	42	2	3		2
	Female.....	27	1	1	1	2
86. Convulsions (under 5 years of age).....	W { Male.....	11	10	1		
	Female.....	8	6	2		
	I { Male.....	1	1			
	Female.....					
	C { Male.....	15	13	2		
	Female.....	7	7			

Continued

[illegible]

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
87. Other diseases of the nervous system-----	W	Male-----	46	-----	3	-----
		Female-----	29	-----	1	1
	C	Male-----	13	-----	1	-----
		Female-----	4	-----	1	-----
88. Diseases of the organs of vision-----	W	Male-----	1	-----	-----	-----
		Female-----	3	1	-----	-----
	C	Male-----	-----	-----	-----	-----
		Female-----	1	-----	-----	-----
89. Diseases of the ear and of the mastoid process-----	W	Male-----	34	6	3	5
		Female-----	37	9	5	8
	I	Male-----	-----	-----	-----	-----
		Female-----	1	1	-----	-----
	C	Male-----	8	2	1	-----
		Female-----	2	-----	1	-----
VII. DISEASE OF THE CIRCULATORY SYSTEM:						
Males-----	Total-----		3,174	11	5	12
	White-----		2,253	9	1	7
	Indian-----		7	-----	-----	-----
	Colored-----		914	2	4	5
Females-----	Total-----		2,510	6	10	6
	White-----		1,615	3	8	1
	Indian-----		10	-----	1	-----
	Colored-----		885	3	1	5
90. Pericarditis-----	W	Male-----	19	-----	-----	-----
		Female-----	13	-----	1	-----
	C	Male-----	14	-----	1	1
		Female-----	7	-----	-----	-----
91. Acute endocarditis-----	W	Male-----	31	1	-----	4
		Female-----	16	1	1	-----
	I	Male-----	-----	-----	-----	-----
		Female-----	2	-----	1	-----
	C	Male-----	13	-----	1	2
		Female-----	16	-----	-----	-----
92. Chronic endocarditis, valvular diseases-----	W	Male-----	405	3	1	1
		Female-----	335	1	1	-----
	I	Male-----	4	-----	-----	-----
		Female-----	1	-----	-----	-----
	C	Male-----	227	-----	-----	2
		Female-----	226	-----	4	2
93. Diseases of the myocardium-----	W	Male-----	578	-----	-----	-----
		Female-----	536	1	1	1
	I	Male-----	-----	-----	-----	-----
		Female-----	2	-----	-----	-----
	C	Male-----	210	1	-----	-----
		Female-----	228	-----	-----	-----

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1	1	2	-----	1	3	10	16	8	1	-----	-----
1	1	2	-----	3	3	5	7	4	-----	-----	-----
-----	-----	1	-----	3	2	3	1	1	-----	1	-----
-----	-----	-----	-----	-----	-----	3	-----	-----	-----	-----	-----
-----	-----	-----	1	-----	-----	-----	2	-----	-----	-----	-----
-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
4	-----	3	2	3	1	2	1	1	-----	-----	-----
2	-----	-----	-----	-----	2	1	4	1	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	1	-----	-----	-----	-----	1	-----	1	-----	-----	-----
-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
19	26	46	65	215	468	723	765	639	150	12	3
13	13	21	32	120	267	502	599	539	117	2	2
-----	-----	-----	-----	1	1	2	1	1	-----	-----	1
6	13	25	33	94	200	219	165	99	33	10	-----
24	39	54	41	204	312	395	622	560	194	26	4
9	19	20	18	84	127	228	455	475	150	11	-----
-----	1	-----	-----	1	2	-----	3	-----	2	-----	-----
15	19	34	23	119	183	167	164	85	42	15	4
-----	-----	-----	-----	-----	-----	4	7	7	1	-----	-----
-----	1	-----	1	1	1	1	3	5	-----	-----	-----
2	1	1	-----	-----	3	2	2	2	2	-----	-----
-----	-----	-----	-----	-----	-----	1	1	1	-----	-----	-----
-----	2	3	3	6	5	-----	-----	1	1	-----	-----
-----	2	1	3	4	1	-----	-----	2	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	1	3	1	3	-----	1	-----	-----	-----	-----	-----
2	4	1	2	3	2	2	-----	-----	-----	-----	-----
7	5	4	7	24	28	79	112	107	24	-----	-----
4	7	6	5	21	20	45	87	103	33	1	-----
-----	-----	-----	-----	-----	-----	2	-----	1	-----	-----	1
-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
3	5	5	10	25	55	43	43	24	7	4	-----
1	7	10	2	31	42	45	47	18	12	3	2
-----	2	2	7	22	46	123	161	175	37	2	1
4	5	3	3	18	41	68	153	168	61	7	-----
-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----
1	1	6	8	20	42	51	43	30	7	-----	-----
5	3	5	3	29	39	44	53	26	14	6	-----

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
94. Diseases of the coronary arteries and angina pectoris.....	W	Male.....	439		1	
		Female.....	181			
	I	Male.....				
		Female.....	1			
	C	Male.....	91			
		Female.....	46			
95. Other diseases of the heart.....	W	Male.....	614	4	1	1
		Female.....	423	4		3
	I	Male.....	3			
		Female.....	4			
	C	Male.....	283	1		4
		Female.....	303	1	1	3
96. Aneurysm (except of the heart).....	W	Male.....	8			
		Female.....	2			
	C	Male.....	7			
		Female.....	3			
97. Arteriosclerosis (diseases of the coronary arteries excepted).....	W	Male.....	89			
		Female.....	68			
	C	Male.....	41			
		Female.....	29			
98. Gangrene.....	W	Male.....	23	1		
		Female.....	20			
	C	Male.....	14	1	1	
		Female.....	9			
99. Other diseases of the arteries.....	W	Male.....	27			
		Female.....	14			
	C	Male.....	6			
		Female.....	4			
100. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	W	Male.....	6			
		Female.....	3			
	C	Male.....	2			
		Female.....	2	1		
101. Diseases of the lymphatic system (lymphangitis).....	C	Female.....	2	1		
102. Idiopathic anomalies of the blood-pressure.....	W	Male.....	13			
		Female.....	4			
	C	Male.....	4			
		Female.....	7			
103. Other diseases of the circulatory system.....	W	Male.....	1			
		Female.....				
	C	Male.....	2			1
		Female.....	3	1		

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
-----	1	6	6	33	85	114	116	70	6	-----	1
-----	-----	1	1	14	19	44	65	31	5	1	-----
-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
-----	-----	4	3	14	23	27	16	4	-----	-----	-----
1	-----	1	4	9	7	11	8	3	2	-----	-----
5	3	5	4	32	85	148	157	132	37	-----	-----
1	5	8	5	22	36	60	109	132	36	2	-----
-----	-----	-----	-----	1	1	-----	1	-----	-----	-----	-----
-----	-----	-----	-----	1	1	-----	2	-----	-----	-----	-----
1	5	7	8	27	62	76	48	31	11	2	-----
4	3	15	9	40	78	58	47	31	8	4	1
-----	-----	-----	2	-----	2	-----	2	2	-----	-----	-----
-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----
-----	-----	-----	1	1	2	2	1	-----	-----	-----	-----
-----	-----	-----	-----	2	-----	-----	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	5	17	27	33	7	-----	-----
-----	-----	-----	-----	1	3	4	28	22	10	-----	-----
-----	-----	-----	-----	2	5	13	8	5	6	2	-----
-----	-----	-----	-----	2	7	3	4	4	6	2	1
1	-----	-----	1	2	3	3	3	6	3	-----	-----
-----	-----	-----	-----	1	1	3	4	9	2	-----	-----
-----	-----	-----	1	1	2	2	3	2	-----	1	-----
-----	-----	-----	2	2	2	-----	1	2	-----	-----	-----
-----	-----	1	-----	-----	5	10	9	2	-----	-----	-----
-----	-----	-----	-----	2	2	2	4	2	2	-----	-----
-----	-----	-----	1	-----	2	1	1	-----	-----	1	-----
-----	-----	1	-----	-----	2	1	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	2	-----	2	2	-----	-----	-----
-----	-----	-----	-----	-----	2	-----	-----	1	-----	-----	-----
-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
-----	-----	-----	2	1	1	3	3	2	1	-----	-----
-----	1	-----	-----	-----	-----	1	1	-----	1	-----	-----
-----	-----	-----	-----	4	-----	-----	-----	-----	-----	-----	-----
-----	-----	1	1	1	3	1	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
VIII. DISEASES OF THE RESPIRATORY SYSTEM:						
Males.....	Total.....	1,905	605	253	53	31
	White.....	1,162	339	146	31	21
	Indian.....	13	4	3		2
	Colored.....	730	262	104	22	8
Females.....	Total.....	1,572	451	201	39	29
	White.....	1,006	252	121	25	18
	Indian.....	7	3	2		
	Colored.....	559	196	78	14	11
104. Diseases of the nasal fossae and annexae.....	W { Male.....	20	3	2		1
	Female.....	10	4	2		1
	I { Male.....	1				
	Female.....	2	1			
	C { Male.....	9	8			
	Female.....	16	9	1	1	2
105. Diseases of the larynx.....	W { Male.....	7	3	3		
	Female.....	7	2	4		
	C { Male.....	3	1	1		
	Female.....	2		1		
106. Bronchitis.....	W { Male.....	26	7	4		
	Female.....	16	6			
	C { Male.....	12	8			
	Female.....	13	7	2		
107. Bronchopneumonia (including capillary bronchitis).....	W { Male.....	454	240	89	7	2
	Female.....	434	195	77	6	4
	I { Male.....	6	3	3		
	Female.....	3	2	1		
	C { Male.....	311	182	68	10	2
	Female.....	225	137	47	3	2
108. Lobar pneumonia.....	W { Male.....	556	77	40	21	15
	Female.....	462	37	35	16	12
	I { Male.....	5				2
	Female.....	2		1		
	C { Male.....	332	46	27	9	6
	Female.....	247	28	23	9	6
109. Pneumonia, unspecified.....	W { Male.....	39	8	6	1	2
	Female.....	30	7	1	2	1
	I { Male.....	1	1			
	Female.....					
	C { Male.....	39	17	7	1	
	Female.....	30	15	1	1	
110. Pleurisy.....	W { Male.....	7				
	Female.....	5		1	1	
	C { Male.....	6		1	1	
	Female.....	8		2		1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
56	75	56	53	137	148	123	148	114	48	4	1
30	34	29	30	77	95	82	116	96	35	-----	1
-----	-----	1	-----	-----	-----	-----	-----	1	2	-----	-----
26	41	26	23	60	53	41	32	17	11	4	-----
45	51	55	46	85	102	116	138	139	69	6	-----
25	22	28	28	47	59	85	110	122	60	4	-----
-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----
20	29	27	18	38	43	30	28	16	9	2	-----
4	1	1	1	3	3	-----	-----	-----	1	-----	-----
-----	-----	1	1	1	-----	-----	-----	-----	-----	-----	-----
-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
-----	-----	-----	1	2	1	2	3	3	3	-----	-----
-----	-----	-----	1	-----	2	2	2	3	-----	-----	-----
-----	-----	-----	-----	1	-----	1	-----	-----	2	-----	-----
1	-----	-----	-----	-----	1	-----	1	1	-----	-----	-----
5	3	3	4	5	7	13	30	31	15	-----	-----
3	4	5	6	6	9	19	33	42	22	3	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2	5	3	-----	4	7	9	10	4	3	2	-----
2	3	2	1	5	3	5	8	3	4	-----	-----
20	28	21	21	52	69	60	72	47	12	-----	1
17	18	17	18	36	44	56	69	60	26	1	-----
-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----
23	33	22	20	47	38	28	16	1	-----	-----	-----
13	23	21	15	31	33	19	14	10	5	2	-----
-----	-----	-----	-----	-----	-----	-----	-----	9	3	-----	-----
1	2	-----	2	2	4	3	4	2	2	-----	-----
3	-----	3	-----	-----	1	3	2	6	1	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	2	-----	1	3	1	1	4	1	1	-----	-----
1	-----	1	-----	1	2	2	3	1	1	1	-----
-----	-----	-----	-----	3	1	-----	2	1	-----	-----	-----
-----	-----	-----	1	1	-----	-----	1	-----	-----	-----	-----
-----	1	-----	-----	1	-----	1	-----	1	-----	-----	-----
-----	-----	2	-----	-----	1	1	-----	-----	-----	1	-----

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs-----	W { Male.....	15	1	1	2	-----
	Female....	26	1	-----	-----	-----
	C { Male.....	5	-----	-----	-----	-----
	Female....	3	-----	-----	-----	-----
112. Asthma-----	W { Male.....	17	-----	1	-----	1
	Female....	14	-----	1	-----	-----
	C { Male.....	9	-----	-----	1	-----
	Female....	12	-----	1	-----	-----
113. Pleurisy emphysema-----	W Male.....	2	-----	-----	-----	-----
114. Other diseases of the respiratory system (tuberculosis excepted)-----	W { Male.....	19	-----	-----	-----	-----
	Female....	2	-----	-----	-----	-----
	C { Male.....	4	-----	-----	-----	-----
	Female....	3	-----	-----	-----	-----
IX. DISEASES OF THE DIGESTIVE SYSTEM:						
Males-----	Total-----	1,448	440	244	24	30
	White-----	905	254	134	21	15
	Indian-----	10	5	3	-----	-----
	Colored-----	533	181	107	3	15
Females-----	Total-----	1,214	352	193	38	27
	White-----	745	199	119	25	18
	Indian-----	7	3	2	-----	-----
	Colored-----	462	150	72	13	9
115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetation)-----	W { Male.....	60	5	7	4	2
	Female....	64	1	11	11	3
	I { Male.....	1	-----	1	-----	-----
	Female....	-----	-----	-----	-----	-----
	C { Male.....	23	3	1	1	2
	Female....	31	1	2	8	1
116. Diseases of the esophagus-----	W { Male.....	1	-----	-----	-----	-----
	Female....	1	-----	-----	-----	-----
	C { Male.....	-----	-----	-----	-----	-----
	Female....	1	-----	-----	1	-----
117. Ulcer of the stomach and duodenum-----	W { Male.....	52	-----	1	-----	-----
	Female....	14	-----	-----	-----	-----
	C { Male.....	23	-----	-----	-----	-----
	Female....	10	-----	-----	-----	-----
118. Other diseases of the stomach (cancer excepted)-----	W { Male.....	34	5	2	1	1
	Female....	30	4	2	-----	1
	C { Male.....	38	1	1	-----	1
	Female....	37	4	4	-----	-----

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
				1	1	1		8			
1				1		2	2	10	9		
			1	1	2		1				
1					1				1		
				3	2	3	4	2	1		
		2	1	2	2	3		1	2		
		1	1		4		1	1			
	1	1	2		2	1	2	2			
					1			1			
		3	1	6	6		1	1	1		
1					1						
				2	1	1					
1	1			1							
49	45	37	44	89	135	119	95	79	16	1	1
29	25	25	26	50	97	82	72	62	12		1
	1							1			
20	19	12	18	39	38	37	23	16	4	1	
38	50	45	33	82	90	83	85	70	24	4	
23	20	16	21	36	56	62	68	60	20	2	
							2				
15	30	29	12	46	34	21	15	10	4	2	
5	5	5	4	3	8	4	4	2	1		1
2	3	6	5	5	5	6	2	4			
3	2		1	1	3	4	1		1		
	4	2	1	3	3	2	1	2	1		
							1				
						1					
	2	3		5	17	14	6	4			
				3	4	3	2	2			
	3	1	4	4	5	3	2	1			
	1			1	4		2	2			
		2			7	2	4	8	2		
2			2	1	1	7	3	4	3		
	1		2	10	8	10	3			1	
1	2	3	1	5	8	4	3	1	1		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
119. Diarrhea and enteritis (under 2 years)-----	W	Male.....	306	233	73	---
		Female.....	249	185	64	---
	I	Male.....	6	5	1	---
		Female.....	3	2	1	---
	C	Male.....	244	170	74	---
		Female.....	193	141	52	---
120. Diarrhea and enteritis (2 years and over)-----	W	Male.....	102	---	42	2
		Female.....	129	---	32	3
	I	Male.....	2	---	1	---
		Female.....	2	---	1	---
	C	Male.....	58	---	26	2
		Female.....	35	---	12	---
121. Appendicitis-----	W	Male.....	146	---	3	9
		Female.....	89	2	7	7
	I	Male.....	1	---	---	10
		Female.....	---	---	---	12
	C	Male.....	54	---	---	8
		Female.....	50	---	1	2
122. Hernia, intestinal obstruction-----	W	Male.....	85	9	6	3
		Female.....	60	4	2	1
	I	Male.....	---	---	---	---
		Female.....	1	1	---	---
	C	Male.....	50	6	2	1
		Female.....	45	2	1	2
123. Other diseases of the intestines-----	W	Male.....	10	1	---	---
		Female.....	12	---	---	1
	C	Male.....	3	---	1	---
		Female.....	6	---	---	---
124. Cirrhosis of the liver-----	W	Male.....	53	---	---	1
		Female.....	16	---	---	---
	C	Male.....	20	1	---	---
		Female.....	17	---	---	---
125. Other diseases of the liver (including yellow atrophy of the liver)-----	W	Male.....	14	---	---	1
		Female.....	13	---	---	1
	C	Male.....	4	---	---	---
		Female.....	13	1	---	2
126. Biliary calculi-----	W	Male.....	8	---	---	---
		Female.....	9	---	---	---
	C	Male.....	2	---	---	---
		Female.....	2	---	---	---
127. Other diseases of the gall-bladder and biliary passages-----	W	Male.....	26	1	---	---
		Female.....	42	2	---	---
	I	Male.....	---	---	---	---
		Female.....	1	---	---	---
	C	Male.....	7	---	---	---
		Female.....	7	1	---	---

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years			
128. Diseases of the pancreas.....	W { C {	Male.....	1						
		Female.....	6			1			
		Male.....	4			1			
		Female.....	1						
129. Peritonitis, cause not specified.....	W { C {	Male.....	7						
		Female.....	11	1	1	1			
		Male.....	3		2				
		Female.....	14			2			
X. DISEASES OF THE GENITOURINARY SYSTEM:									
Males.....	{ Total..... White..... Indian..... Colored.....	1,984	10	21	10	12			
		1,304	4	15	8	8			
		6							
		674	6	6	2	4			
Females.....	{ Total..... White..... Indian..... Colored.....	1,698	7	14	4	14			
		1,082		10	2	11			
		9							
		607	7	4	2	3			
130. Acute nephritis (including under 10 years of age).....	W { C {	Male.....	77	1	12	5	5		
		Female.....	48		4	1	3		
		Male.....	51	4	4	1	3		
		Female.....	49	6	1	1	1		
131. Chronic nephritis.....	W { I { C {	Male.....	978	1	2	3	3		
		Female.....	809		1		7		
		Male.....	5						
		Female.....	5						
	C {	Male.....	453		1	1	1		
		Female.....	407		2				
		132. Nephritis, unspecified (10 years and over).....	W { I { C {	Male.....	150				
				Female.....	116				
Male.....	1								
Female.....	3								
	C {	Male.....	97						
		Female.....	89				1		
		133. Other diseases of the kidneys and ureters (puerperal diseases excepted).....	W { C {	Male.....	22	1	1		
				Female.....	50		5	1	1
Male.....	12				1				
Female.....	16			1	1	1			
134. Calculi of the urinary passages.....	W { I { C {	Male.....	14						
		Female.....	9						
		Male.....							
		Female.....	1						
	C {	Male.....	1						
		Female.....	2						

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
					1						
					3	2					
	1	1		1	1						
1					3	2	1				
1	1	1	2		1		1			1	
				1							
3	3	4	2								
8	17	19	39	124	255	381	495	477	111	5	
3	7	10	17	68	126	243	353	366	74	2	
					1		2	2	1		
5	10	9	22	56	128	138	140	109	36	3	
21	36	37	56	152	216	293	372	350	108	17	1
10	21	16	25	74	105	165	261	288	85	8	1
1					1	2	1	4			
10	15	21	31	78	110	126	110	58	23	9	
2	2	1	3	8	11	4	13	7	3		
2	4	2	5	7	6	4	5	3	2		
3	1	2	5	10	9	5	2	2			
3	4	4	8	6	3	6	5	1			
	2	4	10	44	89	190	278	295	55	2	
5	3	3	6	45	77	127	209	250	69	6	1
					1		2	2			
					1	1	1	2			
1	4	2	11	34	90	96	104	79	27	2	
2	4	10	9	43	82	95	86	48	18	8	
	2	4	2	10	15	30	37	37	13		
1	1	3	3	4	12	21	35	25	10	1	
									1		
1								2			
1	4	2	3	7	20	24	18	15	3		
1	1	2	6	11	20	18	16	8	4	1	
1	1	1	1	5	2	4	2	3			
	4	4		3	7	8	9	5	3		
		1		2	2		2	2	2		
	1			3		6	1	1	1		
			1	1	5	3	4				
	1		2	2		2		2			
						1					
						1					
1				1							

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
135. Diseases of the bladder.....	W { Male..... Female..... C { Male..... Female.....	5 6 8 3	1			
136. Diseases of the urethra, urinary abscess, etc. {	W Male..... C Male.....	4 9				
137. Diseases of the prostate.....	W Male..... C Male.....	52 39				
138. Diseases of the male genital organs, not specified as venereal.....	W Male..... C Male.....	2 4	1 1			
139. Diseases of the female genital organs, not specified as venereal.....	W Female..... C Female.....	44 41				1
XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE:						
Females.....	Total..... White..... Indian..... Colored.....	606 363 4 239				3 1 2
140. Abortion with septic conditions.....	White..... Colored.....	27 14				
141. Abortion without mention of septic condition (to include hemorrhage).....	White..... Colored.....	15 10				
142. Ectopic gestation.....	White..... Colored.....	5 9				
143. Other accidents of pregnancy (not to include hemorrhage).....	White..... Indian..... Colored.....	17 1 7				
144. Puerperal hemorrhage.....	White..... Colored.....	48 30				
145. Puerperal septicemia (not specified as due to abortion).....	White..... Indian..... Colored.....	67 1 50				1
146. Puerperal albuminuria and eclampsia.....	White..... Indian..... Colored.....	105 2 74				1
147. Other toxemias of pregnancy.....	White..... Colored.....	27 12				
148. Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic).....	White..... Colored.....	15 7				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
						1		3	1		
				1	1	1	1		1	1	
	1		2	1	1			1	1		
				1	2						
					3	1					
		1			3	3	2				
					1	9	19	21	2		
		1		1	3	8	12	10	3	1	
						1					
			1	1		1					
2	8	4	9	12	2	2	2	3			
3	5	5	8	13	3	1	2				
91	133	119	105	148	6						1
38	81	85	57	98	3						1
1	1			1							
52	51	34	48	49	3						
	8	8	3	8							
2	3	1	4	3	1						
1	3	3	2	5							1
	2		4	4							
1	2	1		1							
	4	2	2	1							
2	4	5	3	2	1						
				1							
1	3			3							
2	7	9	7	23							
4	2	7	7	9	1						
5	19	17	12	13	1						
1											
14	15	7	11	2							
20	23	22	14	25	1						
	1										
23	14	11	12	14							
4	4	6	5	8							
2	3	1		5	1						
	3	7	2	3							
1	1	1	2	2							

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
149. Other accidents of labor.....	White.....	37	-----	-----	-----	-----
	Colored.....	26	-----	-----	-----	1
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE:						
Males.....	Total.....	51	10	3	1	3
	White.....	39	6	2	1	3
	Indian.....	1	1	-----	-----	-----
	Colored.....	11	3	1	-----	-----
Females.....	Total.....	42	3	-----	1	1
	White.....	35	3	-----	1	1
	Indian.....	-----	-----	-----	-----	-----
	Colored.....	7	-----	-----	-----	-----
151. Furuncle, carbuncle.....	W { Male.....	13	1	1	-----	1
	Female.....	11	1	-----	-----	1
	I { Male.....	1	1	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
	C { Male.....	3	-----	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
152. Phlegmon, acute abscess.....	W { Male.....	15	2	1	1	2
	Female.....	16	-----	-----	-----	-----
	C { Male.....	4	2	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
153. Other diseases of the skin and annexae, and of the cellular tissue.....	W { Male.....	11	3	-----	-----	-----
	Female.....	8	2	-----	1	-----
	C { Male.....	4	1	1	-----	-----
	Female.....	7	-----	-----	-----	-----
XIII. DISEASES OF THE ORGANS OF LOCOMOTION:						
Males.....	Total.....	35	2	5	6	8
	White.....	24	1	4	4	7
	Colored.....	11	1	1	2	1
Females.....	Total.....	15	-----	4	5	3
	White.....	10	-----	2	5	1
	Colored.....	5	-----	2	-----	2
154. Osteomyelitis.....	W { Male.....	22	1	4	4	7
	Female.....	7	-----	1	5	-----
	C { Male.....	9	1	1	2	1
	Female.....	3	-----	1	-----	1
155. Other diseases of the bones (tuberculosis excepted).....	W { Male.....	1	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
	C { Male.....	1	-----	-----	-----	-----
	Female.....	1	-----	1	-----	-----
156. Other diseases of the organs of locomotion.....	W { Male.....	1	-----	-----	-----	-----
	Female.....	2	-----	1	-----	1
	C { Male.....	1	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
3	8	7	9	10							
5	4	4	6	6							
1	2	3	3	8	4	5	5	2	1		
1	2	2	2	7	2	4	4	2	1		
		1	1	1	2	1	1				
2	7	1	2	6	6	6	2	2	1	2	
2	7		2	6	5	5	2	2	1		
		1			1	1				2	
	1	1		4	1	1	2				
	2		1	2	1	2	1				
		1			1	1					
1	1	1	2	2			1	1			
2	5		3	3	2	2	1		1		
		1	1	1							
				1	1	3	1	1	1		
		1	1	1	2	1					
					1	1	1	2		2	
2	1	1	1	3	4	2					
1	1			2	2	1					
1		1	1	1	2	1					
					1		1	1			
					1						
1	1			2	2			1			
1			1	1	1						
					1	1					
							1				
		1									
					1						

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
XIV. CONGENITAL MALFORMATIONS:						
Males.....	Total.....	193	177	12	1	1
	White.....	154	140	11	-----	1
	Indian.....	-----	-----	-----	-----	-----
	Colored.....	39	37	1	1	-----
Females.....	Total.....	153	139	8	-----	4
	White.....	118	108	6	-----	4
	Indian.....	2	2	-----	-----	-----
	Colored.....	33	29	2	-----	-----
157. Congenital malformations (stillbirths not included).....	W { Male.....	154	140	11	-----	1
	Female.....	118	108	6	-----	4
	I { Male.....	-----	-----	-----	-----	-----
	Female.....	2	2	-----	-----	-----
	C { Male.....	39	37	1	1	-----
	Female.....	33	29	2	-----	-----
	-----	-----	-----	-----	-----	-----
	-----	-----	-----	-----	-----	-----
XV. DISEASES OF EARLY INFANCY:						
Males.....	Total.....	1,563	1,561	2	-----	-----
	White.....	963	961	2	-----	-----
	Indian.....	7	7	-----	-----	-----
	Colored.....	593	593	-----	-----	-----
Females.....	Total.....	1,262	1,259	2	1	-----
	White.....	760	759	-----	1	-----
	Indian.....	6	6	-----	-----	-----
	Colored.....	496	494	2	-----	-----
158. Congenital debility.....	W { Male.....	191	191	-----	-----	-----
	Female.....	143	143	-----	-----	-----
	I { Male.....	3	3	-----	-----	-----
	Female.....	1	1	-----	-----	-----
	C { Male.....	219	219	-----	-----	-----
	Female.....	172	171	1	-----	-----
	-----	-----	-----	-----	-----	-----
	-----	-----	-----	-----	-----	-----
159. Premature birth.....	W { Male.....	607	606	1	-----	-----
	Female.....	503	503	-----	-----	-----
	I { Male.....	3	3	-----	-----	-----
	Female.....	5	5	-----	-----	-----
	C { Male.....	283	283	-----	-----	-----
	Female.....	272	271	1	-----	-----
	-----	-----	-----	-----	-----	-----
	-----	-----	-----	-----	-----	-----
160. Injury at birth.....	W { Male.....	103	102	1	-----	-----
	Female.....	58	57	-----	1	-----
	I { Male.....	1	1	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
	C { Male.....	48	48	-----	-----	-----
	Female.....	25	25	-----	-----	-----
	-----	-----	-----	-----	-----	-----
	-----	-----	-----	-----	-----	-----
161. Other diseases peculiar to early infancy.....	W { Male.....	62	62	-----	-----	-----
	Female.....	56	56	-----	-----	-----
	C { Male.....	43	43	-----	-----	-----
	Female.....	27	27	-----	-----	-----

Continued

[illegible]

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
XVI. SENILITY:						
Males.....	Total.....	169	-----	-----	-----	-----
	White.....	89	-----	-----	-----	-----
	Indian.....	1	-----	-----	-----	-----
	Colored.....	79	-----	-----	-----	-----
Females.....	Total.....	245	-----	-----	-----	-----
	White.....	127	-----	-----	-----	-----
	Indian.....	-----	-----	-----	-----	-----
	Colored.....	118	-----	-----	-----	-----
XVII. VIOLENT AND ACCIDENTAL DEATHS:						
Males.....	Total.....	2,251	81	94	78	91
	White.....	1,435	39	64	51	54
	Indian.....	14	-----	-----	-----	1
	Colored.....	802	42	30	27	36
Females.....	Total.....	831	69	97	63	32
	White.....	534	26	66	34	20
	Indian.....	8	-----	3	1	-----
	Colored.....	289	43	28	28	12
163. Suicide by solid or liquid poisons by corrosive substances.....	W { Male.....	17	-----	-----	-----	-----
	Female.....	24	-----	-----	-----	-----
	C { Male.....	3	-----	-----	-----	-----
	Female.....	4	-----	-----	-----	-----
164. Suicide by poisonous gas.....	W { Male.....	6	-----	-----	-----	-----
	Female.....	2	-----	-----	-----	-----
	C { Male.....	1	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
165. Suicide by hanging or strangulation.....	W { Male.....	7	-----	-----	-----	-----
	Female.....	5	-----	-----	-----	-----
	C { Male.....	3	-----	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
166. Suicide by drowning.....	W { Male.....	3	-----	-----	-----	-----
	Female.....	9	-----	-----	-----	-----
	C { Male.....	1	-----	-----	-----	-----
	Female.....	2	-----	-----	-----	-----
167. Suicide by firearms.....	W { Male.....	123	-----	-----	-----	-----
	Female.....	12	-----	-----	-----	-----
	C { Male.....	5	-----	-----	-----	-----
	Female.....	2	-----	-----	-----	-----
168. Suicide by cutting or piercing instruments.....	W { Male.....	4	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
	C { Male.....	1	-----	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
169. Suicide by jumping from high places.....	W Male.....	2	-----	-----	-----	-----

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
							19	73	62	15	
							8	46	33	2	
									1		
							11	27	28	13	
						1	27	89	83	45	
							11	55	52	9	
						1	16	34	31	36	
203	320	265	188	315	239	191	95	67	13	1	10
120	172	145	116	201	178	146	74	61	9	1	4
	3	5	3		2						
83	145	115	69	114	59	45	21	6	4		6
59	84	39	42	51	47	64	60	74	47	3	
25	40	21	18	32	37	51	55	66	40	3	
2	1		1								
32	43	18	23	19	10	13	5	8	7		
	2	2	3	2	5	1	1	1			
4	6	3	1	1	7		1	1			
1				1	1						
1	1		1	1							
		1	1	2	2						
1						1					
	1			1							
			1	3	1	2					
				1	2	2					
1	1		1								
					1	1	1				
1	1	1	2	1	1	1	1	1			
			1			1					
								1			
5	17	13	8	21	25	22	10	2			
2	2		1	4	1	1		1			
	1	1		2	1						
				2							
				1	1		2				
				1							
					1						
			1	1							

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
170. Suicide by crushing.....	W { Male..... Female.....	1 1				
171. Suicide by other means.....	W { Male..... Female.....	3 1				
172. Infanticide (murder of infants less than one year).....	W { Male..... Female.....	1 1	1 1			
173. Homicide by firearms.....	W { Male..... Female.....	90 8				2
	I { Male..... Female.....	2 2				
	C { Male..... Female.....	173 26			1	1
	W { Male..... Female.....	21 1				
	I { Male..... Female.....	3 2				
	C { Male..... Female.....	52 22				
174. Homicide by piercing or cutting instruments	W { Male..... Female.....	21 1				
	I { Male..... Female.....	3 2				
	C { Male..... Female.....	52 22				
	W { Male..... Female.....	27 5	1		1	
175. Homicide by other means.....	C { Male..... Female.....	25 12		1		
	W { Male..... Female.....	1 1				
	C { Male..... Female.....	1 1				
	W { Male..... Female.....	7 6	1 1	1 4		
176. Attack by venomous animals.....	C { Male..... Female.....	12 7	2 1	2 1	3	
	W { Male..... Female.....	3 3		1		
	I { Male..... Female.....	1 2			1	
	C { Male..... Female.....	2 1		1		
177. Poisoning by food.....	W { Male..... Female.....	18 5		5 3	1	
	C { Male..... Female.....	10 8	1 1	5 3		
	W { Male..... Female.....	14 10	3 3	1 3		1
	C { Male..... Female.....	21 20	1 2	3 3	5	3
178. Accidental absorption of poisonous gas.....	W { Male..... Female.....	3 3				
	I { Male..... Female.....	1 2				
	C { Male..... Female.....	1 1		1		
	W { Male..... Female.....	18 5		5 3	1	
179. Other acute accidental poisonings (gas excepted).....	C { Male..... Female.....	10 8	1 1	5 3		
	W { Male..... Female.....	14 10	3 3	1 3		1
	C { Male..... Female.....	21 20	1 2	3 3	5	3
	W { Male..... Female.....	18 5		5 3	1	
180. Conflagration.....	C { Male..... Female.....	10 8	1 1	5 3		
	W { Male..... Female.....	14 10	3 3	1 3		1
	C { Male..... Female.....	21 20	1 2	3 3	5	3
	W { Male..... Female.....	18 5		5 3	1	

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
					1						
		1									
				1	1	1					
						1					
1	13	18	12	25	8	8	3				
1	2	2	1	1	1						
	2										
1			1								
11	41	42	24	35	13	3	3				
6	9	4	3	2	1						
4	2	6	1	3	2	3					
							1				
		1	1		1						
5	16	12	7	10	1	1					
4	8	5	4			1					
1	4	4	4	4	5	2		1			
	2		1	1							
4	5	6	3	4	1	2					
2	3	2	2	3							
								1			
						1					
			1	2		1	1				
	1	1	1		1	1					
1				2	1	1					
			1			2					
	1	1									
					1			1			
		1	2	5	3		1				
	1				1						
	2	1		1							
	3	1									
2				1	2	1	1	2			
		2		1	2			1			
2	3	1	4	2		1			1		
1	1			1			2	1	1		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
181. Accidental burns.....	W	Male.....	41	1	16	2	2
		Female....	74	4	29	12	3
	I	Male.....	2	1			
		Female....					
	C	Male.....	25	1	10	1	1
		Female....	49	2	12	13	2
182. Accidental mechanical suffocation.....	W	Male.....	27	25			1
		Female....	14	12	1		
	C	Male.....	21	19			
		Female....	22	22			
183. Accidental drowning.....	W	Male.....	61	2	3	4	7
		Female....	3	1	1		
	I	Male.....	1				1
		Female....	2		1		
	C	Male.....	37	2		1	10
		Female....	4	1			
184. Accidental traumatism by firearms, (wounds of war excepted).....	W	Male.....	56		2	4	10
		Female....	8		1	1	1
	C	Male.....	45		2	4	6
		Female....	9		1	1	3
185. Accidental traumatism by cutting or piercing instruments (wounds of war excepted).....	W	Male.....	6			1	
		Female....	3		1		
	C	Male.....	3				1
		Female....	2				
186. Accidental traumatism by fall, crushing, landslide, etc.....	W	Male.....	104		6	4	5
		Female....	160	1	2		4
	I	Male.....	1				
		Female....					
	C	Male.....	23		2	1	1
		Female....	14	1			
187. Cataclysm (all deaths attributed to cataclysm, regardless of their nature).....	W	Female....	1				
188. Injuries by animals.....	W	Male.....	9			1	1
		Female....	1			1	
	C	Male.....	2				
		Female....					
189. Hunger and thirst	W	Male.....	1				
	C	Male.....	1	1			
190. Excessive cold.....	W	Male.....	9	1			
		Female....	2	1			
	I	Male.....	1				
		Female....					
	C	Male.....	14	1			
		Female....	5	2			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
3	1 4	4 1	3 1	2 3	1 4	3 4	6 1	5			
1	1 2										
5	5	1	2		1	4	1		1		
						1					
			1								
				2							
12	6	5	2	11	5	1	2	1			
1											
1											
6	5	3	1		2	5	1		1		
2					1						
9	9	2	7	4	4	4	1				
1	1			1	1	1					
10	6	7	4	2	1	2	1				
2	2										
1		2			1		1				
			1					1			
	1					1					
					1		1				
3	5	4	7	9	4	8	7	35	6	1	
				2	2	16	40	51	39	3	
		1									
1	3		1	3	4	3	3	1			
1	1	1		1		2		4	3		
	1										
1				2	2	2					
				1		1					
							1				
			1	1	4		1		1		
		1				1					
1	1	1		1	2	3	3	1			
				1			1		1		

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
191. Excessive heat.....	W	Male.....	7	1		
		Female.....				
	C	Male.....	4			
		Female.....	1			
192. Lightning.....	W	Male.....	4			
		Female.....	5		1	1
	C	Male.....	6	1		
		Female.....	4		1	
193. Accidents due to electric currents.....	W	Male.....	7			1
		Female.....				
	C	Male.....	1			
		Female.....	1			
194. Other accidents.....	W	Male.....	53	3	2	2
		Female.....	16	4	5	1
	I	Male.....				
		Female.....	1	1		
	C	Male.....	39	14	3	
		Female.....	18	11	4	1
	W	Male.....	9			
		Female.....	2			
195. Violent deaths of which the nature (accident, suicide, homicide) is unknown.....	C	Male.....	10			
		Female.....	5			1
198. Legal executions.....	W	Male.....	8			
	C	Male.....	12			
201. Accidents in mines and quarries.....	W	Male.....	3			
202. Accidents from agricultural machinery.....	W	Male.....	2		1	
203. Elevator accidents.....	W	Male.....	1			
	C	Male.....	1			
205. Other machinery accidents.....	W	Male.....	14			
		Female.....	1			
	C	Male.....	10			
		Female.....	1			
206. Railroad and automobile collisions.....	W	Male.....	30			
		Female.....	5			1
	I	Male.....	1			
		Female.....				
	C	Male.....	6			
		Female.....	11	1	1	1
207. Other railroad accidents.....	W	Male.....	59	2	1	1
		Female.....	6			1
	I	Male.....	1			
		Female.....				
	C	Male.....	41	1	1	2
		Female.....	2			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
		1	1	1		2	1				
			2			1	1				
			1								
	1	2	1								
			1		1	1					
3					1						1
	1	1			1						
1		1	1	2		1					
					1						
	1										
3	5	7	2	9	6	9	3	2			
				2			1	1			
2	9	3	1	2	3	1	1				
		1			1						
1	2		1	4	1						
	1		1								
1	2	2		3	2						
1	1			1	1						
	1	2	1	2	2						
2	3	4	1	1	1						
	1				2						
		1									
					1						
						1					
1	3	2		1	5	2					
						1					
2		1	1	4	2						
				1							
5	7	5	3	2	5	2			1		
	1			2		1					
		1									
3	1			1		1					
2	2	2		1				1			
12	3	3	9	10	7	3	3	1			4
	1	1			2			1			
			1								
4	12	6	3	2	4	2					4
			1			1					

TABLE III—

CAUSE OF DEATH	RACE	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
209. Other street car accidents.....	W Male.....	1				
210. Automobile Accidents.....	W { Male.....	534	1	26	29	19
	{ Female.....	135	1	14	17	7
	I { Male.....	4				
	{ Female.....					
	C { Male.....	176		4	13	11
	{ Female.....	36		2	5	2
211. Motorcycle Accidents.....	W Male.....	5				
212. Other land transportation accidents.....	W Male.....	7				1
	C Male.....	7				
213. Water transportation accidents.....	W { Male.....	21		1		1
	{ Female.....	3				
	C { Male.....	7				
	{ Female.....					
214. Air transportation accidents.....	W { Male.....	8				
	{ Female.....	1				
	C { Male.....	1				
	{ Female.....					
XVIII. ILL-DEFINED CAUSES OF DEATH:						
Males.....	Total.....	280	53	23	7	4
	White.....	127	25	6	5	2
	Indian.....	4				
	Colored.....	149	28	17	2	2
Females.....	Total.....	190	33	19	3	5
	White.....	77	18	10		2
	Indian.....	4	1			
	Colored.....	109	14	9	3	3
199. Sudden death.....	W { Male.....	52	3	1	1	2
	{ Female.....	25	3	1		1
	I { Male.....	3				
	{ Female.....	3	1			
	C { Male.....	38	4	3		
	{ Female.....	30	2	1		
	W { Male.....	75	22	5	4	
	{ Female.....	52	15	9		1
200. Cause of death not specified or ill-defined..	I { Male.....	1				
	{ Female.....	1				
	C { Male.....	111	24	14	2	2
	{ Female.....	79	12	8	3	3

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
								1			
52	81	52	38	62	71	63	25	14	1		
10	14	8	6	11	12	20	11	3	1		
	1	1	1		1						
20	27	21	14	29	13	13	6	2	2		1
4	4		8	3	2	4		1	1		
2	2		1								
			2	2			2				
1	1	1		1	2	1					
4	6	4	1	2		1	1				
1	1	1									
2	2	1		2							
	1	3		4							
	1			1							
8	9	7	10	21	30	50	38	15	5		
3	4	3	1	7	12	28	18	10	3		
					2	2					
5	5	4	9	14	16	20	20	5	2		
3	6	11	10	18	18	32	25	6			1
		2	3	7	6	12	14	3			
			1			1	1				
3	6	9	6	11	12	19	10	3			1
	1		1	2	4	19	9	6	3		
		1	1	3		2	4	2			
					2	1					
						1	1				
1	1		2	6	4	7	8	2			
	1	2	2	5	4	7	4	2			
3	3	3		5	8	9	9	4			
		1	2	4	4	8	7	1			
						1					
			1								
4	4	4	7	8	12	13	12	3	2		
3	5	7	4	6	8	12	6	1			1

Currituck	61	9.1	35	7.9	---	26	11.5	65	9.7	36	8.1	---	29	12.9
Dare	48	9.2	42	8.8	---	6	15.0	53	10.2	47	9.8	---	6	15.0
Davidson	462	9.1	386	8.6	---	76	13.8	481	9.5	404	9.0	---	77	14.0
Davie	134	9.2	99	8.2	---	35	14.0	164	11.2	122	10.1	---	42	16.8
Duplin	340	9.4	209	9.2	---	131	9.8	371	10.2	234	10.3	---	137	10.2
Durham	1,132	15.7	628	13.4	---	504	20.0	832	11.5	408	8.7	---	424	16.8
Edgecombe	595	11.9	199	9.3	---	396	13.8	593	11.8	197	9.2	---	396	13.8
Forsyth	1,270	10.7	693	8.8	---	577	14.6	1,242	10.5	657	8.3	---	585	14.8
Franklin	256	8.5	149	8.8	---	107	14.9	271	9.0	159	9.4	---	112	8.4
Gaston	756	9.1	570	8.1	---	186	14.1	798	9.6	611	8.7	---	187	14.2
Gates	116	10.8	53	9.5	---	63	12.4	123	11.5	58	10.4	---	65	12.7
Graham	33	5.4	33	5.6	---	---	---	36	5.9	36	6.1	---	---	---
Granville	314	10.7	155	10.4	---	159	11.0	327	11.2	162	10.9	---	165	11.5
Greene	156	8.1	69	6.9	---	87	9.4	175	9.1	82	8.2	---	93	10.0
Guilford	1,420	9.9	989	8.8	---	431	13.9	1,381	9.6	948	8.4	---	433	14.0
Halifax	588	10.6	201	8.6	---	387	12.1	609	11.0	212	9.1	---	397	12.4
Harnett	350	8.8	249	8.6	1	100	9.1	408	10.2	296	10.2	1	111	10.1
Haywood	287	9.8	271	9.4	---	16	22.9	299	10.2	283	9.9	---	16	22.9
Henderson	264	10.8	231	10.4	---	33	14.3	261	10.7	229	10.3	---	32	13.9
Hertford	193	10.7	61	8.2	---	132	12.5	206	11.4	67	9.1	---	139	13.1
Hoke	162	10.9	57	10.4	7	98	11.0	144	9.7	56	10.2	7	81	9.1
Hyde	58	6.7	32	6.3	---	26	7.2	72	8.3	45	8.8	---	27	7.5
Iredell	593	12.2	436	11.2	---	157	16.2	511	10.5	359	9.2	---	152	15.7
Jackson	148	8.0	136	7.9	4	8	13.1	152	8.3	139	8.1	5	8	13.1
Johnston	553	9.3	420	9.1	---	133	9.8	606	10.2	465	10.1	---	141	10.4
Jones	121	11.4	45	7.8	---	76	15.8	139	13.1	59	10.2	---	80	16.7
Lee	190	10.7	114	9.4	---	76	13.3	186	10.4	112	9.3	---	74	13.0
Lenoir	546	14.7	325	15.5	---	221	13.7	500	13.5	281	13.4	---	219	13.6
Lincoln	235	9.8	193	9.5	---	42	12.0	240	10.0	197	9.7	---	43	12.3
McDowell	197	9.3	177	9.3	---	20	9.5	198	9.4	178	9.4	---	20	9.5
Macon	167	12.0	158	11.8	---	9	18.0	157	11.3	148	11.0	---	9	18.0
Madison	177	8.6	176	8.7	---	1	3.3	193	9.4	192	9.5	---	1	3.3
Martin	266	11.1	139	10.9	---	127	11.2	290	12.1	153	12.1	---	137	12.1
Mecklenburg	1,613	11.7	918	9.5	---	695	17.0	1,533	11.2	841	8.7	---	692	17.0
Mitchell	110	7.6	109	7.6	---	1	10.0	119	8.2	118	8.2	---	1	10.0
Montgomery	119	7.1	93	7.2	---	26	6.8	129	7.7	100	7.8	---	29	7.6

TABLE IV—Continued

COUNTY	By Place of Death						By Place of Residence					
	Total		White		Indian		Colored		Total		White	
	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate
Moore.....	263	8.9	175	9.0			88	8.5	248	8.4	159	8.2
Nash.....	677	12.2	372	12.1			305	12.4	585	10.6	315	10.3
New Hanover.....	705	16.1	354	13.3			351	20.5	610	13.9	284	10.6
Northampton.....	210	7.5	71	6.8			139	7.9	233	8.3	81	7.7
Onslow.....	165	10.6	124	10.9			41	10.0	178	11.5	130	11.4
Orange.....	186	8.5	108	7.3			78	11.0	232	10.6	133	9.0
Pamlico.....	89	9.5	45	7.3			34	10.6	84	8.9	49	7.9
Pasquotank.....	301	15.4	142	12.7			159	18.9	293	14.9	137	12.2
Pender.....	182	11.4	79	9.6			103	13.4	205	12.9	91	11.1
Perquimans.....	135	12.7	52	9.7			83	15.7	139	13.0	54	10.0
Person.....	163	7.1	100	7.3			63	7.0	191	8.4	116	8.5
Pitt.....	630	11.2	283	9.7			347	12.7	691	12.2	316	10.9
Polk.....	109	10.3	91	10.1			18	11.3	86	8.1	67	7.4
Randolph.....	339	9.0	306	9.1			33	8.5	369	9.8	332	9.9
Richmond.....	385	10.8	217	10.0			168	12.0	386	10.8	216	9.9
Robeson.....	780	11.3	362	11.1	128		290	12.2	753	10.9	342	10.5
Rockingham.....	528	10.0	364	8.9			164	14.0	543	10.3	379	9.3
Rowan.....	586	9.9	428	9.0			158	13.1	581	9.8	424	9.0
Rutherford.....	315	7.4	266	7.2			49	8.8	314	7.4	264	7.2
Sampson.....	401	9.7	250	9.4	5		146	10.4	427	10.4	268	10.0
Scotland.....	225	10.6	87	9.4	4		134	11.9	233	11.0	91	9.8
Stanly.....	258	8.3	222	8.1			36	10.0	262	8.5	225	8.2
Stokes.....	145	6.4	131	6.5			14	5.6	161	7.1	146	7.2
Surry.....	406	9.8	372	9.6			34	12.1	389	9.4	356	9.2
Swain.....	79	6.8	62	6.0	16		1	5.2	84	7.3	68	6.6
Transylvania.....	98	10.1	88	9.8			10	14.3	101	10.4	91	10.1
Tyrrell.....	61	11.7	32	9.1			29	17.1	64	12.3	35	10.0

Union.....	375	8.3	249	7.8	126	12.2	392	9.3	260	8.2	132	12.8
Vance.....	349	12.3	179	11.3	170	13.6	335	11.8	164	10.3	171	13.7
Wake.....	1,321	13.3	763	12.0	558	15.8	1,247	12.6	701	11.0	546	15.4
Warren.....	259	10.8	62	7.1	197	13.0	274	11.5	73	8.4	201	13.2
Washington.....	137	11.7	70	11.3	67	12.2	140	12.0	70	11.3	70	12.7
Watauga.....	99	6.3	95	6.2	4	13.3	116	7.4	111	7.3	5	16.7
Wayne.....	906	16.4	369	11.9	537	22.3	791	14.4	365	11.8	426	17.7
Wilkes.....	337	9.1	306	8.9	31	11.1	350	9.4	318	9.3	32	11.4
Wilson.....	589	12.6	285	10.7	304	15.1	597	12.8	291	10.9	306	15.2
Yadkin.....	153	8.3	140	8.0	13	13.0	191	10.3	177	10.1	14	14.0
Yancey.....	89	6.1	89	6.2	-----	-----	95	6.6	95	6.6	-----	-----

TABLE V—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY CAUSE OF

CAUSE OF DEATH	Entire State					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	22,115	21,834	173	173	12,824	12,768
1. Typhoid and paratyphoid fever.....	43	41	2	2	46	46
2. Typhus fever.....					2	2
3. Smallpox.....						
4. Measles.....	278	278	1	1	54	54
5. Scarlet fever.....	37	37			2	2
6. Whooping-cough.....	218	218	7	7	202	202
7. Diphtheria.....	170	170			37	37
8. Influenza.....	501	500	6	6	296	295
10. Tuberculosis of the respiratory system.....	851	763	3	3	1,083	1,052
11. Other forms of tuberculosis.....	90	90			116	115
12. Syphilis.....	78	78	2	2	249	249
13. Malaria.....	34	33	1	1	45	45
14. Dysentery.....	92	91	2	2	36	36
14. Acute poliomyelitis and polioencephalitis.....	11	9			10	10
14. Epidemic cerebrospinal meningitis.....	16	14			5	5
14. Other infectious and parasitic diseases.....	196	192	2	2	92	91
15. Cancer and other malignant tumors.....	1,344	1,322	6	6	424	424
16. Tumors, non-malignant or unspecified.....	77	76			52	51
17. Chronic rheumatism and gout.....	50	50			8	8
18. Diabetes mellitus.....	284	282			100	100
19. Alcoholism (acute or chronic).....	80	80	1	1	45	45
20. Other general diseases and chronic poisonings.....	314	308	4	4	122	121
20. Pellagra.....	259	260	6	6	171	171
21. Progressive locomotor ataxia and paresis.....	41	40			42	42
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	1,829	1,819	7	7	1,041	1,042
23. Other diseases of the nervous system and organs of special sense.....	366	369	3	3	214	214
24. Diseases of the heart.....	3,572	3,547	17	17	1,662	1,663
25. Other diseases of the circulatory system.....	277	274			134	134
26. Bronchitis.....	42	42			25	25
27. Pneumonias.....	1,968	1,964	17	17	1,182	1,179
28. Other diseases of the respiratory system (T. B. excepted).....	149	147	3	3	80	79
29. Diarrhea and enteritis (under 2 years).....	555	541	9	9	437	437
29. Diarrhea and enteritis (2 years and over).....	231	229	4	4	93	93
30. Appendicitis.....	230	227	1	1	104	102
31. Cirrhosis of the liver.....	67	68			37	37
31. Other diseases of the liver.....	111	109	1	1	34	35
32. Other diseases of the digestive system.....	445	437	2	2	289	287
33. Nephritis.....	2,173	2,152	14	14	1,145	1,143
34. Other diseases of the genitourinary system.....	204	197	1	1	135	135
35. Puerperal septicemia.....	93	93	1	1	64	64
36. Other diseases of pregnancy and puerperal state.....	269	264	3	3	175	174
37. Diseases of skin, bones and organs of locomotion.....	108	108	1	1	34	34
38. Congenital debility, malformation and early infancy.....	1,992	1,992	15	15	1,161	1,161
39. Senility.....	216	216	1	1	197	197
40. Suicide (total).....	219	216			23	23
41. Homicide (total).....	152	149	7	7	310	306
42. Violent and accidental (suicide and homicide excepted).....	1,581	1,540	15	15	751	745
43. Cause not specified or ill-defined.....	202	202	8	8	258	256

DEATH (ABRIDGED INTERNATIONAL LIST) AND BY COLOR OF DECEDENT—1934

Alamance				Alexander				Alleghany			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
298	341	126	137	95	109	8	8	49	49	2	2
	1										
4	4	1	1	1	1						
1	1										
	1			3	3						
4	6	1	1								
15	17	1	1	3	3						
11	12	10	11	5	5	2	2				
	1	3	4					1	1		
2	3	2	3								
1	4	2	2								
								1	1		
1	1										
2	2			1	2						
23	27	8	8	4	5			2	2		
1	2							1	1		
1	1							1	1		
4	4			1	1						
1	1							1	1		
2	3	1	2								
1	1	1	1	2	2						
									1		
25	26	8	9	13	13			3	3		
4	6	2	3	1	1			1	1		
37	39	25	25	17	20	3	3	7	7		
4	5			1	1						
				1	1						
21	29	14	14	11	12	2	2	10	10		
2	3		1					2	2		
5	6	1	1	1	1			1			
		3	3	1	1			1	1		
1	3										
1	1										
1	1										
6	10	3	4	1	1						
35	35	14	14	5	6			8	7		
	2			2	2						
	1										
3	7	3	4	1	2			1	1		
2	2										
26	26	11	12	11	11			4	4		
9	9	3	3								
4	4			2	2			1	1		
2	2	2	2	1	2				1		
35	31	5	6	4	9			2	2	2	2
1	1	2	2	2	2	1	1	1	1		

TABLE V—

CAUSE OF DEATH	Anson			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded	137	135	189	189
1. Typhoid and paratyphoid fever.....	1	1	1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....			3	3
5. Scarlet fever.....				
6. Whooping-cough.....			3	3
7. Diphtheria.....				
8. Influenza.....	4	4	11	11
10. Tuberculosis of the respiratory system.....	1	2	13	13
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....				1
13. Malaria.....			1	1
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....			3	2
15. Cancer and other malignant tumors.....	9	9	13	12
16. Tumors, non-malignant or unspecified.....			2	2
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....			3	3
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1	1	1
20. Pellagra.....	1	1	1	3
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	15	15	25	25
23. Other diseases of the nervous system and organs of special sense.....	2	2	2	2
24. Diseases of the heart.....	27	27	21	21
25. Other diseases of the circulatory system.....		1	2	2
26. Bronchitis.....				
27. Pneumonias.....	8	8	18	18
28. Other diseases of the respiratory system (T. B. excepted).....			1	1
29. Diarrhea and enteritis (under 2 years).....	3	2	2	2
29. Diarrhea and enteritis (2 years and over).....	1	1	1	1
30. Appendicitis.....				
31. Cirrhosis of the liver.....	2	2		
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	4	4	2	1
33. Nephritis.....	21	22	17	17
34. Other diseases of the genitourinary system.....	2	1	3	3
35. Puerperal septicemia.....	1	1	1	1
36. Other diseases of pregnancy and puerperal state.....	2	1	4	3
37. Diseases of skin, bones and organs of locomotion.....	1	1		
38. Congenital debility, malformation and early infancy.....	12	12	19	19
39. Senility.....	2	2	3	3
40. Suicide (total).....	1	2		1
41. Homicide (total).....	1	1		
42. Violent and accidental (suicide and homicide excepted).....	12	9	6	6
43. Cause not specified or ill-defined.....	2	2	6	6

Continued

Ashe				Avery				Beaufort				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
160	170	5	5	93	73	1	1	306	267	218	203	1
												2
												3
9	9							2	2	1	1	4
	1			1	1							5
1	1							4	4	1	1	6
2	2			2	2			1				7
5	5			2	2			8	8	9	9	8
4	4			4	4			4	5	6	6	10
2	2									2	2	11
1	1							1	1	9	7	12
												13
1	2									1	1	14
												14
												14
								6	5	2	2	14
5	5	2	2	6	4			23	21	9	9	15
								1	1			16
										1	1	17
								6	4	2	2	18
								2	3	1	1	19
4	4			1	1			2	2	4	4	20
				1				2	2	2	2	20
												21
10	10			3	2			35	35	23	23	22
5	5							2	1	1	1	23
25	27	1	1	8	7			46	46	25	24	24
2	2			1				2	2	1		25
1	1							1	1			26
10	11			11	10			19	20	21	21	27
2	2							1		1	1	28
3	3			1	1			10	8	3	3	29
				1				4	3	2	2	29
				2	2			9	5	3		30
2	2			1				2	2	1	1	31
								2	1			31
3	3			7	4			5	5	8	7	32
9	10			8	7			28	26	30	29	33
1	1			2				5	3	1	1	34
6	7			1				2	2	1	1	35
1	1			2	1			3	1	1	1	36
1	1							2	2	1		37
26	26	1	1	18	17	1	1	18	14	18	18	38
5	5			2	2			2	2	1	1	39
								2	2			40
2	3							3	3	6	5	41
5	7			7	5			37	21	14	10	42
7	7	1	1	1	1			4	4	6	6	43

TABLE V—

CAUSE OF DEATH	Bertie			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	117	128	208	213
1. Typhoid and paratyphoid fever.....				1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....			2	2
5. Scarlet fever.....			1	1
6. Whooping-cough.....	2	2	7	7
7. Diphtheria.....				
8. Influenza.....	1	1	3	3
10. Tuberculosis of the respiratory system.....	7	7	6	6
11. Other forms of tuberculosis.....				
12. Syphilis.....			2	2
13. Malaria.....			2	2
14. Dysentery.....			1	1
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....			1	1
14. Other infectious and parasitic diseases.....	1	1	7	7
15. Cancer and other malignant tumors.....	6	7	2	3
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....			1	1
19. Alcoholism (acute or chronic).....	1	1	2	2
20. Other general diseases and chronic poisonings.....	1	1		
20. Pellagra.....	4	4	1	2
21. Progressive locomotor ataxia and paresis.....	1	1		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	21	21	16	16
23. Other diseases of the nervous system and organs of special sense.....	4	4	2	2
24. Diseases of the heart.....	14	14	17	17
25. Other diseases of the circulatory system.....	3	3	2	2
26. Bronchitis.....				
27. Pneumonias.....	11	11	10	10
28. Other diseases of the respiratory system (T. B. excepted).....			2	2
29. Diarrhea and enteritis (under 2 years).....	4	4	7	7
29. Diarrhea and enteritis (2 years and over).....	2	2	1	1
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....		1		
32. Other diseases of the digestive system.....	2	3	3	3
33. Nephritis.....	9	10	14	14
34. Other diseases of the genitourinary system.....		1	5	5
35. Puerperal septicemia.....	2	2	1	1
36. Other diseases of pregnancy and puerperal state.....	1	3	3	3
37. Diseases of skin, bones and organs of locomotion.....				1
38. Congenital debility, malformation and early infancy.....	11	13	52	52
39. Senility.....	4	4	7	7
40. Suicide (total).....			1	1
41. Homicide (total).....			2	3
42. Violent and accidental (suicide and homicide excepted).....	5	7	18	18
43. Cause not specified or ill-defined.....			7	7

Continued

Bladen						Brunswick				Buncombe				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
144	157	1	1	119	127	115	119	91	96	1,017	818	294	257	
										1	1			1
														2
														3
2	2			2	2	1	1	1	1	4	4			4
										3	3			5
7	7			1	1	1	2	4	4	7	7	1	1	6
1	2			1	1	2	2			9	9	1	1	7
4	4			2	2	4	4	1	1	4	4	5	5	8
2	2			4	5			7	8	197	90	73	40	10
	1							1	1	7	5	4	4	11
				1	1			2	2	12	12	8	7	12
1	1									2	2	1	1	13
1	1									1				14
										1	1			14
														14
	1				1	1	2			4	3	3	3	14
11	11			2	2	7	6	4	4	88	73	11	9	15
										3	3	1	1	16
										1	1			17
1	2					2	2			15	17	4	4	18
						1	1			2	2	2	2	19
1	1					1	1	2	2	20	18	4	4	20
1	1					4	4	1	1	9	10	4	5	20
						1	1			1	1	1	1	21
18	19			16	16	11	11	8	8	69	65	16	16	22
				2	2	4	4	3	4	13	12	4	5	23
16	16			17	17	14	14	13	13	142	137	49	48	24
				1	1	3	3	2	2	13	11	8	8	25
										1	1			26
17	17			8	9	5	7	7	7	59	56	22	22	27
	1			1	1					7	4	2	1	28
7	8			3	3	9	9	6	6	15	13	2	2	29
1	2			1	1	2	2	2	2	10	9	1	1	29
				1	2	4	3		1	15	10	3	3	30
2	2									4	4	1	1	31
1	2									5	5			31
3	3			1	2	3	3	1	2	16	11	7	7	32
21	22			12	12	15	15	5	5	75	69	19	19	33
				1	2	3	3	3	3	11	6	4	3	34
1	1									2	2	1	1	35
4	5	1	1		1	1	1	1	1	4	2	2	2	36
										2	2			37
14	15			22	22	7	9	10	11	60	57	13	13	38
				5	5			1	1	6	6			39
										14	10			40
				2	3			1	1	5	5	11	11	41
2	3			6	6	9	9	4	4	77	54	4	4	42
5	5			7	7			1	1	1	1	2	2	43

TABLE V—

CAUSE OF DEATH	Burke			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	359	298	30	30
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....	4	4	2	2
7. Diphtheria.....	4	4		
8. Influenza.....	8	8	1	1
10. Tuberculosis of the respiratory system.....	18	19	4	4
11. Other forms of tuberculosis.....	3	2	1	1
12. Syphilis.....	2	1	1	1
13. Malaria.....	1	1		
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....	1	1		
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	2	2		
15. Cancer and other malignant tumors.....	13	13	2	2
16. Tumors, non-malignant or unspecified.....		1		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	2	2		
19. Alcoholism (acute or chronic).....	1	1		
20. Other general diseases and chronic poisonings.....	6	4		
20. Pellagra.....	40	23		
21. Progressive locomotor ataxia and paresis.....	15	9		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	21	15	4	4
23. Other diseases of the nervous system and organs of special sense.....	17	11		
24. Diseases of the heart.....	76	62	5	5
25. Other diseases of the circulatory system.....	21	14		
26. Bronchitis.....				
27. Pneumonias.....	18	17	3	3
28. Other diseases of the respiratory system (T. B. excepted).....	6	6		
29. Diarrhea and enteritis (under 2 years).....	4	4		
29. Diarrhea and enteritis (2 years and over).....	4	4	1	1
30. Appendicitis.....	2	2		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	1	1		
32. Other diseases of the digestive system.....	5	5		
33. Nephritis.....	15	14	3	3
34. Other diseases of the genitourinary system.....	1	1		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....				
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	13	13	1	1
39. Senility.....	3	3		
40. Suicide (total).....	3	3		
41. Homicide (total).....	5	5		
42. Violent and accidental (suicide and homicide excepted).....	23	22	1	1
43. Cause not specified or ill-defined.....	1	1	1	1

TABLE V—

CAUSE OF DEATH	Carteret			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	129	134	24	25
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1		
5. Scarlet fever.....				
6. Whooping-cough.....	4	4		
7. Diphtheria.....	1	2		
8. Influenza.....	1	1		
10. Tuberculosis of the respiratory system.....	4	4	1	1
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....			1	1
13. Malaria.....				
14. Dysentery.....	4	4		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	9	9	1	1
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	1	2	1	1
19. Alcoholism (acute or chronic).....	1	1		
20. Other general diseases and chronic poisonings.....	1	1		
20. Pellagra.....	2	2		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	10	10	1	1
23. Other diseases of the nervous system and organs of special sense.....	1	1		
24. Diseases of the heart.....	23	23	6	6
25. Other diseases of the circulatory system.....	2	2		
26. Bronchitis.....				
27. Pneumonias.....	4	6	4	4
28. Other diseases of the respiratory system (T. B. excepted).....		1		
29. Diarrhea and enteritis (under 2 years).....	1	1	1	1
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....		1	2	2
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....		1		
33. Nephritis.....	29	29	3	3
34. Other diseases of the genitourinary system.....	2	3		
35. Puerperal septicemia.....	1	1		
36. Other diseases of pregnancy and puerperal state.....	2	2		
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	12	12	2	2
39. Senility.....	2	2		
40. Suicide (total).....	1	1		
41. Homicide (total).....				1
42. Violent and accidental (suicide and homicide excepted).....	9	6		
43. Cause not specified or ill-defined.....				

TABLE V—

CAUSE OF DEATH	Cherokee			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	119	117	-----	-----
1. Typhoid and paratyphoid fever.....	2	1	-----	-----
2. Typhus fever.....	-----	-----	-----	-----
3. Smallpox.....	-----	-----	-----	-----
4. Measles.....	8	8	-----	-----
5. Scarlet fever.....	-----	-----	-----	-----
6. Whooping-cough.....	7	7	-----	-----
7. Diphtheria.....	1	1	-----	-----
8. Influenza.....	6	6	-----	-----
10. Tuberculosis of the respiratory system.....	7	7	-----	-----
11. Other forms of tuberculosis.....	-----	-----	-----	-----
12. Syphilis.....	-----	-----	-----	-----
13. Malaria.....	-----	-----	-----	-----
14. Dysentery.....	-----	-----	-----	-----
14. Acute poliomyelitis and polioencephalitis.....	-----	-----	-----	-----
14. Epidemic cerebrospinal meningitis.....	-----	-----	-----	-----
14. Other infectious and parasitic diseases.....	1	1	-----	-----
15. Cancer and other malignant tumors.....	5	6	-----	-----
16. Tumors, non-malignant or unspecified.....	1	1	-----	-----
17. Chronic rheumatism and gout.....	-----	-----	-----	-----
18. Diabetes mellitus.....	-----	-----	-----	-----
19. Alcoholism (acute or chronic).....	1	-----	-----	-----
20. Other general diseases and chronic poisonings.....	-----	-----	-----	-----
20. Pellagra.....	3	3	-----	-----
21. Progressive locomotor ataxia and paresis.....	-----	-----	-----	-----
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	7	7	-----	-----
23. Other diseases of the nervous system and organs of special sense.....	1	1	-----	-----
24. Diseases of the heart.....	13	14	-----	-----
25. Other diseases of the circulatory system.....	-----	1	-----	-----
26. Bronchitis.....	-----	-----	-----	-----
27. Pneumonias.....	12	12	-----	-----
28. Other diseases of the respiratory system (T. B. excepted).....	2	2	-----	-----
29. Diarrhea and enteritis (under 2 years).....	1	1	-----	-----
29. Diarrhea and enteritis (2 years and over).....	3	3	-----	-----
30. Appendicitis.....	2	2	-----	-----
31. Cirrhosis of the liver.....	-----	-----	-----	-----
31. Other diseases of the liver.....	-----	-----	-----	-----
32. Other diseases of the digestive system.....	-----	-----	-----	-----
33. Nephritis.....	7	7	-----	-----
34. Other diseases of the genitourinary system.....	1	1	-----	-----
35. Puerperal septicemia.....	1	1	-----	-----
36. Other diseases of pregnancy and puerperal state.....	-----	-----	-----	-----
37. Diseases of skin, bones and organs of locomotion.....	-----	-----	-----	-----
38. Congenital debility, malformation and early infancy.....	12	12	-----	-----
39. Senility.....	1	1	-----	-----
40. Suicide (total).....	1	1	-----	-----
41. Homicide (total).....	1	1	-----	-----
42. Violent and accidental (suicide and homicide excepted).....	11	8	-----	-----
43. Cause not specified or ill-defined.....	1	1	-----	-----

Continued

Chowan				Clay				Cleveland				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
61	63	101	102	53	62			287	299	83	83	1
				2	2			1	1			2
												3
3	3			1	1			2	3	1	1	4
								1	1			5
1	1	1	1	1	1			1	1			6
				1	1			2	2	1	1	7
				1	1			6	6	1	1	8
1	1	6	6					6	6	9	9	10
		2	2									11
		1	1									12
		1	1					2	2	1	1	13
		1	1									14
												14
												14
				1	1			4	4			14
3	3	1	1	2	2			18	20	2	2	15
								1	1			16
								1	1			17
1	1							1	2			18
		1	1					2	2	1	1	19
1	1							9	9	1	1	20
				1	1			7	7			20
									1			21
6	6	9	9	5	5			31	32	3	3	22
2	2	1	1	1	1			2	3	2	2	23
11	11	12	12	2	2			50	51	11	11	24
1	1	2	2					3	3	3	3	25
												26
2	2	7	7	17	19			30	32	9	9	27
1	2	2	2					1	1	1	1	28
7	7	7	7	1	1			8	8	1	1	29
		2	2	1	1			5	5	1	1	29
					1			2	4			30
1	1											31
1	1							1	1			31
1	1	3	3		1			4	4	1	1	32
7	6	11	11	3	3			29	28	14	14	33
1	2	2	2		1			1	1		1	34
				1	1			1	2			35
1	2			1	2			2	2	1	1	36
									1	1	1	37
1	1	15	15	7	7			28	29	7	7	38
		2	2					2	2			39
1	1			1	1			3	4			40
		2	3	1	1			3	3	2	2	41
6	6	9	9	1	4			15	12	6	5	42
1	1	1	1	1	1			2	2	3	3	43

TABLE V—

CAUSE OF DEATH	Columbus					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	274	303	3	3	146	159
1. Typhoid and paratyphoid fever.....	1	1				
2. Typhus fever.....						
3. Smallpox.....						
4. Measles.....	2	2			1	1
5. Scarlet fever.....	1	2				
6. Whooping-cough.....	5	7			9	9
7. Diphtheria.....		1			1	1
8. Influenza.....	3	4				
10. Tuberculosis of the respiratory system.....	3	3			3	3
11. Other forms of tuberculosis.....					1	1
12. Syphilis.....					2	2
13. Malaria.....	1	1				1
14. Dysentery.....	1	1			1	1
14. Acute poliomyelitis and polioencephalitis.....						
14. Epidemic cerebrospinal meningitis.....						
14. Other infectious and parasitic diseases.....	2	2			1	1
15. Cancer and other malignant tumors.....	10	11			3	3
16. Tumors, non-malignant or unspecified.....	1	1				
17. Chronic rheumatism and gout.....	1	1			1	1
18. Diabetes mellitus.....	4	4				
19. Alcoholism (acute or chronic).....	1	1				
20. Other general diseases and chronic poisonings.....	3	5			2	2
20. Pellagra.....						
21. Progressive locomotor ataxia and paresis.....	1	1				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	33	33			9	9
23. Other diseases of nervous system and organs of special sense.....	2	2			2	3
24. Diseases of the heart.....	36	36			17	16
25. Other diseases of the circulatory system.....	2	2			1	2
26. Bronchitis.....	1	1			1	1
27. Pneumonias.....	38	44			11	12
28. Other diseases of the respiratory system (T. B. excepted).....	1	1				
29. Diarrhea and enteritis (under 2 years).....	4	5			4	4
29. Diarrhea and enteritis (2 years and over).....	6	6				
30. Appendicitis.....						
31. Cirrhosis of the liver.....						
31. Other diseases of the liver.....	2	2				
32. Other diseases of the digestive system.....	2	4			1	2
33. Nephritis.....	36	38	1	1	21	21
34. Other diseases of the genitourinary system.....		1				1
35. Puerperal septicemia.....		1				1
36. Other diseases of pregnancy and puerperal state.....	3	4				1
37. Diseases of skin, bones and organs of locomotion.....	1	2			1	1
38. Congenital debility, malformations and early infancy.....	30	31	1	1	30	32
39. Senility.....	3	3	1	1	3	3
40. Suicide (total).....	5	4				
41. Homicide (total).....	3	4			4	4
42. Violent and accidental (suicide and homicide excepted).....	16	21			10	13
43. Cause not specified or ill-defined.....	10	10			6	7

Continued

Craven				Cumberland						Currituck				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
170	171	258	257	367	308	4	3	272	257	35	36	26	29	1
1	1							1	1					2
														3
1	1	2	2											4
														5
2	2	3	3	3	2			1	1					6
1				1	1									7
2	2	7	7	5	5			3	3					8
4	4	12	15	6	7			22	23	1	1	1	1	10
2	2	1	1					1	1			1	1	11
		2	2	1	1			2	2			2	2	12
		3	3											13
		2	2											14
														14
														14
2	2	1	1	7	7			2	2			1	1	14
10	10	9	9	20	19			14	15	2	2	2	2	15
	1			2	1			1	1					16
				2	2									17
2	2	3	2	7	5					1	1			18
2	2	1	1	2	2					1	1			19
3	3			6	5			2	2					20
		2	2	4	2	1	1	4	5	1	1			20
														21
23	22	39	39	35	33			26	26	6	6	4	4	22
3	3	2	2	6	4			3	3				1	23
23	26	35	35	71	69	2	2	52	52	6	6	3	3	24
1	1			7	7			8	7					25
1	1	1	1											26
11	10	20	20	20	16			18	17	3	2	1	1	27
		1	1	2	2						1			28
1	1	7	7	16	12			7	7	2	2	2	2	29
3	3			5	5			2	2					29
1	1	1	2	3	2			2			1			30
1	1	2	2	3	2									31
1	1	2	2	1										31
3	2	3	3	15	7			7	6	1	1	1	1	32
15	18	31	31	20	16			18	18	3	3	1	1	33
2	2	1		6	3			4	4					34
1	2			1	1			2	2	1	1			35
7	4	7	7	10	6			5	2					36
1	1	2	2	3	3			2	2					37
13	13	19	19	24	23			18	18		1	5	5	38
3	3	7	7	1	1			1	1					39
1	1			3	3					1	1			40
3	3	5	4	5	2			10	9	1		1	1	41
19	18	24	22	39	29	1		26	18	3	3		1	42
1	2	1	1	5	3			8	7	2	2	1	1	43

TABLE V—

CAUSE OF DEATH	Dare			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	42	47	6	6
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....				
10. Tuberculosis of the respiratory system.....	2	2		
11. Other forms of tuberculosis.....				
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	2		
15. Cancer and other malignant tumors.....	2	2		
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	2	2		
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	4	4		
23. Other diseases of the nervous system and organs of special sense.....	1	2		
24. Diseases of the heart.....	10	11	2	2
25. Other diseases of the circulatory system.....				
26. Bronchitis.....				
27. Pneumonias.....	2	2		
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....				
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....				
33. Nephritis.....	4	5	2	2
34. Other diseases of the genitourinary system.....	1	1		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....		1		
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	2	3		
39. Senility.....	3	3		
40. Suicide (total).....				
41. Homicide (total).....				
42. Violent and accidental (suicide and homicide excepted).....	6	5	1	1
43. Cause not specified or ill-defined.....	1	1	1	1

Continued

Davidson				Davie				Duplin			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
386	404	76	77	99	122	35	42	209	234	131	137
								1	1		
12	12			3	3			1	1		
2	2										
1	1				1			1	1	3	3
3	3							1	1	2	2
12	12	3	3	2	2			3	4	7	7
8	7	4	4	3	4	2	3	4	5	4	4
		2	2							2	2
		2	2							5	5
2	2	1	1					4	4		
1	1										
7	7							3	4	1	1
35	39	3	3	5	8	1	3	11	12		
2	3				1		1	1	1		
								2	2		
6	7					1	1	2	4		
								1	1	1	1
6	6	1	1	1	1			2	2		
4	4	1	1	1	2	1	1	1	1		
41	42	9	9	21	21	4	4	38	38	16	16
5	8			1	1			2	2	1	1
52	52	10	10	19	21	13	13	27	28	15	15
1	1			2	2		1	2	2		
1	1			1	1						
37	38	12	12	10	11	6	6	33	33	17	18
2	2	1	1					1	1		
16	17	4	4	2	3	1	1	11	13	5	5
9	10	1	1	3	3			2	2	3	3
6	7			1	4				4		
								1	1		
2	2							1	1		
3	3	3	4		2			1	1	3	4
37	38	9	9	3	4	2	2	20	21	17	17
1	2				1		1		1	1	2
		1	1		1				1		
1	1	2	2					6	7	2	3
1	1			1	1				1		
37	38	3	4	12	15	1	1	14	16	11	11
		1	1	1	1	1	1	1	1	3	3
3	2			1	1			1	2		
		1	1					1	2	4	5
26	29	2	1	5	6	1	2	6	9	5	6
4	4			1	1	1	1	3	3	3	2

TABLE V—

CAUSE OF DEATH	Durham			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	628	408	504	424
1. Typhoid and paratyphoid fever.....	1	—	2	1
2. Typhus fever.....	—	—	—	—
3. Smallpox.....	—	—	—	—
4. Measles.....	1	1	1	1
5. Scarlet fever.....	1	—	—	—
6. Whooping-cough.....	4	2	1	—
7. Diphtheria.....	5	1	1	1
8. Influenza.....	6	7	8	7
10. Tuberculosis of the respiratory system.....	17	11	52	48
11. Other forms of tuberculosis.....	2	—	11	11
12. Syphilis.....	3	1	14	13
13. Malaria.....	—	—	1	1
14. Dysentery.....	8	2	4	4
14. Acute poliomyelitis and polioencephalitis.....	—	—	—	—
14. Epidemic cerebrospinal meningitis.....	1	—	—	—
14. Other infectious and parasitic diseases.....	11	6	4	2
15. Cancer and other malignant tumors.....	62	35	17	11
16. Tumors, non-malignant or unspecified.....	6	—	8	4
17. Chronic rheumatism and gout.....	2	1	—	—
18. Diabetes mellitus.....	10	7	8	4
19. Alcoholism (acute or chronic).....	1	1	2	2
20. Other general diseases and chronic poisonings.....	22	7	14	8
20. Pellagra.....	5	3	7	7
21. Progressive locomotor ataxia and paresis.....	—	1	2	2
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	32	31	33	30
23. Other diseases of the nervous system and organs of special sense.....	13	4	9	9
24. Diseases of the heart.....	88	68	70	64
25. Other diseases of the circulatory system.....	12	8	5	4
26. Bronchitis.....	—	—	1	1
27. Pneumonias.....	49	31	24	24
28. Other diseases of the respiratory system (T. B. excepted).....	8	2	6	4
29. Diarrhea and enteritis (under 2 years).....	5	3	7	7
29. Diarrhea and enteritis (2 years and over).....	6	5	2	2
30. Appendicitis.....	9	1	10	4
31. Cirrhosis of the liver.....	2	1	1	—
31. Other diseases of the liver.....	2	1	4	3
32. Other diseases of the digestive system.....	21	9	12	7
33. Nephritis.....	69	58	34	30
34. Other diseases of the genitourinary system.....	15	5	6	1
35. Puerperal septicemia.....	7	1	—	—
36. Other diseases of pregnancy and puerperal state.....	10	4	7	2
37. Diseases of skin, bones and organs of locomotion.....	8	2	2	1
38. Congenital debility, malformation and early infancy.....	51	39	36	34
39. Senility.....	2	2	1	1
40. Suicide (total).....	5	6	2	1
41. Homicide (total).....	5	5	30	29
42. Violent and accidental (suicide and homicide excepted).....	40	33	28	22
43. Cause not specified or ill-defined.....	1	3	17	17

Continued

Edgecombe				Forsyth				Franklin				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
199	197	396	396	693	657	577	585	149	159	107	112	1
		1	1			2	2	1	1			2
												3
3	3	4	4	15	11	3	3	5	5	1	1	4
2	2			3	3				1	1	1	5
		6	6	1		1	1		1	2	2	6
				11	11	4	4					7
2	2	4	4	11	10	13	13	9	9	5	5	8
4	5	42	42	36	36	58	60	2	2	6	6	10
1	1	5	5	2	2	5	6			1	1	11
		10	10	4	3	19	19			2	2	12
1	1	9	9					1	1			13
4	4	2	2		1							14
	1			1		1	1					14
				3	3							14
		1	1	3	3	2	2	1	1			14
5	5	18	18	50	48	21	21	8	8	2	2	15
						4	4			1	2	16
1	1	2	2	1	2							17
2	2	1	1	9	8	6	6	2	2	3	3	18
2	2											19
2	2	4	4	7	8	8	8	3	3	2	3	20
		1	2	6	5	7	10	2	2	3	3	20
			1			1	2					21
11	11	26	26	36	37	56	57	7	7	7	7	22
1	2	4	5	10	6	7	8	2	2		1	23
30	30	41	41	124	123	88	87	34	33	10	10	24
6	6	3	3	16	16	3	3	1	1	1	1	25
		4	4	2	2	1	1	1	1			26
25	24	53	53	53	52	42	42	8	9	7	7	27
1	1			4	4	3	3			2	2	28
10	9	25	25	10	10	15	15	8	8	8	8	29
3	3	2	2	8	8	4	4	2	2	1	1	29
1	3	2		13	6	7	8		2			30
2	2			3	4	6	7			1	1	31
		1	1	2		2	2			1	1	31
4	5	1		15	14	19	18	1	1	3	3	32
21	19	26	27	65	63	37	36	26	29	7	7	33
3	3	3	3	12	10	14	13	1	1	2	2	34
		2	2	1		3	3			2	2	35
1	1	7	7	11	9	4	4	2	2	3	3	36
2	2	2	1	4	4	1	1					37
20	19	42	42	68	67	47	47	14	13	15	15	38
4	4	7	7	4	4	1	1					39
4	4	1	1	6	6	2	2	1	1			40
1	1	6	6	1	1	21	20			2	2	41
19	16	24	24	57	52	23	25	6	10	5	7	42
1	1	4	4	5	5	16	16	1	1	1	1	43

TABLE V—

CAUSE OF DEATH	Gaston			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	570	611	186	187
1. Typhoid and paratyphoid fever.....	1	1		
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	16	17	1	1
5. Scarlet fever.....	4	4		
6. Whooping-cough.....	9	9	4	4
7. Diphtheria.....	6	6		
8. Influenza.....	18	18	3	3
10. Tuberculosis of the respiratory system.....	9	10	8	8
11. Other forms of tuberculosis.....	5	4	2	
12. Syphilis.....	3	4	5	5
13. Malaria.....				
14. Dysentery.....	2	2		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	5	6	2	2
15. Cancer and other malignant tumors.....	26	29	8	8
16. Tumors, non-malignant or unspecified.....		1	2	2
17. Chronic rheumatism and gout.....	2	2	1	1
18. Diabetes mellitus.....	11	10	2	2
19. Alcoholism (acute or chronic).....	2	2	1	1
20. Other general diseases and chronic poisonings.....	7	8	1	1
20. Pellagra.....	10	13	1	1
21. Progressive locomotor ataxia and paresis.....		1		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	41	43	12	12
23. Other diseases of the nervous system and organs of special sense.....	9	10	2	4
24. Diseases of the heart.....	75	76	19	19
25. Other diseases of the circulatory system.....	9	10		
26. Bronchitis.....			1	1
27. Pneumonias.....	45	49	16	16
28. Other diseases of the respiratory system (T. B. excepted).....	7	8		
29. Diarrhea and enteritis (under 2 years).....	26	28	7	7
29. Diarrhea and enteritis (2 years and over).....	12	12	6	6
30. Appendicitis.....	9	8	2	2
31. Cirrhosis of the liver.....	1	2	3	3
31. Other diseases of the liver.....	1	1	1	1
32. Other diseases of the digestive system.....			1	2
33. Nephritis.....	50	53	19	19
34. Other diseases of the genitourinary system.....	5	5	1	1
35. Puerperal septicemia.....	3	3		
36. Other diseases of pregnancy and puerperal state.....	11	10	5	6
37. Diseases of skin, bones and organs of locomotion.....	5	7	3	2
38. Congenital debility, malformation and early infancy.....	71	75	18	18
39. Senility.....	6	6	3	4
40. Suicide (total).....	2	4		
41. Homicide (total).....	3	3	7	6
42. Violent and accidental (suicide and homicide excepted).....	39	47	10	10
43. Cause not specified or ill-defined.....	4	4	9	9

Continued

Gates				Graham				Granville				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
53	58	63	65	33	36			155	162	159	165	1
		1	1	1	2							2
												3
								1	1	2	2	4
												5
								1	1	4	4	6
				1	1			4	4			7
				1	1			4	4	5	5	8
1	1	8	8	1	1			7	8	8	8	10
				1	2			3	3	2	2	11
				1	1			1	1	8	8	12
		1	1									13
				1	1							14
				1	1							14
1	1							1	1			14
3	3	2	2	2	2			8	10	5	5	15
		1	1							1	1	16
												17
1	1	1	1					1	1	3	4	18
								3	3	1	1	19
								4	5	1	3	20
1	1			1	1			1	1	2	2	20
												21
12	12	6	6	7	7			15	14	9	9	22
1	2	3	4					6	6	2	2	23
7	9	9	10	1	1			24	25	21	22	24
								1	2	1	1	25
												26
3	3	3	3	1	1			7	7	13	13	27
		1	1	1	1			1	2	1	1	28
		3	3					4	4	6	6	29
1	1											29
		1	1							3	3	30
								1	1			31
1	1											31
1	1	1	1	1	1			2	2	3	4	32
4	4	2	2					26	26	18	18	33
1	2							2	2	1	2	34
	1	2	2					1		1	1	35
2	2	1	1	1	1			1	1	3	3	36
												37
2	2	7	7	6	7			15	15	19	19	38
1	1	4	4							6	6	39
1	1	1	1					1				40
												41
8	8	3	3	2	2			8	11	7	7	42
1	1	2	2	2	2			1	1	3	3	43

TABLE V—

CAUSE OF DEATH	Greene			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	69	82	87	93
1. Typhoid and paratyphoid fever.....	1	1	1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	2	2		
5. Scarlet fever.....				
6. Whooping-cough.....	3	3	7	7
7. Diphtheria.....				
8. Influenza.....	2	2	1	1
10. Tuberculosis of the respiratory system.....	1	1	7	8
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....	1	1		
13. Malaria.....				
14. Dysentery.....	1	2	1	1
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1	1	1
15. Cancer and other malignant tumors.....	5	5	3	3
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	1	1		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....			1	1
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	5	5	4	4
23. Other diseases of the nervous system and organs of special sense.....	3	3	1	2
24. Diseases of the heart.....	10	10	11	11
25. Other diseases of the circulatory system.....	1	1		1
26. Bronchitis.....	1	1		
27. Pneumonias.....	7	9	9	10
28. Other diseases of the respiratory system (T. B. excepted).....			1	1
29. Diarrhea and enteritis (under 2 years).....	2	3	2	2
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....				1
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	1	2		
32. Other diseases of the digestive system.....	1	1		
33. Nephritis.....	8	10	8	8
34. Other diseases of the genitourinary system.....			1	1
35. Puerperal septicemia.....	1	1	1	1
36. Other diseases of pregnancy and puerperal state.....		1	3	4
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	9	11	14	14
39. Senility.....			2	2
40. Suicide (total).....				
41. Homicide (total).....			1	1
42. Violent and accidental (suicide and homicide excepted).....	1	4	6	6
43. Cause not specified or ill-defined.....	1	1		

Continued

Guilford				Halifax				Harnett						
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	
989	948	431	433	201	212	387	397	249	296	1	1	100	111	1
3	3	3	3	1	1	2	2							2
														3
10	10			3	4	2	2							4
4	4													5
5	5	3	3	4	4	5	5	3	4			1	1	6
10	9					3	3							7
31	28	15	15	4	4	15	15							8
37	36	40	43	11	12	32	32	10	10			8	9	10
3	3	10	10		1	2	2							11
6	6	15	14	1	1	3	3					1	1	12
2	1	1	1			2	2	1	1					13
2	2	1	1						4					14
		1	1			1	1							14
3	2													14
10	10	5	5	1	1	3	2	2	2			1	1	14
64	61	13	14	11	12	13	13	12	13			4	5	15
11	7	3	3		1	1	2							16
1	1							2	2					17
16	15	6	6	5	5			1	2					18
3	3	1	1	1	1	3	3							19
16	15	6	6	5	5	3	3	4	6			1	1	20
6	7	7	7	1	2	4	5	1	2			2	2	20
		1	2			1	2							21
90	86	34	37	19	20	25	25	24	24			3	3	22
24	19	5	6	4	6	2	3	1	3			3	3	23
164	165	48	49	34	33	44	44	53	54	1	1	13	13	24
10	11	6	6	2	2	4	5		1			3	4	25
1	1			3	3									26
98	93	33	32	8	10	22	22	34	37			10	11	27
6	6	2	2	3	3	4	4							28
14	12	6	6	8	9	34	34	13	15			7	7	29
6	5	2	2	1	2	3	3	3	4			1	1	29
18	15	14	11	1	1	2	3	1	3				1	30
2	2	1	1			1	1	2	2			1	1	31
9	6	2	2		1	1	1		1					31
21	18	24	21	7	7	5	6	5	11			2	3	32
64	60	38	39	23	22	33	34	31	35			10	10	33
10	9	8	8	1	1	7	8	1	3			1	1	34
7	6	2	2	1	1	2	2	1	1			3	3	35
10	7	2	2	1	1	4	3	3	5			2	5	36
4	5	2	2	3	4	1	3	1	3					37
67	65	24	24	14	15	42	40	24	29			10	10	38
9	9	4	4	1	1	19	20					1	1	39
17	17							2	2					40
8	8	15	13	1	1	5	3		2			1	2	41
84	92	25	26	16	13	18	22	12	13			6	7	42
3	3	3	3	2	2	14	14	2	2			5	5	43

TABLE V—

CAUSE OF DEATH	Haywood			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	271	283	16	16
1. Typhoid and paratyphoid fever.....	1	1		
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	6	6		
5. Scarlet fever.....	1	1		
6. Whooping-cough.....	4	4		
7. Diphtheria.....	1	1		
8. Influenza.....	4	4		
10. Tuberculosis of the respiratory system.....	12	12	1	1
11. Other forms of tuberculosis.....	2	2		
12. Syphilis.....	2	2		
13. Malaria.....				
14. Dysentery.....	3	3		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	2		
15. Cancer and other malignant tumors.....	16	15	2	2
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	3	3	2	2
19. Alcoholism (acute or chronic).....	1	1	1	1
20. Other general diseases and chronic poisonings.....	2	3		
20. Pellagra.....	3	3		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	14	14	1	1
23. Other diseases of the nervous system and organs of special sense.....	3	4		
24. Diseases of the heart.....	41	43	3	3
25. Other diseases of the circulatory system.....	2	3		
26. Bronchitis.....	1	1		
27. Pneumonias.....	33	32		
28. Other diseases of the respiratory system (T. B. excepted).....	2	2		
29. Diarrhea and enteritis (under 2 years).....	9	8		
29. Diarrhea and enteritis (2 years and over).....		1		
30. Appendicitis.....	2	2	1	1
31. Cirrhosis of the liver.....	1	1		
31. Other diseases of the liver.....	2	2		
32. Other diseases of the digestive system.....	6	7		
33. Nephritis.....	27	26	2	2
34. Other diseases of the genitourinary system.....	1	2		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	2	2		
37. Diseases of skin, bones and organs of locomotion.....	2	2		
38. Congenital debility, malformation and early infancy.....	33	33		
39. Senility.....	1	1		
40. Suicide (total).....	3	4		
41. Homicide (total).....	1	1	1	1
42. Violent and accidental (suicide and homicide excepted).....	17	23	1	1
43. Cause not specified or ill-defined.....	6	6	1	1

Continued

Henderson				Hertford				Hoke					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.
231	229	33	32	61	67	132	139	57	56	7	7	98	81
8	8	1	1										
3	3			1	1	9	9					1	1
4	4	3	3	1	1	2	2	1	1				
11	10	3	3	4	5	14	14	5	3			22	3
1	1			2	2	1	1						
		1	2			1	1					4	3
						1	1						
												2	2
1	1					1	1						
16	18			4	4	3	3	3	3				
2	2											1	1
						1	1						
7	5			1	1	1	1					2	2
		1	1	1	1								
2	2			2	2	1	1					2	1
2	2			1	1				1	3	3		
22	21	3	3	8	9	5	5	3	3			1	1
4	4	1	1	1	1			1	1	1		1	2
45	43	4	4	6	6	6	6	13	13			12	12
5	5	1	1			1	1	1	1			1	1
1	1												
18	18	3	3	7	8	14	15	4	4			7	7
1					1	2	2	1	1				
3	3			1	1	5	5	1	1			4	4
1	1			2	3	1	1	1	1	2	2		
3	3	1	1										1
				2	2								
2	2												
5	6				1	4	4					2	3
21	21	2	2	5	5	21	21	13	13			7	7
	1	2	2									2	2
		1	1			2	2	1	1			1	1
21	22	2	2	7	7	19	19	3	3			13	13
3	3					3	3	1	1			1	1
3	3			1	1	1	1	1	1				
	1			1	1					1	1	1	1
15	14	3	1	3	3	12	14	4	4	1	1	11	12
1	1	1	1			1	1						

TABLE V—

CAUSE OF DEATH	Hyde			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded	32	45	26	27
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....				
10. Tuberculosis of the respiratory system.....				
11. Other forms of tuberculosis.....	1	1		
12. Syphilis.....			1	1
13. Malaria.....				
14. Dysentery.....			1	1
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....		3	1	1
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	1	1		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1		
20. Pellagra.....	2	3		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	3	3		
23. Other diseases of the nervous system and organs of special sense.....	1	1	2	2
24. Diseases of the heart.....	7	9	4	4
25. Other diseases of the circulatory system.....				
26. Bronchitis.....				
27. Pneumonias.....	1	1	4	4
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....				
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....		1		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....				
33. Nephritis.....	3	4	1	1
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....			1	1
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....	3	4	2	2
39. Senility.....	4	4	1	1
40. Suicide (total).....	1	1		
41. Homicide (total).....			1	1
42. Violent and accidental (suicide and homicide excepted).....	2	6		1
43. Cause not specified or ill-defined.....	2	2	7	7

Continued

Iredell				Jackson						Johnston				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
436	359	157	152	136	139	4	5	8	8	420	465	133	141	1
1	1	1	1	-----	-----	-----	-----	-----	-----	2	2	3	3	2
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3
2	2	-----	-----	3	3	1	1	-----	-----	4	4	-----	-----	4
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	5
2	2	3	3	-----	-----	-----	-----	-----	-----	8	8	4	4	6
3	2	-----	-----	2	2	-----	-----	-----	-----	1	1	-----	-----	7
17	14	3	3	1	1	-----	-----	-----	-----	13	13	3	3	8
12	11	12	12	7	7	-----	-----	-----	-----	18	17	11	11	10
2	1	1	1	-----	-----	-----	-----	-----	-----	2	2	1	1	11
2	2	3	4	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	12
1	1	-----	-----	-----	-----	-----	-----	-----	-----	1	2	1	1	13
1	1	-----	-----	2	2	-----	-----	-----	-----	1	6	-----	-----	14
-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	14
5	4	3	3	-----	-----	-----	-----	-----	-----	3	3	2	2	14
29	25	7	7	6	6	-----	-----	-----	-----	17	18	9	10	15
5	4	2	2	2	2	-----	-----	-----	-----	2	2	-----	-----	16
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	17
6	3	2	1	1	1	-----	-----	-----	-----	5	5	-----	-----	18
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	2	1	1	19
13	11	2	2	7	7	-----	-----	-----	-----	4	7	2	2	20
3	2	2	2	3	3	-----	-----	-----	-----	-----	-----	-----	-----	20
-----	-----	1	-----	-----	-----	-----	-----	-----	-----	2	2	-----	-----	21
24	22	5	5	10	10	-----	-----	1	1	32	33	7	8	22
7	7	1	1	3	3	-----	-----	-----	-----	6	8	5	5	23
59	55	24	25	12	13	2	2	-----	-----	56	58	18	18	24
4	2	1	-----	-----	-----	-----	-----	-----	-----	6	7	1	2	25
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	26
34	32	14	14	14	14	-----	-----	3	3	37	41	14	13	27
3	3	-----	-----	2	2	-----	-----	1	1	3	4	-----	-----	28
9	8	-----	-----	-----	-----	-----	-----	-----	-----	19	22	8	8	29
6	5	-----	-----	-----	-----	-----	-----	-----	-----	4	4	-----	-----	29
21	10	4	4	1	1	-----	-----	-----	-----	4	5	2	2	30
2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	31
3	3	-----	-----	1	2	-----	-----	-----	-----	-----	-----	2	2	31
9	7	4	4	4	4	-----	-----	1	1	9	10	3	3	32
61	55	26	26	18	19	-----	-----	1	1	52	52	4	4	33
-----	-----	2	1	2	2	-----	-----	1	1	5	7	1	1	34
2	-----	1	1	2	2	-----	-----	-----	-----	2	3	2	2	35
3	2	3	3	2	3	1	1	-----	-----	5	8	-----	1	36
2	1	-----	-----	-----	-----	-----	-----	-----	-----	3	3	1	1	37
42	37	14	14	18	18	-----	1	-----	-----	55	62	7	8	38
2	2	4	4	-----	-----	-----	-----	-----	-----	3	3	6	6	39
-----	1	-----	-----	-----	-----	-----	-----	-----	-----	3	3	-----	1	40
4	1	3	2	2	2	-----	-----	-----	-----	2	2	1	2	41
32	16	9	5	10	8	-----	-----	-----	-----	19	23	9	11	42
2	2	1	1	-----	1	-----	-----	-----	-----	10	11	4	4	43

TABLE V—

CAUSE OF DEATH	Jones			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	45	59	76	80
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....			1	1
3. Smallpox.....				
4. Measles.....	3	4	1	1
5. Scarlet fever.....				
6. Whooping-cough.....	1	2	1	1
7. Diphtheria.....				
8. Influenza.....		1	1	1
10. Tuberculosis of the respiratory system.....			2	2
11. Other forms of tuberculosis.....				
12. Syphilis.....		2		
13. Malaria.....				
14. Dysentery.....		1		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	1	1	1	1
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	1	1		1
19. Alcoholism (acute or chronic).....	2	2	1	1
20. Other general diseases and chronic poisonings.....			1	1
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	4	4	11	11
23. Other diseases of the nervous system and organs of special sense.....				
24. Diseases of the heart.....	7	7	6	6
25. Other diseases of the circulatory system.....			2	2
26. Bronchitis.....				
27. Pneumonias.....	8	9	7	7
28. Other diseases of the respiratory system (T. B. excepted).....				
29. Diarrhea and enteritis (under 2 years).....	1	1	5	5
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....	1	1		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	2	2	1	1
33. Nephritis.....	3	5	4	4
34. Other diseases of the genitourinary system.....			1	1
35. Puerperal septicemia.....			1	1
36. Other diseases of pregnancy and puerperal state.....	2	5	4	4
37. Diseases of skin, bones and organs of locomotion.....			1	2
38. Congenital debility, malformation and early infancy.....	4	4	12	12
39. Senility.....	2	2	4	4
40. Suicide (total).....		1	1	1
41. Homicide (total).....	1	1	1	1
42. Violent and accidental (suicide and homicide excepted).....	2	3	5	7
43. Cause not specified or ill-defined.....			1	1

Continued

Lee				Lenoir				Lincoln				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
114	112	76	74	325	281	221	219	193	197	42	43	1
				1	1							2
												3
				2	1			6	7	1	1	4
												5
				6	5	2	2	5	5	1	1	6
					1							7
3	3	3	3	4	3	6	6	4	4			8
3	4	7	7	10	10	14	15	2	2	1	2	10
				1	1	3	3	1	1			11
		1	1	5	2	2	2	2	2	1	1	12
						1	1					13
				6	3			1	1			14
										1	1	14
												14
3	3	1	1	6	6	3	2	1	1			14
10	9	2	2	11	9	2	2	12	12			15
		1	1	4	3	2	2		1			16
1	1			1								17
		1	1	4	4			3	3			18
						2	2	1	1			19
				1	1	2	2			2	2	20
1	1	1	1					1	1	1	1	20
				1	1	1	1	2	1			21
13	14	6	6	19	20	24	24	18	17	4	4	22
3	3			3	3	2	3	3	3	2	2	23
13	16	10	10	46	46	37	39	42	43	3	3	24
1	2			5	5	1	1	3	4			25
												26
4	5	5	5	34	31	31	31	21	19	3	3	27
2	1	3	3	2	1	2	2					28
5	4	1	1	6	4	13	13	7	7	3	3	29
1	1	1	1	3	3					1	1	29
1	1			8	6			1	1			30
				3	2	1	1					31
1	2			4	3							31
3	3	4	5	11	11	6	6	6	5	2	2	32
20	20	5	5	30	23	17	18	12	12	2	2	33
				4	4			1	1			34
2	1			1		3	2	1	1			35
1	2	2	2	7	5	2	1					36
2	1			1	1			1	1	1	1	37
8	8	10	10	31	28	17	17	18	18	5	5	38
		1	1	1	1	2	2	3	3	3	3	39
2	1			3	2			1	1			40
		4	3			5	4	1	1	1	1	41
11	6	7	5	38	30	9	6	12	16	1	1	42
				2	1	9	9	1	2	3	3	43

TABLE V—

CAUSE OF DEATH	McDowell			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded	177	178	20	20
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles	6	6		
5. Scarlet fever				
6. Whooping-cough				
7. Diphtheria	1	1		
8. Influenza	4	4		
10. Tuberculosis of the respiratory system	6	6	1	1
11. Other forms of tuberculosis	1	1		
12. Syphilis	1	1	1	1
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases			2	2
15. Cancer and other malignant tumors	8	8	2	1
16. Tumors, non-malignant or unspecified	1	1		
17. Chronic rheumatism and gout				
18. Diabetes mellitus	4	4		
19. Alcoholism (acute or chronic)			1	1
20. Other general diseases and chronic poisonings	5	6		
20. Pellagra	2	3		
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	8	8	1	1
23. Other diseases of the nervous system and organs of special sense	2	3		
24. Diseases of the heart	26	26	3	4
25. Other diseases of the circulatory system			1	1
26. Bronchitis				
27. Pneumonias	19	21		
28. Other diseases of the respiratory system (T. B. excepted)				
29. Diarrhea and enteritis (under 2 years)	10	11	1	1
29. Diarrhea and enteritis (2 years and over)	2	2		
30. Appendicitis	3	2	1	1
31. Cirrhosis of the liver				
31. Other diseases of the liver	1	1		
32. Other diseases of the digestive system	11	8	1	1
33. Nephritis	12	13	3	3
34. Other diseases of the genitourinary system	1	1		
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	2	2	1	1
37. Diseases of skin, bones and organs of locomotion		2		
38. Congenital debility, malformation and early infancy	23	24		
39. Senility	3	3		
40. Suicide (total)				
41. Homicide (total)	3	2	1	1
42. Violent and accidental (suicide and homicide excepted)	11	7		
43. Cause not specified or ill-defined	1	1		

Continued

Macon				Madison				Martin				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
158	148	9	9	176	192	1	1	139	153	127	137	1
1										1	1	2
												3
1	1			1	1			2	2			4
				1	1							5
2	2							2	2	5	5	6
4	4			4	4							7
6	6			2	2			1	1	1	1	8
9	10	1	1	5	5			7	7	10	10	10
2	1			2	3			1	2			11
				1	1					2	2	12
								1	1	1	1	13
2	2			2	2			1	1			14
												14
												14
				2	1							14
10	10			6	6			9	9	2	2	15
												16
				1	1							17
2	2	1	1	2	2				1	1	1	18
1	1									2	2	19
1				4	5			3	3	1	1	20
									1	1	1	20
				1	1					1	1	21
11	11			18	18			16	16	14	14	22
2	2			2	3				1			23
22	23	1	1	30	32			24	23	14	16	24
				1	2					1	2	25
				1	1							26
17	16	3	3	15	15			8	8	19	19	27
				1	2			2	2			28
				4	5			9	9	6	6	29
				3	3				1	1	1	29
1				1	3				1	1	1	30
												31
1									1			31
6	5			2	3						1	32
14	14			17	17			16	16	6	7	33
3	2				1				1			34
2	2			2	2				1		1	35
4	3			3	3			3	4		1	36
				1	1							37
18	18			21	21			13	14	21	21	38
				4	4			3	3	7	7	39
2	2			1	1			3	3			40
				2	2					2	3	41
10	8	3	3	11	16	1	1	13	17	3	5	42
4	3			2	2			2	2	4	4	43

TABLE V—

CAUSE OF DEATH	Mecklenburg			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	918	841	695	692
1. Typhoid and paratyphoid fever.....	3	4	2	2
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	13	8	2	2
5. Scarlet fever.....	2	2		
6. Whooping-cough.....	2	2	8	8
7. Diphtheria.....	6	5	1	1
8. Influenza.....	24	24	16	16
10. Tuberculosis of the respiratory system.....	37	39	63	63
11. Other forms of tuberculosis.....	1	2	7	7
12. Syphilis.....	8	8	16	18
13. Malaria.....				
14. Dysentery.....	1	1		
14. Acute poliomyelitis and polioencephalitis.....			2	2
14. Epidemic cerebrospinal meningitis.....	2	2		
14. Other infectious and parasitic diseases.....	16	13	3	3
15. Cancer and other malignant tumors.....	60	54	23	23
16. Tumors, non-malignant or unspecified.....	5	3	2	1
17. Chronic rheumatism and gout.....	1			
18. Diabetes mellitus.....	8	7	5	5
19. Alcoholism (acute or chronic).....	1	1	1	1
20. Other general diseases and chronic poisonings.....	15	13	3	3
20. Pellagra.....	15	17	10	11
21. Progressive locomotor ataxia and paresis.....	2	3		2
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	92	89	85	84
23. Other diseases of the nervous system and organs of special sense.....	18	13	9	8
24. Diseases of the heart.....	146	142	99	100
25. Other diseases of the circulatory system.....	22	21	5	5
26. Bronchitis.....			1	1
27. Pneumonias.....	73	67	86	86
28. Other diseases of the respiratory system (T. B. excepted).....	6	4	4	4
29. Diarrhea and enteritis (under 2 years).....	16	14	17	17
29. Diarrhea and enteritis (2 years and over).....	4	4	5	5
30. Appendicitis.....	9	7	5	4
31. Cirrhosis of the liver.....	4	3	2	2
31. Other diseases of the liver.....	13	10	3	3
32. Other diseases of the digestive system.....	29	26	22	20
33. Nephritis.....	54	47	56	56
34. Other diseases of the genitourinary system.....	13	8	6	5
35. Puerperal septicemia.....	4	3	1	1
36. Other diseases of pregnancy and puerperal state.....	6	6	11	9
37. Diseases of skin, bones and organs of locomotion.....	10	7	2	2
38. Congenital debility, malformation and early infancy.....	74	69	28	28
39. Senility.....	3	3	4	4
40. Suicide (total).....	12	10	3	2
41. Homicide (total).....	10	8	40	39
42. Violent and accidental (suicide and homicide excepted).....	73	68	35	37
43. Cause not specified or ill-defined.....	5	4	2	2

Continued

Mitchell				Montgomery				Moore				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
109	118	1	1	93	100	26	29	175	159	88	89	1
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3
-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	4
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	5
3	3	-----	-----	2	2	-----	-----	3	3	1	1	6
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	7
1	1	-----	-----	1	1	1	1	4	4	3	3	8
2	2	-----	-----	1	1	1	1	4	3	12	12	10
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	11
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	12
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	13
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	14
2	2	-----	-----	2	2	1	1	-----	-----	-----	-----	14
9	10	-----	-----	8	10	1	1	16	12	2	3	15
1	1	-----	-----	-----	-----	-----	-----	-----	2	1	1	16
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	17
1	1	-----	-----	-----	-----	-----	1	2	2	1	2	18
-----	-----	-----	-----	2	2	-----	-----	1	1	-----	-----	19
2	2	-----	-----	1	1	1	1	-----	-----	2	2	20
-----	1	-----	-----	-----	-----	-----	-----	3	3	1	1	20
-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	21
4	5	1	1	3	3	1	1	11	10	4	4	22
2	2	-----	-----	-----	2	-----	-----	4	5	2	2	23
16	16	-----	-----	24	23	3	3	36	28	8	8	24
1	1	-----	-----	1	1	-----	-----	1	1	-----	-----	25
1	1	-----	-----	1	1	-----	-----	-----	-----	-----	-----	26
19	19	-----	-----	11	12	5	5	20	20	5	6	27
-----	1	-----	-----	-----	-----	-----	-----	1	1	2	2	28
1	1	-----	-----	-----	-----	1	1	3	4	3	3	29
1	1	-----	-----	-----	-----	-----	-----	-----	-----	1	1	29
-----	1	-----	-----	-----	-----	-----	-----	1	1	-----	-----	30
-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	31
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	31
-----	-----	-----	-----	-----	-----	-----	-----	3	2	2	1	32
5	5	-----	-----	14	15	4	4	33	29	8	8	33
1	1	-----	-----	-----	-----	-----	-----	1	1	2	2	34
2	3	-----	-----	-----	-----	-----	-----	1	1	-----	-----	35
1	1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	36
1	1	-----	-----	-----	-----	-----	-----	1	1	1	1	37
15	15	-----	-----	6	7	1	1	11	10	8	8	38
5	5	-----	-----	3	3	1	1	4	4	2	2	39
2	2	-----	-----	2	2	-----	-----	1	1	-----	1	40
-----	-----	-----	-----	-----	-----	-----	1	-----	-----	3	2	41
7	10	-----	-----	8	9	2	3	9	8	9	8	42
4	4	-----	-----	1	1	2	2	1	1	-----	-----	43

TABLE V—

CAUSE OF DEATH	Nash			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	372	315	305	270
1. Typhoid and paratyphoid fever.....	2	2	4	2
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....			1	1
5. Scarlet fever.....				
6. Whooping-cough.....	6	5	6	6
7. Diphtheria.....	1	1	1	1
8. Influenza.....	4	4	4	4
10. Tuberculosis of the respiratory system.....	10	9	27	25
11. Other forms of tuberculosis.....	3	2	6	6
12. Syphilis.....			8	8
13. Malaria.....	1	1	3	3
14. Dysentery.....			1	1
14. Acute poliomyelitis and polioencephalitis.....	1			
14. Epidemic cerebrospinal meningitis.....	1		1	1
14. Other infectious and parasitic diseases.....	6	4	2	1
15. Cancer and other malignant tumors.....	24	20	8	8
16. Tumors, non-malignant or unspecified.....	3	3	5	2
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	5	5	3	3
19. Alcoholism (acute or chronic).....	2	1	3	3
20. Other general diseases and chronic poisonings.....	8	7	2	1
20. Pellagra.....	3	3	2	2
21. Progressive locomotor ataxia and paresis.....	1	1		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	25	24	18	18
23. Other diseases of the nervous system and organs of special sense.....	4	4	5	4
24. Diseases of the heart.....	39	38	28	27
25. Other diseases of the circulatory system.....	3	3	1	1
26. Bronchitis.....	1	1	1	1
27. Pneumonias.....	26	24	22	18
28. Other diseases of the respiratory system (T. B. excepted).....	3	1	2	2
29. Diarrhea and enteritis (under 2 years).....	9	9	8	8
29. Diarrhea and enteritis (2 years and over).....	4	2		
30. Appendicitis.....	5	2	4	2
31. Cirrhosis of the liver.....	4	4		
31. Other diseases of the liver.....	3	2	2	2
32. Other diseases of the digestive system.....	18	11	7	6
33. Nephritis.....	33	27	23	21
34. Other diseases of the genitourinary system.....	4		7	4
35. Puerperal septicemia.....	5	4	4	2
36. Other diseases of pregnancy and puerperal state.....	7	4	2	1
37. Diseases of skin, bones and organs of locomotion.....	4	3		
38. Congenital debility, malformation and early infancy.....	44	40	42	42
39. Senility.....	3	3	1	1
40. Suicide (total).....	4	3	1	1
41. Homicide (total).....	8	8	6	4
42. Violent and accidental (suicide and homicide excepted).....	34	29	29	22
43. Cause not specified or ill-defined.....	1	1	5	5

Continued

New Hanover				Northampton				Onslow				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
354	284	351	326	71	81	139	152	124	130	41	48	1
		1	1			1	1					2
												3
								3	3			4
1												5
6	3	4	4			2	2	6	6			6
2								1				7
5	3	1	1	1	1	2	2	4	4			8
8	10	19	19	3	3	12	12	3	3	3	3	10
1		1	1			1	1					11
2	2	4	5			2	2			2	2	12
								1	1	1	1	13
				1	1							14
												14
4	2	1	1	1	1	3	4	2	3		1	14
32	29	13	13	6	6	3	4	4	5		1	15
2	2	2	2									16
1	1			1	1							17
7	5	3	3	2	2	1	1	1	1			18
1	1	3	3			1	1	1	1			19
4	2	4	4			3	3	1	1			20
		5	5	1	1	1	1	2	2			20
		1	2								1	21
18	17	32	32	6	6	13	13	6	6	1	1	22
1	1	1	2		1	2	4	1	1			23
61	59	45	45	11	12	18	18	21	22	8	8	24
5	5	7	7			1	1	1	1			25
												26
33	24	41	38	6	6	10	10	15	14	5	5	27
3	2	3	3			1	1	1	1			28
9	3	12	11	4	4	7	7	7	8	3	3	29
5	2			1	1	2	2	1	2	1	1	29
3		4	2		1		2					30
		2	2			1	1	1	1			31
2	1	1	1									31
9	7	10	6			3	3	1	1	1	1	32
47	46	48	46	10	12	18	19	19	19	6	7	33
6	5	9	8	2	3	2	2			1	1	34
1		4	2			1	1			1	1	35
5	3	5	3			2	2	2	3			36
2												37
20	13	20	17	6	6	11	13	11	12	5	5	38
1	1	4	4	1	1	6	6					39
12	11	2	2					1	1			40
5	5	11	8				1	2	2	1	2	41
30	19	26	21	6	10	5	8	4	5	2	4	42
		2	2	2	2	4	4	1	1			43

TABLE V—

CAUSE OF DEATH	Orange			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	108	133	78	99
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....			6	7
7. Diphtheria.....		1		
8. Influenza.....	4	4		1
10. Tuberculosis of the respiratory system.....	3	3	4	8
11. Other forms of tuberculosis.....	1	1	1	1
12. Syphilis.....			1	2
13. Malaria.....				
14. Dysentery.....		1		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....		1		
14. Other infectious and parasitic diseases.....		1		
15. Cancer and other malignant tumors.....	8	10	3	3
16. Tumors, non-malignant or unspecified.....	1	1		1
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	2	3	1	3
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	2	3		1
20. Pellagra.....	3	3		
21. Progressive locomotor ataxia and paresis.....				1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	10	10	4	4
23. Other diseases of the nervous system and organs of special sense.....	1	2	1	1
24. Diseases of the heart.....	22	25	8	10
25. Other diseases of the circulatory system.....	1	1		
26. Bronchitis.....	1	1	1	1
27. Pneumonias.....	10	11	10	11
28. Other diseases of the respiratory system (T. B. excepted).....	2	2		
29. Diarrhea and enteritis (under 2 years).....	3	3	1	1
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....		1	1	1
32. Other diseases of the digestive system.....	4	5	1	1
33. Nephritis.....	17	19	12	13
34. Other diseases of the genitourinary system.....		1		1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....			1	2
37. Diseases of skin, bones and organs of locomotion.....		1	1	1
38. Congenital debility, malformation and early infancy.....	8	11	11	12
39. Senility.....			1	2
40. Suicide (total).....	1	1		
41. Homicide (total).....	1	1	1	1
42. Violent and accidental (suicide and homicide excepted).....	2	5	7	7
43. Cause not specified or ill-defined.....			1	2

Continued

Pamlico				Pasquotank				Pender				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
45	49	34	35	142	137	159	156	79	91	103	114	1
-----	-----	-----	-----	-----	-----	1	1	1	1	1	1	2
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3
1	1	1	1	1	1	-----	-----	-----	-----	-----	-----	4
-----	-----	-----	-----	-----	-----	1	1	-----	-----	8	8	5
1	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	6
-----	-----	-----	-----	2	2	-----	-----	-----	-----	-----	-----	7
1	1	-----	-----	-----	-----	-----	-----	1	2	2	2	8
-----	-----	2	2	3	4	12	12	3	3	6	6	10
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	11
-----	-----	-----	-----	1	1	-----	-----	-----	-----	1	1	12
-----	-----	-----	-----	-----	-----	2	2	-----	-----	-----	-----	13
-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	14
-----	-----	-----	-----	1	1	1	1	-----	-----	1	1	14
4	5	-----	-----	4	4	4	4	5	7	3	3	15
-----	-----	-----	-----	-----	-----	2	2	1	1	1	1	16
-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	17
2	2	-----	-----	2	2	-----	-----	1	1	2	2	18
-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	19
-----	-----	-----	-----	1	1	1	1	-----	1	1	1	20
-----	-----	-----	-----	1	1	1	2	-----	-----	2	3	20
-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	21
7	7	2	2	15	15	13	13	8	8	12	12	22
1	1	-----	-----	1	1	1	3	3	3	-----	-----	23
9	9	3	3	30	30	17	17	16	15	8	8	24
-----	-----	-----	-----	2	2	2	2	-----	-----	2	2	25
-----	-----	-----	-----	-----	-----	2	2	-----	-----	-----	-----	26
1	1	5	5	9	9	13	13	8	10	12	13	27
-----	-----	-----	-----	-----	-----	3	3	1	2	1	1	28
3	3	3	3	2	2	8	8	1	1	5	6	29
-----	-----	-----	-----	1	1	2	2	2	2	3	3	29
-----	-----	-----	-----	3	3	1	1	-----	-----	1	2	30
-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	31
-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	31
-----	1	1	1	8	7	7	7	1	1	2	3	32
7	7	6	6	25	25	22	23	5	5	9	10	33
-----	-----	1	2	2	1	3	3	2	3	-----	-----	34
-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	1	35
-----	-----	-----	-----	3	1	2	1	2	2	-----	-----	36
-----	-----	-----	-----	1	1	1	1	-----	-----	2	2	37
1	1	2	2	5	5	16	15	6	8	5	5	38
3	3	1	1	-----	-----	1	1	2	2	3	3	39
-----	-----	-----	-----	3	3	1	1	1	1	-----	-----	40
-----	-----	1	1	2	2	6	5	-----	-----	1	1	41
3	5	3	3	10	10	12	8	3	6	4	8	42
1	1	2	2	-----	-----	-----	-----	3	3	5	5	43

TABLE V—

CAUSE OF DEATH	Perquimans			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	52	54	83	85
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1		
5. Scarlet fever.....				
6. Whooping-cough.....	2	2	1	1
7. Diphtheria.....				
8. Influenza.....				
10. Tuberculosis of the respiratory system.....	1	1	6	6
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....				
13. Malaria.....			3	3
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1	1	1
15. Cancer and other malignant tumors.....	2	2	2	2
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	1	1		
19. Alcoholism (acute or chronic).....		1		
20. Other general diseases and chronic poisonings.....	2	2	3	3
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	7	7	8	8
23. Other diseases of the nervous system and organs of special sense.....	2	2	1	1
24. Diseases of the heart.....	14	14	7	7
25. Other diseases of the circulatory system.....				
26. Bronchitis.....			1	1
27. Pneumonias.....	3	3	5	5
28. Other diseases of the respiratory system (T. B. excepted).....			1	1
29. Diarrhea and enteritis (under 2 years).....	3	3	3	3
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....		1		
32. Other diseases of the digestive system.....			1	1
33. Nephritis.....	6	6	13	13
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....			1	1
36. Other diseases of pregnancy and puerperal state.....			4	5
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformation and early infancy.....			9	10
39. Senility.....			1	1
40. Suicide (total).....				
41. Homicide (total).....				
42. Violent and accidental (suicide and homicide excepted).....	6	6	6	6
43. Cause not specified or ill-defined.....			5	5

Continued

Person				Pitt				Polk			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
100	116	63	75	283	316	347	375	91	67	18	19
-----	-----	-----	-----	1	1	1	1	1	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	4	4	1	1	2	2	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	5	5	5	5	1	1	1	1
-----	1	1	1	6	7	3	3	-----	-----	-----	-----
-----	-----	-----	-----	3	3	11	11	5	5	2	2
-----	-----	1	1	9	9	31	34	1	1	1	1
2	2	6	6	2	2	4	4	1	-----	-----	-----
1	2	-----	-----	-----	-----	5	9	-----	-----	1	1
-----	-----	-----	-----	2	2	5	5	-----	-----	-----	-----
-----	-----	-----	-----	4	5	1	1	1	-----	-----	-----
2	2	-----	-----	-----	-----	1	1	1	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
-----	1	-----	1	3	4	5	6	1	-----	-----	-----
9	9	3	4	8	11	6	7	10	9	2	2
-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----
-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	5	6	2	2	-----	-----	1	1
-----	-----	-----	-----	-----	-----	2	2	-----	-----	-----	-----
-----	-----	-----	-----	1	2	2	2	1	1	-----	-----
-----	-----	1	1	3	3	5	6	3	3	-----	-----
-----	-----	-----	-----	-----	-----	7	7	1	1	-----	-----
-----	-----	-----	-----	-----	-----	3	3	-----	-----	-----	-----
10	10	5	6	22	22	27	28	8	7	-----	-----
5	5	1	1	2	2	5	7	1	-----	-----	-----
27	28	13	13	42	44	29	30	8	7	4	4
1	2	-----	-----	1	1	2	2	-----	-----	-----	-----
1	1	-----	-----	2	2	-----	-----	-----	-----	-----	-----
7	10	5	5	35	34	44	45	8	6	2	2
1	1	-----	-----	4	5	5	6	1	1	-----	-----
4	4	-----	-----	12	14	20	20	13	2	-----	-----
-----	-----	2	2	7	7	4	4	1	-----	-----	-----
-----	2	-----	2	2	4	-----	2	2	1	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	1	-----	-----	1	1	-----	-----	-----	-----	-----	-----
-----	1	1	4	5	8	5	7	1	2	-----	-----
6	6	6	6	33	36	17	18	6	6	1	1
-----	1	-----	-----	2	3	2	4	-----	-----	-----	-----
-----	1	-----	-----	1	1	1	2	-----	-----	2	2
-----	-----	1	1	4	6	3	3	3	3	-----	-----
-----	-----	-----	-----	1	2	-----	-----	-----	-----	-----	-----
11	11	7	7	20	23	42	42	5	5	-----	-----
1	1	3	3	5	5	3	3	-----	-----	-----	-----
3	3	-----	-----	2	2	-----	-----	-----	1	-----	-----
1	1	-----	1	3	3	8	10	1	1	-----	-----
5	8	5	8	20	24	23	25	3	1	-----	1
2	2	2	2	1	1	9	9	-----	-----	1	1

TABLE V—

CAUSE OF DEATH	Randolph			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	306	332	33	37
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	2	3		
5. Scarlet fever.....	1	1		
6. Whooping-cough.....				
7. Diphtheria.....	3	3	1	1
8. Influenza.....	4	4	1	1
10. Tuberculosis of the respiratory system.....	5	7	6	6
11. Other forms of tuberculosis.....	2	2	1	1
12. Syphilis.....				
13. Malaria.....	1	2		
14. Dysentery.....	1	1		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....	1	1		
14. Other infectious and parasitic diseases.....	3	3		
15. Cancer and other malignant tumors.....	17	17	2	2
16. Tumors, non-malignant or unspecified.....	2	3		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	5	5		
19. Alcoholism (acute or chronic).....	1	1		
20. Other general diseases and chronic poisonings.....	6	6	1	1
20. Pellagra.....	8	9		
21. Progressive locomotor ataxia and paresis.....	1	1		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	52	54	1	1
23. Other diseases of the nervous system and organs of special sense.....	4	4		1
24. Diseases of the heart.....	56	57	4	4
25. Other diseases of the circulatory system.....	2	2		
26. Bronchitis.....				
27. Pneumonias.....	34	35	1	2
28. Other diseases of the respiratory system (T. B. excepted).....	4	4		
29. Diarrhea and enteritis (under 2 years).....	7	7		
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....		2	2	3
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	2	4		
32. Other diseases of the digestive system.....	1	2	3	3
33. Nephritis.....	30	32	6	6
34. Other diseases of the genitourinary system.....	1	3		
35. Puerperal septicemia.....		1	1	1
36. Other diseases of pregnancy and puerperal state.....	3	5		
37. Diseases of skin, bones and organs of locomotion.....	1	1		
38. Congenital debility, malformation and early infancy.....	25	26		
39. Senility.....	1	1		
40. Suicide (total).....	1	1		
41. Homicide (total).....	2	2	1	1
42. Violent and accidental (suicide and homicide excepted).....	15	18	1	2
43. Cause not specified or ill-defined.....	1	1	1	1

Continued

Richmond				Robeson						Rockingham				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
217	216	168	170	362	342	128	129	290	282	364	379	164	164	1
-----	-----	1	1	1	-----	2	2	1	1	3	3	1	1	2
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3
-----	-----	-----	-----	1	1	-----	-----	-----	-----	11	11	-----	-----	4
2	2	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	5
1	1	-----	-----	7	7	5	5	13	13	3	3	1	1	6
1	1	-----	-----	-----	-----	-----	-----	1	1	7	9	-----	-----	7
12	12	13	13	13	12	6	6	12	13	11	10	2	2	8
4	5	10	10	1	2	3	3	16	16	13	14	14	14	10
1	1	1	1	-----	-----	-----	-----	2	2	-----	-----	4	3	11
-----	-----	2	2	1	1	1	1	3	4	1	1	1	1	12
-----	-----	1	1	1	1	1	1	1	1	-----	-----	-----	-----	13
-----	-----	-----	-----	-----	-----	2	2	2	2	-----	-----	-----	-----	14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	14
4	5	-----	-----	1	-----	2	2	3	3	1	1	4	4	14
8	8	4	4	25	28	5	5	13	13	23	23	11	11	15
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	16
-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	17
2	2	5	5	5	5	-----	-----	1	1	5	5	2	2	18
1	1	-----	-----	1	1	1	1	2	2	3	3	-----	-----	19
4	4	1	1	6	5	4	4	-----	-----	1	3	4	4	20
1	1	-----	-----	2	2	2	2	2	2	1	3	2	2	20
-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	21
31	31	17	17	24	24	7	7	14	14	37	37	21	20	22
4	5	5	5	6	5	2	2	1	2	6	8	2	3	23
40	38	32	32	63	62	8	8	22	22	53	58	24	24	24
1	1	2	3	1	1	-----	-----	2	2	5	5	3	2	25
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	26
21	20	19	19	25	22	12	12	39	38	38	40	10	10	27
-----	-----	2	2	4	3	3	3	1	1	2	2	1	1	28
3	4	4	4	21	19	6	6	21	21	11	12	5	5	29
3	3	-----	-----	6	6	2	2	2	2	4	4	-----	-----	29
1	1	-----	-----	2	2	1	1	1	-----	1	1	2	3	30
2	2	1	1	-----	1	-----	-----	2	2	1	1	-----	-----	31
-----	-----	1	1	1	1	1	1	2	2	2	2	-----	-----	31
5	4	3	4	5	6	2	2	7	6	9	12	3	3	32
17	16	17	17	44	41	12	12	29	29	30	32	17	17	33
4	5	-----	-----	5	5	1	1	4	2	3	3	2	2	34
1	1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	35
5	5	2	3	9	7	1	1	5	4	6	6	2	2	36
3	3	1	1	4	4	1	1	-----	-----	-----	-----	1	1	37
12	12	9	9	33	31	10	10	25	25	34	34	6	6	38
2	2	1	1	4	4	-----	-----	4	4	5	5	2	2	39
-----	-----	-----	-----	1	1	-----	-----	1	1	2	2	-----	-----	40
2	2	4	4	-----	-----	5	5	4	4	2	2	6	6	41
17	16	8	7	34	29	12	13	22	17	24	20	10	10	42
2	2	2	2	4	3	7	7	8	7	3	3	-----	1	43

TABLE V—

CAUSE OF DEATH	Rowan			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	428	424	158	157
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	5	5	3	3
5. Scarlet fever.....				
6. Whooping-cough.....	10	10		
7. Diphtheria.....	3	3		
8. Influenza.....	12	12	3	3
10. Tuberculosis of the respiratory system.....	10	10	10	11
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....	2	2	3	3
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....	1			
14. Other infectious and parasitic diseases.....	2	2	1	1
15. Cancer and other malignant tumors.....	31	30	10	8
16. Tumors, non-malignant or unspecified.....	1	2	2	1
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	7	8		1
19. Alcoholism (acute or chronic).....	2	2		
20. Other general diseases and chronic poisonings.....	3	3		
20. Pellagra.....	5	5	1	2
21. Progressive locomotor ataxia and paresis.....				1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	27	26	14	14
23. Other diseases of the nervous system and organs of special sense.....	4	5	1	1
24. Diseases of the heart.....	86	85	28	28
25. Other diseases of the circulatory system.....	4	4	1	1
26. Bronchitis.....				
27. Pneumonias.....	34	34	15	15
28. Other diseases of the respiratory system (T. B. excepted).....	3	3	2	2
29. Diarrhea and enteritis (under 2 years).....	2		4	4
29. Diarrhea and enteritis (2 years and over).....	6	7		
30. Appendicitis.....	7	8	2	2
31. Cirrhosis of the liver.....		1		
31. Other diseases of the liver.....	1	1		
32. Other diseases of the digestive system.....	12	11	4	4
33. Nephritis.....	56	56	19	19
34. Other diseases of the genitourinary system.....	4	3	1	1
35. Puerperal septicemia.....	2	2		
36. Other diseases of pregnancy and puerperal state.....	6	6	3	3
37. Diseases of skin, bones and organs of locomotion.....	2	2		
38. Congenital debility, malformation and early infancy.....	38	40	16	16
39. Senility.....	3	3		
40. Suicide (total).....	3	2		
41. Homicide (total).....	2	3	1	1
42. Violent and accidental (suicide and homicide excepted).....	30	26	10	8
43. Cause not specified or ill-defined.....	1	1	3	3

Continued

Rutherford				Sampson						Scotland					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	I.	I.	C.	C.
266	264	49	50	250	268	5	5	146	154	87	91	4	4	134	138
5	5	3	3	1	1										
4	4	1	1	3	3			4	4					1	1
1	1			2	3					1	1				
7	7			12	12			2	2					4	4
6	6	7	7	7	7			12	12	2	2			10	12
2	3			1	1			1	1					2	2
2	2	1	1					2	3					3	3
				2	2										
2	2	1	1	3	3			2	2	1	1				
15	14	1	1	12	12			2	2	5	6			3	3
					1										
1	1	1	1					2	2	1	1				
								2	2	1	1			1	1
1				2	2			2	2	1	1			1	1
11	10	1	1	1	1			3	3	1	1			3	3
				1	1										
21	21	4	4	17	17			13	13	10	10			16	16
10	11	1	1		1			4	4						
52	52	6	6	48	48	2	2	25	26	12	13			15	15
1	1			9	9			4	4	1	1			1	1
								1	1						
29	29	8	8	40	41	1	1	15	15	10	10			23	23
3	3	1	1	2	2			2	2						
6	8			9	10	1	1	2	2	4	5	2	2	7	7
4	4			2	2			2	2	1	2				
7	7				1				2					2	2
										1	1			1	1
1	1	1	1					1	1	1	1				
8	8	2	2	4	7			1	1					3	4
15	15	2	2	29	29			11	11	6	7			7	7
		1	1	2	2										
2	1			1	1					1	1			1	1
2	2			2	5			3	4	2	2			2	2
4	3														
21	20	5	5	24	23			18	18	10	9	2	2	17	17
4	4			1	1			4	4					1	1
1	1			3	3										
2	1	1	1					2	2	2	2				
14	15	1	2	6	13			3	6	9	9			10	11
2	2			3	3	1	1	1	1	1	1				

TABLE V—

CAUSE OF DEATH	Stanly			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	222	225	36	37
1. Typhoid and paratyphoid fever.....	—	—	—	—
2. Typhus fever.....	—	—	—	—
3. Smallpox.....	—	—	—	—
4. Measles.....	2	2	—	—
5. Scarlet fever.....	—	—	—	—
6. Whooping-cough.....	2	2	1	1
7. Diphtheria.....	3	3	—	—
8. Influenza.....	9	9	1	1
10. Tuberculosis of the respiratory system.....	4	4	—	—
11. Other forms of tuberculosis.....	1	1	1	1
12. Syphilis.....	1	1	—	2
13. Malaria.....	—	—	—	—
14. Dysentery.....	3	3	—	—
14. Acute poliomyelitis and polioencephalitis.....	—	—	—	—
14. Epidemic cerebrospinal meningitis.....	—	—	—	—
14. Other infectious and parasitic diseases.....	3	3	—	—
15. Cancer and other malignant tumors.....	9	8	—	—
16. Tumors, non-malignant or unspecified.....	—	—	—	—
17. Chronic rheumatism and gout.....	1	1	—	—
18. Diabetes mellitus.....	4	4	3	2
19. Alcoholism (acute or chronic).....	—	—	—	—
20. Other general diseases and chronic poisonings.....	3	3	2	2
20. Pellagra.....	3	5	—	—
21. Progressive locomotor ataxia and paresis.....	—	1	—	—
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	20	21	3	4
23. Other diseases of the nervous system and organs of special sense.....	4	6	—	—
24. Diseases of the heart.....	40	40	7	7
25. Other diseases of the circulatory system.....	2	2	—	—
26. Bronchitis.....	—	—	1	1
27. Pneumonias.....	20	20	5	4
28. Other diseases of the respiratory system (T. B. excepted).....	5	5	—	—
29. Diarrhea and enteritis (under 2 years).....	2	2	—	—
29. Diarrhea and enteritis (2 years and over).....	2	2	—	—
30. Appendicitis.....	1	1	—	—
31. Cirrhosis of the liver.....	—	—	—	—
31. Other diseases of the liver.....	—	—	—	—
32. Other diseases of the digestive system.....	4	4	1	1
33. Nephritis.....	14	14	1	1
34. Other diseases of the genitourinary system.....	—	—	—	—
35. Puerperal septicemia.....	1	1	—	—
36. Other diseases of pregnancy and puerperal state.....	2	2	1	1
37. Diseases of skin, bones and organs of locomotion.....	1	1	—	—
38. Congenital debility, malformation and early infancy.....	22	22	1	1
39. Senility.....	7	7	—	—
40. Suicide (total).....	1	1	1	1
41. Homicide (total).....	—	—	1	1
42. Violent and accidental (suicide and homicide excepted).....	19	17	4	4
43. Cause not specified or ill-defined.....	7	7	2	2

Continued

Stokes				Surry				Swain						
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	
131	146	14	15	372	356	34	33	62	68	16	15	1	1	
1	1			1	1									1
														2
														3
6	7			15	16			1	1					4
				3	2									5
1	1			2	2	3	3			2	2			6
1	1			5	5									7
6	6			12	12	1	1	1	1					8
5	5	2	2	21	22	4	4	2	3					10
1	1			1	1									11
					1	2	2			1	1			12
														13
								4	4					14
														14
				1	1									14
				5	3									14
6	8			17	19			2	3	1	1			15
1	2			3	1									16
				1	1			1	1					17
2	2			4	4									18
				2	2									19
	2			4	5			1	1					20
				2	2	1	1	1	1					20
														21
9	9		1	27	27	3	4	4	4					22
2	2			3	4	4	4	2	2	1	1			23
19	19	4	4	40	41	1	1	7	8	2	2			24
2	3			2	2			1	1					25
				2	2									26
19	19	1	1	29	29	4	4	9	9	4	4			27
2	2			2	4									28
		1	1	7	7			1	1					29
3	3			3	3			2	2					29
				11	10									30
				1	1			1	1					31
				2	2			2	2					31
3	4			3	2									32
12	14	5	5	30	27	1	1	7	7	1	1			33
	2			4	4	1	1							34
	1			2	1									35
2	3			9	9				1					36
1	1			2	2									37
20	21			46	41	4	4	5	5	2	1			38
		1	1	11	11			1	1					39
				3	3									40
1	1			8	5			1	1	1	1	1	1	41
6	6			24	17	2		6	8	1	1			42
				2	2	3	3							43

TABLE V—

CAUSE OF DEATH	Transylvania			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	88	91	10	10
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	3	3		
5. Scarlet fever.....	1	1		
6. Whooping-cough.....	2	2		
7. Diphtheria.....	1	1		
8. Influenza.....				
10. Tuberculosis of the respiratory system.....	3	3		
11. Other forms of tuberculosis.....				
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1		
15. Cancer and other malignant tumors.....	3	3	2	2
16. Tumors, non-malignant or unspecified.....				
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	1	1		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....				
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	8	8		
23. Other diseases of the nervous system and organs of special sense.....	1	1	1	1
24. Diseases of the heart.....	13	14	1	1
25. Other diseases of the circulatory system.....	1	1		
26. Bronchitis.....	1	1		
27. Pneumonias.....	7	7		
28. Other diseases of the respiratory system (T. B. excepted).....	1	2		
29. Diarrhea and enteritis (under 2 years).....	2	2		
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....	2	2		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	1	1		
32. Other diseases of the digestive system.....	2	2		
33. Nephritis.....	14	14	3	3
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	2	2		
37. Diseases of skin, bones and organs of locomotion.....	1	1		
38. Congenital debility, malformation and early infancy.....	10	11		
39. Senility.....	1	1		
40. Suicide (total).....				
41. Homicide (total).....			2	2
42. Violent and accidental (suicide and homicide excepted).....	4	4	1	1
43. Cause not specified or ill-defined.....	1	1		

Continued

Tyrrell				Union				Vance				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
32	35	29	29	249	260	126	132	179	164	170	171	1
		1	1									2
												3
				2	3			1	1	2	2	4
												5
1	1			3	3	3	3	3	3	5	5	6
				2	2	1	1		1	1	1	7
		1	1	4	4	21	21	1	1	4	4	8
3	3	4	4	3	4	3	4	9	9	13	13	10
1	1					1	1	1	1	3	3	11
				1	1	2	4	1	1	2	2	12
				2	1							13
				1	1	2	2	2	3			14
												14
				1	1							14
				3	3	1	1			3	3	14
				16	17	2	2	8	8	7	7	15
				1	1							16
				1	1			1	1			17
				7	7	1	1	1	1	2	2	18
								1				19
		1	1		1	1	1	1	1			20
1	1			5	7	1	2	5	5	4	4	20
											1	21
1	1	1	1	18	18	3	3	5	5	13	13	22
	1			4	5	2	2	3	3	4	5	23
		4	4	44	44	14	14	26	26	15	15	24
1	1			1	2	1	1	3	2			25
										1	1	26
1	1	1	1	28	29	14	14	15	15	26	25	27
		1	1	1	1							28
4	4	1	1	7	7	5	5	2	2	8	8	29
				2	2	4	4			1	1	29
				1	2	3	3	1	1	1	1	30
						3	3					31
				1	2			1	1	2	3	31
2	3			5	5	4	6	3	2			32
11	11	4	4	26	27	11	11	29	27	12	12	33
	1			8	6	3	3	3	3			34
		1	1			1	1					35
2	2	1	1	6	6	1	1	4	4	2	2	36
				2	2					1	1	37
3	3	4	4	22	22	8	8	15	15	14	13	38
		2	2	5	5			2	2	5	5	39
						1	1	3	2			40
				1	1	3	3			4	4	41
1	1	1	1	15	17	6	6	27	17	14	14	42
		1	1					2	1	1	1	43

TABLE V—

CAUSE OF DEATH	Wake			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	763	701	558	546
1. Typhoid and paratyphoid fever.....			1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	3	2	3	3
5. Scarlet fever.....				
6. Whooping-cough.....	1	1	11	11
7. Diphtheria.....	3	3	3	3
8. Influenza.....	7	7	10	9
10. Tuberculosis of the respiratory system.....	32	32	29	35
11. Other forms of tuberculosis.....	2	2	7	7
12. Syphilis.....	1	1	5	4
13. Malaria.....	3	2	1	
14. Dysentery.....	11	3	3	3
14. Acute poliomyelitis and polioencephalitis.....	1	1		
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	6	6	5	5
15. Cancer and other malignant tumors.....	41	41	26	25
16. Tumors, non-malignant or unspecified.....	2	2	6	7
17. Chronic rheumatism and gout.....	2	2		
18. Diabetes mellitus.....	16	16	2	2
19. Alcoholism (acute or chronic).....	6	3		
20. Other general diseases and chronic poisonings.....	11	10	3	3
20. Pellagra.....	13	10	8	11
21. Progressive locomotor ataxia and paresis.....	6	5		3
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	54	54	47	47
23. Other diseases of the nervous system and organs of special sense.....	42	37	7	7
24. Diseases of the heart.....	189	177	101	102
25. Other diseases of the circulatory system.....	15	12	8	7
26. Bronchitis.....	2	2		
27. Pneumonias.....	44	39	44	44
28. Other diseases of the respiratory system (T. B. excepted).....	5	5	2	2
29. Diarrhea and enteritis (under 2 years).....	4	4	10	10
29. Diarrhea and enteritis (2 years and over).....	8	7	5	5
30. Appendicitis.....	6	5	5	3
31. Cirrhosis of the liver.....	6	6	1	1
31. Other diseases of the liver.....	7	6	1	1
32. Other diseases of the digestive system.....	11	14	26	24
33. Nephritis.....	63	60	45	43
34. Other diseases of the genitourinary system.....	9	9	1	1
35. Puerperal septicemia.....	3	3	6	6
36. Other diseases of pregnancy and puerperal state.....	8	8	7	6
37. Diseases of skin, bones and organs of locomotion.....	3	2	1	1
38. Congenital debility, malformation and early infancy.....	40	34	44	43
39. Senility.....			2	2
40. Suicide (total).....	8	7	2	1
41. Homicide (total).....	6	6	16	16
42. Violent and accidental (suicide and homicide excepted).....	61	53	50	38
43. Cause not specified or ill-defined.....	2	2	4	4

Continued

Warren				Washington				Watauga			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
62	73	197	201	70	70	67	70	95	111	4	5
1	1	2	3								
1	1					1	1				
		6	6	1	1	1	1	2	2		
1	1	1	1	1	1	1	1	3	3		
		2	1			2	2	4	4		
2	2	10	10	1	1	6	6	7	6		
						1	1	1	2		
		1	1			1	1				
						1	1				
		2	2								
		1	1								
				1	1						
3	5	10	11	6	6	1	1	9	10		
		1	1					1	1		
		1	1	1	1						
	1	1	1						1		
3	3	2	2			1	2	1	1		
	1	3	3	2	2	2	2				1
			1								
4	4	16	16	6	6	4	4	4	4		
		5	6			2	2		1		
9	10	29	29	13	13	8	8	12	12	1	1
2	2	5	5	4	4	2	2	1	2		
				1	1						
5	5	20	20	6	6	5	5	10	11	1	1
		1	1	1	1			1	1		
2	2	4	4	4	4	1	1	2	2	1	1
1	1	4	4					1	2		
						1	1		2		
				1	1	1	1				
		1	1	1	1						
2	3	4	4			2	2	2	3		
17	19	17	17	8	8	6	6	4	5		
		1	2			1	2	3	4		
		1	1				1		1		
		7	7	1	1	1	1				
								1	1		
7	9	24	24	6	6	8	8	18	18		
		5	5					2	2		
	1							2	2		
		1	1								
1	1	5	5	4	4	4	4	2	6	1	1
1	1	4	4	1	1	3	3	2	2		

TABLE V—

CAUSE OF DEATH	Wayne			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	369	365	537	426
1. Typhoid and paratyphoid fever.....	1	1	4	4
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	6	6	3	3
5. Scarlet fever.....				
6. Whooping-cough.....	3	3	6	6
7. Diphtheria.....	3	2	1	1
8. Influenza.....	7	7	5	5
10. Tuberculosis of the respiratory system.....	5	5	81	72
11. Other forms of tuberculosis.....	5	5	1	1
12. Syphilis.....	1	1	26	13
13. Malaria.....	1	1		
14. Dysentery.....	4	4	1	1
14. Acute poliomyelitis and polioencephalitis.....			1	1
14. Epidemic cerebrospinal meningitis.....	1	1	1	1
14. Other infectious and parasitic diseases.....	2	2	1	1
15. Cancer and other malignant tumors.....	21	20	11	11
16. Tumors, non-malignant or unspecified.....	1	1		
17. Chronic rheumatism and gout.....	5	5		
18. Diabetes mellitus.....	4	5	2	2
19. Alcoholism (acute or chronic).....	1	2		
20. Other general diseases and chronic poisonings.....	8	8	2	2
20. Pellagra.....		1	47	27
21. Progressive locomotor ataxia and paresis.....			29	8
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	29	29	41	35
23. Other diseases of the nervous system and organs of special sense.....	2	2	61	33
24. Diseases of the heart.....	56	54	41	37
25. Other diseases of the circulatory system.....	4	4	9	6
26. Bronchitis.....	1	1	6	6
27. Pneumonias.....	33	36	22	21
28. Other diseases of the respiratory system (T. B. excepted).....	2	2	2	2
29. Diarrhea and enteritis (under 2 years).....	14	14	8	8
29. Diarrhea and enteritis (2 years and over).....	5	5	4	4
30. Appendicitis.....	4	3	4	4
31. Cirrhosis of the liver.....	2	3	1	1
31. Other diseases of the liver.....	6	6		
32. Other diseases of the digestive system.....	12	11	4	4
33. Nephritis.....	27	27	37	36
34. Other diseases of the genitourinary system.....	6	6	2	3
35. Puerperal septicemia.....	5	5		
36. Other diseases of pregnancy and puerperal state.....	3	1	5	5
37. Diseases of skin, bones and organs of locomotion.....	4	4		
38. Congenital debility, malformation and early infancy.....	32	32	21	21
39. Senility.....	4	4	12	7
40. Suicide (total).....	5	5		
41. Homicide (total).....	5	4	11	11
42. Violent and accidental (suicide and homicide excepted).....	26	24	16	17
43. Cause not specified or ill-defined.....	3	3	8	6

Continued

Wilkes				Wilson				Yadkin				Yancey			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	White	W.	C.	C.
306	318	31	32	285	291	304	306	140	177	13	14	89	95		
2	2					2	2								
						1	1								1
															2
															3
5	5			3	3	1	1	5	5	1	1	3	3		4
															5
1	1			1	1	1	1	1	1			4	4		6
9	9	1	1	2	2	1	1	2	2						7
6	6	1	1	11	11	8	8	7	8	1	1	4	4		8
4	4	5	5	20	24	41	42	5	5	2	2	4	4		10
1	1			1	1	1	1	2	2			3	3		11
						11	11			1	1				12
				2	2										13
2	1					1	1								14
															14
		1	1			1	1								14
3	3			4	5										14
20	21	1	1	17	17	5	5	11	12			2	2		15
1	1			2	2		1								16
1	1			1	2										17
	1			2	2	1	1	5	6			1	1		18
6	6	1	1	2	3	2	2								19
6	7			5	5	2	1	1	1						20
1	2			1	1	1	1					1	1		20
							1						1		21
30	30			18	19	13	13	7	8	1	1	5	5		22
4	4			2	3	2	1	1	2						23
40	41	4	4	35	36	29	29	28	32	4	4	8	8		24
2	2			3	3	3	4		1			1	1		25
3	3			1	1	1	1	2	2						26
22	22	3	3	22	23	24	24	12	15	1	1	3	3		27
2	2			1	1	2	2					1	1		28
5	5	1	1	11	9	20	20					2	2		29
6	6			3	3	2	2	2	2			1	1		29
2	3			5	5	3	3		6				1		30
1	1						1	1							31
1	1			1	1	1	1	1	2			1	1		31
4	5			6	7	4	3	6	7			1	2		32
25	26	4	4	33	33	36	36	19	20	2	2	10	10		33
2	2					2	2	1	1			2	3		34
1						2	1		1						35
2	1	1	1	6	6	7	6	1	2			2	2		36
1	1	1	1			1	1					1	1		37
34	35	2	2	25	23	39	39	12	17			15	15		38
8	8					2	4					4	4		39
5	5			4	4	2	2	3	3						40
4	8	1	1	2	2	7	6								41
26	28	4	5	29	27	17	19	6	14		1	3	5		42
8	8			4	4	4	4					7	7		43

TABLE VI—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN CITIES OR TOWNS, BY CAUSE

CAUSE OF DEATH	Total					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	5,594	4,194	2	1	4,047	3,707
1. Typhoid and paratyphoid fever.....	9	4	-----	-----	16	11
2. Typhus fever.....	-----	-----	-----	-----	1	1
3. Smallpox.....	-----	-----	-----	-----	-----	-----
4. Measles.....	47	32	-----	-----	14	14
5. Scarlet fever.....	16	11	-----	-----	-----	-----
6. Whooping-cough.....	35	19	-----	-----	24	23
7. Diphtheria.....	45	26	-----	-----	7	7
8. Influenza.....	109	95	-----	-----	75	70
10. Tuberculosis of the respiratory system.....	199	188	-----	-----	335	351
11. Other forms of tuberculosis.....	23	17	-----	-----	55	52
12. Syphilis.....	32	29	-----	-----	102	98
13. Malaria.....	8	4	-----	-----	7	6
14. Dysentery.....	33	11	-----	-----	9	9
14. Acute poliomyelitis and polioencephalitis.....	4	1	-----	-----	2	2
14. Epidemic cerebrospinal meningitis.....	12	6	-----	-----	3	2
14. Other infectious and parasitic diseases.....	68	44	-----	-----	33	23
15. Cancer and other malignant tumors.....	399	306	-----	-----	148	134
16. Tumors, non-malignant or unspecified.....	39	17	-----	-----	38	26
17. Chronic rheumatism and gout.....	13	10	-----	-----	-----	-----
18. Diabetes mellitus.....	94	66	-----	-----	41	33
19. Alcoholism (acute or chronic).....	17	15	-----	-----	12	12
20. Other general diseases and chronic poisonings.....	108	73	-----	-----	46	37
20. Pellagra.....	55	46	1	1	49	53
21. Progressive locomotor ataxia and paresis.....	8	7	-----	-----	5	10
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	344	319	-----	-----	355	352
23. Other diseases of nervous system and organs of special sense.....	122	88	-----	-----	46	42
24. Diseases of the heart.....	815	749	-----	-----	542	535
25. Other diseases of the circulatory system.....	88	72	-----	-----	41	35
26. Bronchitis.....	3	3	-----	-----	13	12
27. Pneumonias.....	407	311	-----	-----	337	316
28. Other diseases of the respiratory system (T. B. excepted).....	42	25	-----	-----	31	28
29. Diarrhea and enteritis (under 2 years).....	108	69	-----	-----	95	94
29. Diarrhea and enteritis (2 years and over).....	61	50	-----	-----	26	26
30. Appendicitis.....	130	49	-----	-----	70	40
31. Cirrhosis of the liver.....	25	20	-----	-----	19	19
31. Other diseases of the liver.....	58	33	-----	-----	15	14
32. Other diseases of the digestive system.....	172	98	-----	-----	141	111
33. Nephritis.....	456	379	-----	-----	357	342
34. Other diseases of the genitourinary system.....	95	42	-----	-----	62	49
35. Puerperal septicemia.....	46	20	-----	-----	29	19
36. Other diseases of pregnancy and puerperal state.....	92	35	-----	-----	69	39
37. Diseases of skin, bones and organs of locomotion.....	47	23	-----	-----	10	9
38. Congenital debility, malformations and early infancy.....	419	312	-----	-----	264	248
39. Senility.....	19	19	-----	-----	18	18
40. Suicide (total).....	75	69	-----	-----	13	10
41. Homicide (total).....	56	35	-----	-----	183	158
42. Violent and accidental (suicide and homicide excepted).....	524	332	1	-----	240	169
43. Cause not specified or ill-defined.....	17	15	-----	-----	49	48

OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY COLOR OF DECEDENT—1934

Asheville				Charlotte				Concord				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
530	400	215	219	669	554	538	527	104	121	56	58	1
-----	-----	-----	-----	2	1	1	1	-----	-----	-----	-----	2
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3
2	2	-----	-----	13	7	2	2	4	6	-----	-----	4
2	2	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	5
3	3	-----	-----	1	1	6	6	1	1	-----	-----	6
-----	-----	1	1	3	1	-----	-----	3	3	1	1	7
2	2	5	5	17	14	14	14	9	9	1	1	8
61	40	24	26	15	30	40	49	6	6	4	4	10
3	2	4	4	1	2	7	7	-----	-----	-----	-----	11
7	7	6	6	5	5	13	14	-----	-----	1	1	12
2	2	1	1	-----	-----	-----	-----	-----	-----	-----	-----	13
-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	14
1	-----	-----	-----	-----	-----	2	2	-----	-----	-----	-----	14
-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----	-----	14
3	1	1	1	14	8	2	2	1	2	-----	-----	14
52	46	8	8	48	39	17	17	7	8	4	4	15
2	-----	1	1	4	2	2	-----	-----	1	-----	-----	16
-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	17
10	9	4	4	7	5	4	4	2	2	1	1	18
1	1	2	2	1	1	1	1	1	1	-----	-----	19
10	9	3	3	11	8	2	2	-----	1	-----	-----	20
6	6	4	4	12	11	6	6	3	3	1	1	20
-----	-----	1	1	1	1	-----	-----	-----	-----	-----	-----	21
36	31	12	13	55	48	64	63	7	10	7	7	22
11	8	4	5	15	11	7	5	-----	3	-----	-----	23
74	68	43	45	102	96	75	76	16	17	14	14	24
9	7	8	8	17	15	4	4	-----	-----	1	1	25
1	1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	26
25	20	20	20	53	46	64	62	12	12	6	6	27
5	4	1	1	5	2	4	4	-----	1	-----	-----	28
8	5	1	1	14	11	14	14	2	2	2	2	29
6	5	-----	-----	2	1	5	5	-----	-----	-----	-----	29
13	6	3	3	9	7	4	3	1	-----	-----	-----	30
2	2	1	1	3	2	2	2	-----	-----	-----	-----	31
4	3	-----	-----	13	8	3	3	-----	-----	-----	-----	31
12	7	7	7	23	18	19	17	-----	-----	-----	-----	32
34	28	18	18	41	33	45	44	8	8	5	5	33
9	2	3	3	11	4	6	4	-----	1	-----	1	34
1	1	1	1	4	3	1	1	1	-----	-----	-----	35
4	2	1	1	4	3	11	8	-----	-----	1	2	36
2	1	-----	-----	7	3	2	2	-----	-----	-----	-----	37
31	22	11	11	55	45	16	14	10	10	3	3	38
2	2	-----	-----	2	2	2	2	1	1	-----	-----	39
10	6	-----	-----	11	10	3	2	2	3	-----	-----	40
5	5	11	10	10	7	38	36	-----	-----	1	1	41
59	32	4	3	49	40	28	27	7	10	3	3	42
-----	-----	1	1	3	2	1	1	-----	-----	-----	-----	43

TABLE VI—

CAUSE OF DEATH	Durham			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	551	307	443	346
1. Typhoid and paratyphoid fever.....	1		2	
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1	1	1
5. Scarlet fever.....	1			
6. Whooping-cough.....	4	1	1	
7. Diphtheria.....	5	1	1	1
8. Influenza.....	4	5	7	6
10. Tuberculosis of the respiratory system.....	15	9	42	38
11. Other forms of tuberculosis.....	2		10	9
12. Syphilis.....	3	1	11	10
13. Malaria.....			1	1
14. Dysentery.....	8	2	4	4
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....	1			
14. Other infectious and parasitic diseases.....	10	5	4	2
15. Cancer and other malignant tumors.....	52	23	14	7
16. Tumors, non-malignant or unspecified.....	6		8	4
17. Chronic rheumatism and gout.....	1			
18. Diabetes mellitus.....	10	7	8	4
19. Alcoholism (acute or chronic).....	1	1	2	2
20. Other general diseases and chronic poisonings.....	21	6	12	5
20. Pellagra.....	3	1	7	6
21. Progressive locomotor ataxia and paresis.....		1	1	1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	27	26	27	24
23. Other diseases of the nervous system and organs of special sense.....	12	3	9	7
24. Diseases of the heart.....	75	53	57	46
25. Other diseases of the circulatory system.....	12	8	5	4
26. Bronchitis.....			1	1
27. Pneumonias.....	45	23	21	20
28. Other diseases of the respiratory system (T. B. excepted).....	8	2	6	4
29. Diarrhea and enteritis (under 2 years).....	5	3	6	6
29. Diarrhea and enteritis (2 years and over).....	6	5	1	1
30. Appendicitis.....	9		10	3
31. Cirrhosis of the liver.....	2	1	1	
31. Other diseases of the liver.....	2	1	4	3
32. Other diseases of the digestive system.....	19	7	12	7
33. Nephritis.....	51	40	28	23
34. Other diseases of the genitourinary system.....	15	3	6	1
35. Puerperal septicemia.....	7	1		
36. Other diseases of pregnancy and puerperal state.....	10	2	7	2
37. Diseases of skin, bones and organs of locomotion.....	8	2	2	1
38. Congenital debility, malformation and early infancy.....	45	28	32	30
39. Senility.....			1	1
40. Suicide (total).....	4	5	2	1
41. Homicide (total).....	3	3	29	28
42. Violent and accidental (suicide and homicide excepted).....	37	25	25	17
43. Cause not specified or ill-defined.....		2	15	15

Continued

Elizabeth City				Fayetteville						Gastonia				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
88	78	95	88	191	115	2	1	151	127	184	175	84	79	1
		1	1					1	1	1	1			2
														3
1	1									5	4			4
										2	2			5
1	1			1						1	1			6
				1	1					2	2			7
				3	3			3	3	6	6	2	2	8
3	4	8	8	1	1			8	8	2	2	6	6	10
								1	1	2	1	1		11
1	1							1	1	1	2	3	3	12
		1	1											13
										1	1			14
														14
														14
1		1	1	5	4			1	2			3	1	14
2	2	2	2	7	5			8	8	7	7	5	5	15
		2	2	2				1	1			2		16
1	1			1	1					2	2			17
2	1			5	3					3	1	1	1	18
	1			2	2							1	1	19
1	1	1	1	3	1			1	1	2	2			20
		1	2	3		1	1	2	3	3	4			20
														21
8	8	6	6	12	10			11	11	8	7	6	6	22
1	1		1	3	1			1		2	2		1	23
19	19	9	8	29	26			28	28	16	17	4	4	24
1	1	2	2	3	3			7	4	1	1			25
												1	1	26
6	6	6	6	8	3			11	9	10	9	3	3	27
		3	3	1	1					3	2			28
2	2	4	4	11	5			2	2	13	13	4	4	29
1	1	2	2	1	1			2	2	8	8	6	6	29
2		1	1	2				2		9	8	2	2	30
				2	1							1	1	31
2				1						1	1	1	1	31
2	1	5	4	14	6			6	3			1	2	32
15	14	12	13	6	2			10	10	13	13	9	9	33
2		3	3	5	2			2	2	3	3	1	1	34
		1	1	1				2	2	3	3			35
3	1	2		8	3			4	1	6	4	3	2	36
1	1			3	2			1	1	2	2			37
1	1	8	7	10	8			7	7	22	24	8	8	38
												1	1	39
2	2	1	1	2	2					2	2			40
		6	5	4	1			6	3	2	1	5	4	41
7	7	7	3	27	14	1		18	10	20	17	1	1	42
				4	3			4	3			3	3	43

TABLE VI—

CAUSE OF DEATH	Goldsboro			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	161	130	153	152
1. Typhoid and paratyphoid fever.....			1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1	3	3
5. Scarlet fever.....				
6. Whooping-cough.....			2	2
7. Diphtheria.....	2	1		
8. Influenza.....	3	3	3	3
10. Tuberculosis of the respiratory system.....	2	2	25	24
11. Other forms of tuberculosis.....	4	4	1	1
12. Syphilis.....	1	1	5	5
13. Malaria.....				
14. Dysentery.....	3	3		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....	1	1	1	1
14. Other infectious and parasitic diseases.....	1		1	1
15. Cancer and other malignant tumors.....	6	4	3	4
16. Tumors, non-malignant or unspecified.....	1	1		
17. Chronic rheumatism and gout.....	2	2		
18. Diabetes mellitus.....	2	2	1	1
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	4	4	1	1
20. Pellagra.....		1	5	5
21. Progressive locomotor ataxia and paresis.....				1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	10	11	10	10
23. Other diseases of the nervous system and organs of special sense.....	2	2	1	1
24. Diseases of the heart.....	17	16	16	16
25. Other diseases of the circulatory system.....	2	1	1	1
26. Bronchitis.....			6	6
27. Pneumonias.....	13	11	7	7
28. Other diseases of the respiratory system (T. B. excepted).....	1	1	1	1
29. Diarrhea and enteritis (under 2 years).....	5	3	1	1
29. Diarrhea and enteritis (2 years and over).....	3	2		
30. Appendicitis.....	4	3	4	3
31. Cirrhosis of the liver.....			1	1
31. Other diseases of the liver.....	6	6		
32. Other diseases of the digestive system.....	6	3	1	1
33. Nephritis.....	8	8	15	15
34. Other diseases of the genitourinary system.....	5	5	2	2
35. Puerperal septicemia.....	5	5		
36. Other diseases of pregnancy and puerperal state.....	3		4	3
37. Diseases of skin, bones and organs of locomotion.....	3	1		
38. Congenital debility, malformation and early infancy.....	12	10	9	9
39. Senility.....	1	1	1	1
40. Suicide (total).....	2	2		
41. Homicide (total).....	2		10	10
42. Violent and accidental (suicide and homicide excepted).....	18	9	10	10
43. Cause not specified or ill-defined.....			1	1

Continued

Greensboro				High Point				Kinston				New Bern			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	White	W.	C.	C.
424	325	253	237	273	236	107	110	181	101	103	94	86	73	135	125
2	1	3	2					1	1			1			
				4	4			2				1	1		
3	2														
2	2	3	3	3	2			4	1	1	1				
7	4			2	2							1			
13	11	10	9	8	6	3	3	2	1	1	1	1	1	4	3
13	12	27	29	6	6	7	7	6	5	6	7	2	2	8	11
1	1	9	9	1	1			1	1	1	1	1	1	1	1
4	4	8	6			6	6	1		2	2			2	1
1		1	1	1	1					1	1			1	1
1		1	1	1	1			5	2						
1				2	2										
7	7	3	3	2	1	1	1	4	4	3	2			1	1
29	24	7	8	22	21	3	3	8	4			3	3	5	5
6	3	3	3	5	2			4	2	2	2				
1								1							
10	7	4	2	1	2	1	1	3	3			1	1	3	2
1	1	1	1	2	2					1	1				
6	5	3	3	6	6	3	3	1	1	1	1	2	2		
2	3	5	4	1	1	1	2							1	1
		1	1					1	1	1	1				
32	27	26	26	18	17	6	8	9	7	13	12	12	11	22	21
10	6	3	3	8	5	1	1	1		1	1	1	1	1	1
57	55	21	23	38	38	16	16	16	15	18	20	10	13	20	20
4	5	2	2	1	1	1	1	2	2						
38	29	14	14	26	23	15	14	14	6	11	11	6	5	7	7
2	1	2	2	4	4			1		2	2				
6	1	1	1	4	4	3	3	5		5	5			1	1
1	1			3	2	1	1	1	1			1	1		
8	2	13	7	10	6	1	1	8	2			1		1	
1	1	1	1	1	1			2	2	1	1			1	1
4	1	1	1	5	4			2	1					1	1
12	6	17	13	5	4	5	4	10	5	4	4	1			
33	26	23	24	14	10	5	5	19	11	6	7	10	10	20	20
3	2	6	6	5	1	2	2	4	3					1	
6	3	1	1	1		1	1	1		3	1	1	1		
6	1	1	1	4	2			4	2	2		7	3	5	3
2	2	1	1	1		1	1	1	1			1		1	1
24	20	7	7	30	28	12	12	10	5	5	3	9	9	12	12
6	6	2	2	1	1									2	2
4	3			6	7			3	2			1	1		
3	2	7	5	1	1	5	5			5	3	3	1	2	1
50	37	14	11	20	17	7	9	22	9	5	2	9	5	11	7
2	1	1	1					2	1	2	2		1	1	1

TABLE VI—

CAUSE OF DEATH	Raleigh			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	491	366	327	275
1. Typhoid and paratyphoid fever.....			1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1		1	1
5. Scarlet fever.....				
6. Whooping-cough.....	1	1	3	3
7. Diphtheria.....	2	1	1	1
8. Influenza.....	5	4	5	4
10. Tuberculosis of the respiratory system.....	21	19	13	18
11. Other forms of tuberculosis.....	2	1	7	6
12. Syphilis.....			3	2
13. Malaria.....	2		1	
14. Dysentery.....	11		2	2
14. Acute poliomyelitis and polioencephalitis.....	1	1		
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	2	2	4	2
15. Cancer and other malignant tumors.....	27	25	20	16
16. Tumors, non-malignant or unspecified.....	1	1	4	4
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	12	8	1	1
19. Alcoholism (acute or chronic).....	4			
20. Other general diseases and chronic poisonings.....	8	7	3	2
20. Pellagra.....	9	6	3	4
21. Progressive locomotor ataxia and paresis.....	6	4		2
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	24	23	26	25
23. Other diseases of the nervous system and organs of special sense.....	38	31	7	6
24. Diseases of the heart.....	119	104	54	54
25. Other diseases of the circulatory system.....	11	6	3	2
26. Bronchitis.....	1	1		
27. Pneumonias.....	24	18	17	14
28. Other diseases of the respiratory system (T. B. excepted).....	3	2	2	1
29. Diarrhea and enteritis (under 2 years).....	2		6	6
29. Diarrhea and enteritis (2 years and over).....	5	4	3	3
30. Appendicitis.....	6	4	5	2
31. Cirrhosis of the liver.....	5	3	1	1
31. Other diseases of the liver.....	6	4		
32. Other diseases of the digestive system.....	9	7	20	15
33. Nephritis.....	40	36	30	27
34. Other diseases of the genitourinary system.....	8	5	1	1
35. Puerperal septicemia.....	3	1	6	3
36. Other diseases of pregnancy and puerperal state.....	7	2	6	1
37. Diseases of skin, bones and organs of locomotion.....	3	1	1	1
38. Congenital debility, malformation and early infancy.....	20	7	23	19
39. Senility.....			2	2
40. Suicide (total).....	5	4	2	1
41. Homicide (total).....	4	2	12	11
42. Violent and accidental (suicide and homicide excepted).....	33	21	27	10
43. Cause not specified or ill-defined.....			1	1

Continued

Rocky Mount				Salisbury				Shelby				Statesville			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	White	W.	C.	C.
224	113	223	169	194	141	81	70	114	99	20	15	184	93	50	41
1		2													
				1		3	3								
4		2	2	3	3							1	1		
1				1	1			2	2			2	1		
2	1	1	1	6	6	2	1	2	2			7	6	1	1
5	3	23	19	3	3	3	2	4	4	3	2	2	2	5	5
1		4	3			1	1					2	1		
		9	8	1	1	1	1	2	2						
1															
												1			
1															
1		1		1											
2		2				1		3	1			2	1	2	1
16	9	11	8	12	6	6	4	5	4			17	9	1	1
3	2	5	2			1						2		1	1
								1	1						
4	2	2	2	3	2							3		1	
				2	2			1	1						
9	4	2	1	2	1			5	4			6	2	1	1
				4	3		1	3	3			1		1	1
							1								
13	12	21	21	7	7	7	7	12	12			4	2	2	2
3	2	2	1	2	1			1	2			2	2		
24	23	16	12	42	39	15	15	15	16	1	1	19	12	8	9
1	1			2	1			1	1			3	1	1	
		3	2												
14	11	22	18	15	11	6	6	14	12	3	2	9	7	3	3
2		1	1							1	1				
5	4	7	7	2		2	2	2	1			2	1		
6	3	1	1	2	2			2	2	1	1	2	2		
5	1	4		6	2	2	1	1	1			15	3	4	2
2	2											2	2		
2		2	2	1								2	1		
14	4	6	3	11	7	3	2	3	3	1	1	5	1	1	1
17	9	21	19	20	16	8	8	5	5	5	4	23	16	6	6
5	1	5	2	3	1	1	1				1			2	1
5		3	1	2	1			1	1			2			
5		4	3	1		2	1					3			
4	1			2	2							1	1		
16	4	20	20	12	9	6	6	11	9			17	11	1	1
1	1	1	1					1	1					3	3
4	3	1	1	2	1			2	3				1		
3	1	4	2	1	2	1	1	3	1	2	1	4	1	1	1
22	9	15	6	22	11	9	5	12	5	3	1	21	4	5	1
						1	1					2	2		

TABLE VI—

CAUSE OF DEATH	Thomasville			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Col.	Col.
All causes—Total recorded.....	78	75	27	26
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	3	2		
5. Scarlet fever.....	2	2		
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	3	3	1	1
10. Tuberculosis of the respiratory system.....	5	4	1	1
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....	1	1	1	1
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	4	3		
15. Cancer and other malignant tumors.....	5	6	2	2
16. Tumors, non-malignant or unspecified.....	1	1		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	2	3		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	2	2		
20. Pellagra.....			1	1
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	5	5	4	4
23. Other diseases of the nervous system and organs of special sense.....	1	1		
24. Diseases of the heart.....	3	3	2	2
25. Other diseases of the circulatory system.....				
26. Bronchitis.....	1	1		
27. Pneumonias.....	6	6	5	5
28. Other diseases of the respiratory system (T. B. excepted).....	2	2		
29. Diarrhea and enteritis (under 2 years).....	3	3	1	1
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....	2			
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	2	2		
32. Other diseases of the digestive system.....	1	1	2	2
33. Nephritis.....	7	8	1	1
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....			1	1
36. Other diseases of pregnancy and puerperal state.....			1	1
37. Diseases of skin, bones and organs of locomotion.....	1	1		
38. Congenital debility, malformation and early infancy.....	9	9	1	2
39. Senility.....				
40. Suicide (total).....	1			
41. Homicide (total).....			1	
42. Violent and accidental (suicide and homicide excepted).....	5	5	1	
43. Cause not specified or ill-defined.....				

Continued

Wilmington				Wilson				Winston-Salem			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
289	225	303	276	132	108	169	152	446	359	514	521
		1	1			1	1			2	2
						1	1				
						1	1	8	3	3	3
1								3	3		
5	2	4	4			1	1	1		1	1
2				1	1	1	1	7	4	2	2
5	3	1	1	5	4			6	5	11	11
5	9	14	16	6	9	23	21	16	16	45	50
		1	1	1	1	1	1	1	1	5	6
2	2	3	4			10	10	4	3	18	18
				1	1						
						1	1		1		
								1			
						1	1	3	2		
4	2	1	1	2	2			1	1	2	2
29	25	12	12	12	10	1	1	33	26	19	19
2	2	2	2							4	4
1	1							1	2		
5	2	3	3	1	1	1	1	8	5	6	6
		3	3	1	2	1	1				
3	1	4	4	3	2	1	1	3	4	8	8
		3	3			1	1	5	4	7	8
		1	1							1	21
13	12	29	29	6	7	5	5	26	26	51	52
1	1	1	1	2	2	1		6	3	7	8
50	49	36	37	9	8	14	14	65	62	75	75
3	3	2	2	1	1	1	1	14	14	3	3
										1	1
29	21	38	33	9	9	17	16	31	23	41	40
2	1	3	3	1		2	2	2	2	3	3
3	2	11	10	8	3	11	11	6	6	13	13
4	2			1	1			5	5	4	4
3		4	2	4	1	3	2	12	3	7	8
		2	2			1	1	3	3	6	7
2	1	1	1	1				2		2	2
7	5	10	6	5	4	3	2	13	9	18	17
35	33	40	36	20	20	17	16	37	33	33	32
6	5	8	7			2	2	11	4	11	9
1		4	2			2	1	1		3	3
4	2	5	3	2	1	6	3	11	7	4	4
2						1	1	3	2		
19	11	20	16	9	3	20	18	47	39	43	43
1	1	2	2			1	1	3	3		
8	7	2	2	2	2	1	1	2	3	1	1
5	4	11	8	2	2	7	5	1	1	19	18
27	16	19	16	15	10	7	5	42	29	21	22
		2	2	2	1	1	1	2	2	15	15

Clay	5,700	17.5	17.5	17.5	17.5	7.5	7.5	7.5	7.5	35.1	35.1	35.1	7.5	7.5
Cleveland	55,400	16.2	16.2	5.4	5.4	5.4	7.2	12.6	12.6	1.8	27.0	27.0	1.8	1.8
Columbus	39,400	20.3	22.8	2.5	5.1	7.6	7.6	6.4	6.4	2.5	15.2	15.2	2.5	2.5
Craven	31,200	25.6	25.6	3.2	9.6	9.6	9.6	6.4	6.4	9.6	60.9	51.2	3.2	3.2
Cumberland	47,400	48.5	40.1	2.1	2.1			19.0	16.9		59.1	63.3	2.1	2.1
Currituck	6,710	6.0	6.0					1.5	1.5		3.0	3.0		
Dare	5,200										38.5	38.5		
Davidson	50,500	39.6	41.6	5.9	5.9	23.8	23.8	9.9	9.9	4.0	23.8	21.8		2.0
David	14,600	20.5	27.4			20.5	20.5	13.7	20.4		34.2	47.9		2.0
Duplin	36,200	44.2	49.7	8.3	8.3	2.8	2.8	2.8	2.8		22.1	24.9	2.8	2.8
Durham	72,200	16.6	13.9	8.3	2.8	1.4	2.8	16.6	13.9	1.4	95.6	81.7	4.1	1.4
Edgemcombe	50,100	69.9	67.9			20.0	20.0	14.0	2.0	4.0	91.8	93.8	2.0	2.0
Forsyth	118,700	21.1	21.1	12.6	12.6	15.2	11.8	11.0	12.6	2.5	79.2	80.9	1.7	1.7
Franklin	30,200	53.0	53.0			19.9	19.9	16.6	16.6	3.3	26.5	26.5	3.3	3.3
Gaston	83,500	39.5	41.9	7.1	7.1	20.3	21.6	13.1	16.8	4.8	20.3	21.6	1.1	1.1
Gates	10,700	28.0	28.0			9.3	9.3	9.3	9.3		84.1	84.1	9.3	9.3
Graham	6,100			16.4	16.4			16.4	16.4		16.4	16.4	16.4	32.8
Granville	29,300	34.1	34.1	13.7	13.7			10.2	10.2		51.2	54.6		17.1
Greene	19,300	20.7	25.9			10.4	10.4				41.5	46.6	10.4	10.4
Guilford	143,500	13.9	12.5	7.0	6.3	2.1	1.4	9.1	9.8	2.8	53.7	55.1	4.2	4.2
Halifax	55,400	75.8	77.6	5.4	5.4	3.6	3.6	9.0	10.8		77.6	79.4	5.4	5.4
Harnett	40,000	50.0	55.0			2.5	2.5				45.0	47.5		
Haywood	29,400	30.6	27.2	3.4	3.4			20.4	20.4	3.4	44.2	44.2	3.4	3.4
Henderson	24,500	12.2	12.2					36.7	36.7		57.1	53.1		
Hertford	18,000	33.3	33.3			5.6	5.6				100.0	105.6		
Hoke	14,800	33.8	33.8								182.4	40.5		
Hyde	8,700													
Iredell	48,700	18.5	16.4	6.2	4.1	2.1	2.1	23.0	27.0		49.3	47.2	4.1	4.1
Jackson	18,400			10.9	10.9			10.3	8.2		38.0	38.0		10.3
Johnston	59,700	45.2	50.3	1.7	1.7	21.7	21.7	16.3	16.3		48.6	46.9	8.4	8.4
Jones	10,600	56.6	56.6			3.4	5.0	6.7	6.7		18.9	18.9		20.1
Lee	17,800	33.7	28.1			37.7	47.2				56.2	61.8		18.9
Lenoir	37,100	51.2	45.8			2.7	2.7	11.2	11.2		64.7	67.4	2.7	2.7
Lincoln	23,900	41.8	41.8			29.3	33.5	8.4	8.4		12.6	16.7		21.6
McDowell	21,100	52.1	56.9	4.7	4.7			28.4	28.4		33.2	33.2		25.1
Macon	13,900			28.8	28.8			7.2	7.2		71.9	79.1		
Madison	20,500	19.5	24.4	19.5	19.5	4.9	4.9	4.9	4.9	4.9	24.4	24.4		14.4

TABLE VII—Continued

COUNTY	Esti- mated Popula- tion	Rate per 100,000 Population																	
		Diarrhea and Enteritis (Under 2 Years of Age)		Diphtheria		Malaria		Measles		Pellagra		Scarlet Fever		Tuberculosis of the Respir- atory System		Typhoid Fever		Whooping- cough	
		Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	
Martin	24,000	62.5	62.5			8.3	8.3	8.3	8.3	4.2	8.3			70.8	70.8	4.2	4.2	29.2	29.2
Mecklenburg	137,400	24.0	22.6	5.1	4.4		10.9	7.3	18.2	20.4	6.9	1.5	1.5	72.8	74.2	3.6	4.4	7.3	7.3
Mitchell	14,500	6.9	6.9				6.0	6.0						13.8	13.8			20.7	20.7
Montgomery	16,700	6.0	6.0											12.0	12.0			12.0	12.0
Moore	29,700	20.2	23.6	6.7	3.4				13.5	13.5				53.9	50.5			13.5	13.5
Nash	55,300	30.7	30.7	3.6	3.6	7.2	1.8	1.8	9.0	9.0				66.9	61.5	10.8	7.2	21.7	19.9
New Hanover	43,800	47.9	32.0	4.6					11.4	11.4	2.3			61.6	66.2	2.3	2.3	22.8	16.0
Northampton	28,100	39.1	39.1						7.1	7.1				53.4	53.4	3.6	3.6	7.1	7.1
Onslow	15,500	64.5	71.0	6.5		12.9	19.4	19.4	12.9	12.9				38.7	38.7			38.7	38.7
Orange	21,900	18.3	18.3		4.6				13.7	13.7				32.0	50.2			27.4	32.0
Pamlico	9,400	63.8	63.8				21.3	21.3						21.3	21.3			21.3	21.3
Pasquotank	19,600	51.0	51.0	10.2	10.2	10.2	5.1	5.1	10.2	15.3				76.5	81.6	5.1	5.1	5.1	5.1
Pender	15,900	37.7	44.0						12.6	18.9				56.6	56.6	12.6	12.6	50.3	50.3
Perquimans	10,668	56.2	56.2			28.1	28.1	9.4	9.4					65.6	65.6			28.1	28.1
Person	22,800	17.5	17.5											35.1	35.1			4.4	8.8
Pitt	56,500	56.6	60.2	15.9	17.7	12.4	8.8	8.8	12.4	12.4				70.8	76.1	3.5	3.5	17.7	17.7
Polk	10,600	122.6	18.9				18.9	18.9	9.4	9.4				18.9	18.9	9.4		18.9	18.9
Randolph	37,600	18.6	18.6	10.6	10.6	2.7	5.3	5.3	21.3	23.9	2.7	2.7	2.7	29.3	34.6				
Richmond	35,800	19.6	22.3	2.8	2.8	2.8	1.4	1.4	2.8	2.8				39.1	41.9	2.8	2.8	2.8	2.8
Robeson	69,100	69.5	66.6	1.4	1.4	4.3			8.7	8.7				28.9	30.4	5.8	4.3	36.2	36.2
Rockingham	62,800	30.3	32.2	13.3	17.0		20.8	20.8	5.7	9.5	1.9	1.9	1.9	51.1	53.0	7.6	7.6	7.6	7.6
Rowan	59,400	10.1	6.7	5.1	5.1		13.5	13.5	10.1	11.8				33.7	35.4			16.8	16.8

Rutherford	42,400	14.2	18.9	2.4	2.4	4.9	4.9	18.9	18.9	28.3	25.9	2.4	2.4	30.7	30.7	11.8
Sampson	41,200	29.1	31.6	4.9	7.3	4.7	4.7	6.5	6.5	18.9	18.9	2.4	2.4	46.1	46.1	17.0
Scotland	21,200	61.3	66.0	4.7	4.7	4.7	4.7	6.5	6.5	18.9	18.9	2.4	2.4	56.6	56.6	4.7
Stanly	31,000	6.5	6.5	9.7	9.7	9.7	9.7	26.3	30.7	9.7	16.1	2.4	2.4	12.9	12.9	9.7
Stokes	22,800	4.4	4.4	4.4	4.4	4.4	4.4	36.2	38.6	7.2	7.2	7.2	7.2	30.7	30.7	4.4
Surry	41,400	16.9	16.9	12.1	12.1	12.1	12.1	8.6	8.6	8.6	8.6	10.3	10.3	60.4	62.8	12.1
Swain	11,568	8.6	8.6	10.3	10.3	10.3	10.3	30.9	30.9	19.2	19.2	10.3	10.3	17.3	17.3	17.3
Transylvania	9,700	20.6	20.6	10.3	10.3	10.3	10.3	30.9	30.9	19.2	19.2	10.3	10.3	30.9	30.9	20.6
Tyrrell	5,200	96.2	96.2	7.1	7.1	4.7	4.7	4.7	4.7	14.2	21.3	14.2	14.2	14.2	14.2	19.2
Union	42,200	28.4	28.4	3.5	7.0	7.0	7.0	10.6	10.6	31.7	31.7	7.5	7.5	77.5	77.5	28.2
Vance	28,400	35.2	35.2	6.1	6.1	4.0	4.0	6.1	5.1	21.2	21.2	6.1	6.1	61.6	67.7	12.1
Wake	99,000	14.1	14.1	8.4	8.4	8.5	8.5	8.5	8.5	34.2	34.2	50.2	50.2	50.2	50.2	25.1
Warren	23,900	25.1	25.1	17.1	17.1	17.1	17.1	8.5	8.5	34.2	34.2	59.8	59.8	59.8	59.8	17.1
Washington	11,700	42.7	42.7	19.2	19.2	1.8	1.8	16.3	16.3	85.3	85.3	44.9	44.9	44.9	44.9	12.8
Watauga	15,600	19.2	19.2	7.3	5.4	5.4	5.4	13.5	13.5	2.7	5.4	24.3	24.3	24.3	24.3	16.3
Wayne	55,100	39.9	39.9	27.0	27.0	4.3	4.3	8.6	8.6	4.3	4.3	130.6	130.6	130.6	130.6	2.7
Wilkes	37,100	16.2	16.2	6.4	6.4	6.4	6.4	32.4	32.4	6.9	6.9	37.8	37.8	37.8	37.8	4.3
Wilson	46,700	66.4	62.1	10.8	10.8	10.8	10.8	20.7	20.7	6.9	6.9	27.6	27.6	27.6	27.6	5.4
Yadkin	18,500	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	27.6
Yancey	14,486	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	27.6

*No deaths from smallpox reported in 1934.

TABLE VIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY CAUSE AND

CAUSE OF DEATH	Total	Under 1 Day	1 Day
All causes.....	*6,200	1,354	325
1. Typhoid fever and paratyphoid fever.....	3		
6. Smallpox.....			
7. Measles.....	78		1
8. Scarlet fever.....	3		
9. Whooping-cough.....	276		1
10. Diphtheria and Croup.....	37	4	
11. Influenza.....	152	1	3
13. Dysentery.....	59		
15. Erysipelas.....	21		
16. Acute poliomyelitis and acute polioencephalitis.....	2		
18. Epidemic cerebrospinal meningitis.....	7		
22. Tetanus.....	7		
23. Tuberculosis of the respiratory system.....	5		
23-32. Tuberculosis of the meninges and central nervous system.....	8		
34. Syphilis.....	83	16	1
35. Gonococcus infection, and other venereal diseases.....			
36. Purulent infection, septicemia.....	6		
63. Rickets.....	8		
79. Meningitis.....	21	3	
86. Infantile convulsions.....	37	3	
89. Diseases of the ear and of the mastoid process.....	18		
90-95. Pericarditis, endocarditis and myocarditis (acute), other diseases of the heart.....	12		
106. Bronchitis.....	28		
107. Bronchopneumonia.....	759	2	
108. Lobar pneumonia.....	188		
110. Pleurisy.....			
117. Ulcer of the stomach and duodenum.....			
119. Diarrhea and enteritis.....	736	1	
121. Appendicitis.....	2		
122. Hernia, intestinal obstruction.....	22		
130. Acute nephritis.....	11		
151. Furuncle.....	3		
152. Phlegmon, acute abscess.....	4		
153. Other diseases of the skin and of the cellular tissue.....	6		
157. Congenital malformation.....	316	68	24
158. Congenital debility.....	728	155	50
159. Premature birth.....	1,671	936	180
160. Injury at birth.....	233	88	38
161. Other diseases peculiar to early infancy.....	188	50	19
181. Accidental burns.....	8		
182. Accidental mechanical suffocation.....	78	4	3
186. Accidental fall.....	2		
172. Infanticide.....	2	2	
199-200. Sudden death; cause not specified or ill-defined.....	86	2	3
Total all other causes.....	286	19	2

*Includes four dying outside North Carolina but residents of the State.

BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE—1934

2 Days	3 to 6 Days	7 to 13 Days	14 to 20 Days	21 to 29 Days	1 Month	2 Months	3 to 5 Months	6 to 8 Months	9 to 11 Months
223	419	317	222	230	626	466	967	596	455
					1		2		
	2	2	2	1	12	5	13	23	17
								1	2
1			8	7	40	32	74	53	60
					6	6	5	7	9
2	2	1	3	7	22	11	43	32	25
	1		1	1	3	4	20	22	7
			1	1	4	4	4	5	2
								1	1
		6	1		1		2	3	1
							1	2	2
							5	3	
1	4	1	3	3	14	16	13	9	2
		1			1		3	1	
					1	1	3	2	1
					1	4	8	2	3
1	2	7	1	4	5	2	9	3	
			1		1	2	6	7	1
1				1		1	6	3	
	1	3	2	1	4	1	5	7	4
7	11	23	39	33	122	117	183	119	103
	4	5	7	8	26	15	58	38	27
	4	10	18	23	77	78	252	151	122
								1	1
			2		2	1	6	4	7
		1		1	3	2	3	1	
							2	1	
					1	1	1	1	
		1	1		1		1	1	1
26	29	24	13	18	42	18	36	11	7
36	99	51	35	46	104	55	74	18	5
93	151	114	64	44	57	16	12	3	1
28	43	17	4	4	5	2	1	2	1
18	42	28	7	11	7	4	2		
	1				1		1	4	1
2	5	4	2	7	12	17	17	4	1
	1	1							
1	2	3	1		8	10	31	15	10
6	15	14	6	9	42	41	65	36	31

TABLE IX—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) AND MATERNAL DEATHS IN EACH COUNTY WITH RATE PER 1,000 LIVE BIRTHS—1934

COUNTY	Infant Mortality				Maternal Mortality			
	Place of Death		Place of Residence		Place of Death		Place of Residence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Entire State.....	6,196	77.9	6,182	77.9	605	7.6	599	7.5
Alamance.....	61	56.6	73	65.2	6	5.6	12	10.7
Alexander.....	19	55.6	19	55.4	1	2.9	2	5.8
Alleghany.....	6	42.0	5	35.0	1	7.0	1	7.0
Anson.....	53	70.8	53	72.5	8	10.7	6	8.2
Ashe.....	43	74.7	43	73.0	7	12.2	8	13.6
Avery.....	24	54.4	23	58.1	3	6.8	1	2.5
Beaufort.....	76	88.5	69	82.6	7	8.1	5	6.0
Bertie.....	98	129.3	100	131.1	7	9.2	9	11.8
Bladen.....	68	93.3	71	95.3	6	8.2	8	10.7
Brunswick.....	33	70.7	38	79.8	2	4.3	2	4.2
Buncombe.....	127	65.7	119	62.8	9	4.7	7	3.7
Burke.....	34	44.0	33	42.6				
Cabarrus.....	92	90.7	96	91.2	6	5.9	8	7.6
Caldwell.....	68	70.4	66	67.8	3	3.1	3	3.1
Camden.....	12	101.7	12	100.8	1	8.5	1	8.4
Carteret.....	23	64.4	24	67.6	3	8.4	3	8.5
Caswell.....	19	43.8	22	49.8	2	4.6	2	4.5
Catawba.....	71	64.3	74	66.0	3	2.7	3	2.7
Chatham.....	34	74.2	37	78.1	1	2.2	7	14.8
Cherokee.....	24	54.3	24	54.5	1	2.3	1	2.3
Chowan.....	36	130.9	36	130.9	1	3.6	2	7.3
Clay.....	13	86.1	13	85.0	2	13.2	3	19.6
Cleveland.....	64	50.0	67	51.9	4	3.1	5	3.9
Columbus.....	115	98.3	122	101.8	3	2.6	7	5.8
Craven.....	59	86.1	59	85.5	15	21.9	13	18.8
Cumberland.....	85	68.1	75	61.2	18	14.4	11	9.0
Currituck.....	10	78.7	11	85.3	1	7.9	1	7.8
Dare.....	5	45.0	6	51.7			1	8.6
Davidson.....	85	72.8	87	74.0	4	3.4	4	3.4
Davie.....	25	70.0	29	78.8			1	2.7
Duplin.....	67	68.0	73	73.4	8	8.1	12	12.1
Durham.....	166	98.5	126	86.8	24	14.2	7	4.8
Edgecombe.....	139	110.6	137	110.1	10	8.0	10	8.0
Forsyth.....	203	86.8	201	87.9	19	8.1	16	7.0
Franklin.....	52	72.7	52	71.1	7	9.8	7	9.6
Gaston.....	157	76.8	162	78.0	19	9.3	19	9.2
Gates.....	15	68.5	15	67.9	5	22.8	6	27.1
Graham.....	12	78.4	13	83.9	1	6.5	1	6.5
Granville.....	62	82.3	63	83.7	6	8.0	5	6.6
Greene.....	50	86.1	56	93.6	5	8.6	7	11.7
Guilford.....	194	69.5	189	69.2	21	7.5	17	6.2
Halifax.....	132	84.2	132	84.7	8	5.1	7	4.5
Harnett.....	71	62.6	83	71.7	9	7.9	14	12.1
Haywood.....	64	76.4	65	77.1	2	2.4	2	2.4
Henderson.....	34	60.6	36	64.3	1	1.8	1	1.8
Hertford.....	50	110.6	50	110.6	2	4.4	2	4.4
Hoke.....	27	76.3	27	75.6	2	5.6	2	5.6
Hyde.....	8	46.2	9	49.7	1	5.8	1	5.5
Iredell.....	88	80.0	82	79.5	9	8.2	6	5.8
Jackson.....	36	71.0	37	72.3	5	9.9	6	11.7
Johnston.....	120	74.9	135	83.3	9	5.6	14	8.6

TABLE IX—Continued

COUNTY	Infant Mortality				Maternal Mortality			
	Place of Death		Place of Residence		Place of Death		Place of Residence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Jones.....	30	98.0	32	100.9	7	22.9	10	31.5
Lee.....	30	79.4	30	79.8	5	13.2	5	13.3
Lenoir.....	101	112.7	92	105.7	13	14.5	8	9.2
Lincoln.....	43	74.7	43	76.9	1	1.7	1	1.8
McDowell.....	48	81.5	51	85.6	3	5.1	3	5.0
Macon.....	25	59.4	25	59.7	6	14.3	5	11.9
Madison.....	44	76.0	45	77.3	5	8.6	5	8.6
Martin.....	67	85.9	68	85.9	3	3.8	7	8.8
Mecklenburg.....	220	88.0	209	86.4	22	8.8	19	7.9
Mitchell.....	29	60.5	29	60.0	3	6.3	4	8.3
Montgomery.....	17	47.6	18	48.8	1	2.8	1	2.7
Moore.....	37	62.4	38	64.3	1	1.7	1	1.7
Nash.....	142	101.6	137	97.9	18	12.9	11	7.9
New Hanover.....	91	107.7	62	78.0	15	17.8	8	10.1
Northampton.....	33	61.8	36	64.7	3	5.6	3	5.4
Onslow.....	38	85.0	40	88.3	3	6.7	4	8.8
Orange.....	35	80.6	45	92.0	1	2.3	2	4.1
Pamlico.....	10	47.2	10	46.7				
Pasquotank.....	40	101.3	39	101.8	6	15.2	3	7.8
Pender.....	31	74.2	37	86.0	2	4.8	3	7.0
Perquimans.....	18	73.8	19	76.9	5	20.5	6	24.3
Person.....	29	44.3	32	47.5	1	1.5	2	3.0
Pitt.....	157	105.7	163	108.8	9	6.1	12	8.0
Polk.....	26	111.6	14	60.3	5	21.5	5	21.6
Randolph.....	44	50.9	47	53.9	4	4.6	7	8.0
Richmond.....	58	66.7	58	65.8	8	9.2	9	10.2
Robeson.....	184	89.3	180	89.2	16	7.8	13	6.4
Rockingham.....	85	60.9	87	61.8	8	5.7	8	5.7
Rowan.....	91	74.8	93	75.3	11	9.0	11	8.9
Rutherford.....	52	49.5	53	50.7	4	3.8	3	2.9
Sampson.....	82	74.4	84	75.4	6	5.4	10	9.0
Scotland.....	56	103.9	55	102.0	6	11.1	6	11.1
Stanly.....	35	50.4	35	51.0	4	5.8	4	5.8
Stokes.....	33	63.6	34	64.4	2	3.9	4	7.6
Surry.....	73	70.9	68	67.4	11	10.7	10	9.9
Swain.....	15	43.5	14	40.2			1	2.9
Transylvania.....	21	89.4	22	94.8	2	8.5	2	8.6
Tyrrell.....	16	108.1	16	110.3	4	27.0	4	27.6
Union.....	75	74.8	75	74.8	8	8.0	8	8.0
Vance.....	71	103.6	70	102.2	6	8.8	6	8.8
Wake.....	166	82.6	152	76.2	24	11.9	23	11.5
Warren.....	58	79.9	59	80.8	8	11.0	8	11.0
Washington.....	32	97.6	32	97.6	2	6.1	3	9.1
Watauga.....	23	57.6	24	58.7			1	2.4
Wayne.....	120	94.8	121	95.7	13	10.3	11	8.7
Wilkes.....	62	59.1	64	61.5	4	3.8	2	1.9
Wilson.....	128	99.8	125	97.2	15	11.7	13	10.1
Yadkin.....	23	62.5	28	68.1	1	2.7	3	7.3
Yancey.....	23	46.7	23	46.2	2	4.1	2	4.0

TABLE X—CASES AND DEATHS FROM SPECIAL

DISEASE		Total	Jan.	Feb.
Total cases and deaths (all causes)-----	Cases-----	92,524	12,204	14,578
	Deaths-----	35,112	3,071	3,138
1. Anthrax-----	Cases-----	2		
	Deaths-----			
2. Chancroid-----	Cases-----	52	2	9
	Deaths-----			
3. Chickenpox-----	Cases-----	4,540	808	811
	Deaths-----	7		2
4. Diphtheria-----	Cases-----	2,114	185	103
	Deaths-----	207	18	23
5. Endemic typhus-----	Cases-----	23	4	3
	Deaths-----	2		
6. German Measles-----	Cases-----	604	23	21
	Deaths-----			
7. Gonorrhea-----	Cases-----	2,150	190	185
	Deaths-----	37		4
8. Influenza-----	Cases-----	1,564	278	290
	Deaths-----	803	112	157
9. Malaria-----	Cases-----			
	Deaths-----	80	2	1
10. Measles-----	Cases-----	55,764	8,116	11,164
	Deaths-----	333	19	63
11. Meningococcus meningitis (Epidemic)-----	Cases-----	50	4	5
	Deaths-----	21	4	2
12. Mumps (parotitis)-----	Cases-----			
	Deaths-----	2		
13. Ophthalmia neonatorum-----	Cases-----	14	1	
	Deaths-----			
14. Paratyphoid fever-----	Cases-----	15		
	Deaths-----	2		
15. Pellagra-----	Cases-----	543	13	13
	Deaths-----	436	44	23
16. Pneumonia (all forms)-----	Cases-----			
	Deaths-----	3,167	400	505
17. Poliomyelitis (acute)-----	Cases-----	45	4	2
	Deaths-----	21	1	2
18. Scarlet fever-----	Cases-----	2,852	415	213
	Deaths-----	39	8	3
19. Septic sore throat-----	Cases-----	104	15	7
	Deaths-----	28	2	
20. Smallpox-----	Cases-----	18	1	1
	Deaths-----			
21. Syphilis-----	Cases-----	5,201	337	510
	Deaths-----	329	26	29
22. Trachoma-----	Cases-----	1		
	Deaths-----			
23. Tuberculosis of the respiratory system-----	Cases-----	2,047	257	66
	Deaths-----	1,937	182	147
24. Tuberculosis (all other forms)-----	Cases-----			
	Deaths-----	206	12	10
25. Tularemia-----	Cases-----	14	4	4
	Deaths-----	1		

DISEASES BY MONTH OF OCCURRENCE—1934

March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
17,234	13,819	10,298	5,758	3,264	2,320	2,059	2,820	3,102	5,078
3,478	2,904	2,922	3,113	2,972	2,467	2,462	2,754	2,820	3,011
					1	1			
4	1	4	2	3	10	2	6	6	3
783	673	344	141	28	7	32	61	238	614
		1	1					1	2
85	69	55	38	39	109	327	566	348	190
7	9	3	4	3	17	23	57	29	14
1				1	2	1	4	2	5
			1	1				1	
133	215	140	35	1	8	8	9	7	4
174	155	197	145	164	298	187	177	151	127
3	3	3	3	2	8	2	2	3	4
283	185	136	35	7	2	4	18	19	307
147	76	36	12	10	10	20	33	56	134
			1	7	12	17	24	11	5
13,540	10,321	6,907	2,615	438	135	99	104	381	1,944
91	64	44	26	9	4	3	1	2	7
3	4	6	3	1	3	3	2	5	11
	1	1	2	1	3			5	2
1								1	
	1		3	3	2	1	3		
2		1	2	5	2		1		2
					1			1	
27	66	68	127	116	37	29	20	20	7
32	34	38	47	51	37	43	33	29	25
522	325	258	118	67	76	96	151	293	356
2	2	2	3	6	12	2	4	3	3
2	1	1	1	4	4		3	2	
168	110	71	64	47	99	312	537	465	351
1	3	4	4			3	1	4	8
8	5	5	6	3	9	14	18	12	2
	1	3	4	5	1	2	3	5	2
1	7	3	1		1	1	2		
395	377	411	479	534	374	430	491	444	419
30	30	20	35	23	25	28	34	25	24
				1					
248	146	239	174	261	178	140	100	53	185
195	180	178	181	153	161	139	139	126	156
9	23	22	25	20	17	25	14	17	12
2		1	1						2
	1								

TABLE X—

DISEASE		Total	Jan.	Feb.
26. Typhoid fever.....	Cases.....	464	16	3
	Deaths.....	89	1	2
27. Undulant fever.....	Cases.....	19	-----	3
	Deaths.....	2	-----	-----
28. Whooping-cough.....	Cases.....	14,299	1,529	1,165
	Deaths.....	427	24	29
29. Diarrhea and enteritis (under 2 years).....	Cases.....	-----	-----	-----
	Deaths.....	1,001	11	19
30. Rocky Mountain spotted fever.....	Cases.....	34	2	-----
	Deaths.....	8	-----	-----
31. Automobile fatalities (total).....	Cases.....	-----	-----	-----
	Deaths.....	930	60	48
32. Milk sickness.....	Cases.....	-----	-----	-----
	Deaths.....	1	-----	-----
33. Rabies.....	Cases.....	-----	-----	-----
	Deaths.....	1	-----	-----

Continued

[illegible]

TABLE XI—CASES FROM THIRTY

COUNTY OR CITY	Anthrax	Chaneroid	Chicken Pox	Diphtheria	Dysentery Bacillary	Endemic Typhus	German Measles	Gonorrhea	Influenza	Measles	Meningococcus Meningitis
Alamance.....			36	61		1	3	11	2	530	
Alexander.....			6	7				29	165	24	
Alleghany.....									1		
Anson.....			98	31			1			285	
Ashe.....			6	10					9	173	
Avery.....				8			18	9		15	
Beaufort.....			18	14			1	22	9	741	1
Bertie.....			8	3				23		29	1
Bladen.....			4	8			1	11	1	66	
Brunswick.....			3	8				9	1	41	1
Buncombe.....			42	42			1	10	24	582	2
Asheville.....			46	54			2		3	495	
Burke.....			3	15				4	1	25	5
Cabarrus.....			58	24			1	8	51	2,766	
Caldwell.....	1		9	3			3	4	5	392	
Camden.....											
Carteret.....			7	16		1		19	17	246	
Caswell.....			2	8					1	198	2
Catawba.....	1		5	27					9	152	
Chatham.....										15	
Cherokee.....				3					3	118	
Chowan.....			12	8						596	1
Clay.....			26							211	
Cleveland.....			39	51		1	3	2	6	501	1
Columbus.....			22	22			5	22	1	96	
Craven.....			4	5		2			2	386	
New Bern.....		1	11	5		5		10	5	700	
Cumberland.....		3	104	22			1	53	3	41	
Currituck.....			1							1	
Dare.....		2	5	1			4	16		4	
Davidson.....			104	43				3	4	2,894	1
Davie.....			18	23		1		20	4	639	1
Duplin.....			3	19		1	2	22	2	174	1
Durham.....			155	8				8	1	392	
Durham City.....		8	559	27			2	174	8	1,959	1
Edgecombe.....			5	7				5		304	
Forsyth.....			60	28			1			2,233	
Winston-Salem.....		5	186	151			2	182	20	2,152	6
Franklin.....		2	5	16		2		89	268	807	
Gaston.....			70	73			36	108	223	2,798	
Gates.....		1	77	4					191	14	
Graham.....			4	1			3			34	
Granville.....			125	5			1	16		1,391	
Greene.....			22	7				3		454	
Guilford.....			109	49			2	3	6	3,036	
Greensboro.....			490	50			27	78	5	2,023	1
High Point.....			77	91			6	4	13	591	2
Halifax.....			20	23			3	16	8	445	1
Harnett.....			23	17				8		5	
Haywood.....			23	24			2	7		645	
Henderson.....			40	12			2	12	36	679	
Hertford.....			4	1						3	
Hoke.....			10	8		1		30	1	43	
Hyde.....				1					2	5	
Iredell.....			93	51				70	62	851	
Jackson.....				5						11	2
Johnston.....			1	25				13		70	

OF THE REPORTABLE DISEASES BY COUNTIES—1934

Ophthalmia Neonatorum Para-typhoid Fever	Pellagra	Plague	Polomyelitis	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Septic Sore Throat	Smallpox	Syphilis	Trachoma	Tularemia	Tuberculosis	Typhoid Fever	Typhus, Europe	Undulant Fever	Whooping- cough	Yellow Fever
1	6				4	79			3			26	2			142	
	8					13			1			3	3			266	
1			2			26					1	14	6			87	
						4						1				40	
			3			6			3			2	4			31	
2	2				1	9	1		44			12	5			33	
3	3					8			3			4	2			12	
	11					7		1	1			5	2		2	28	
	1					14			17			9				19	
	1					76			1			111	8			181	
	3					59			1			58	4			98	
	17					2			2			6	2			17	
	6					28			69		1	38	9			283	
	2					10	1	3	3			2	3			106	
													1			1	
	2				1	5			8			2	1			193	
	1					7			1							47	
	2					15			2			8	1			24	
						1						7	2			1	
						5						5				3	
						4						2				154	
	1												4			32	
1	4					58	1		4			7	3			47	
	2		2			19			50		1	11	4		1	122	
						2			5			4				41	
	1					10			80			12	1		1	45	
	9					31			12			35	5			280	
						2			4			3	1				
	1								19			1				2	
					1	246	1		3		1	39	1			215	
	1					18	10		4			2	2			35	
	1		1			2		1	54			15	6			24	
						25			7			9	2			307	
1	1	8	2		2	50	1	1	369		1	77	13			1,100	
						7	1		49			11	12			47	
	1					35			1			3	4			113	
	12		1			184	3	1	597			190	14			405	
	1	12		1		24	1		71		1	21	3			95	
2		17				127	1	1	89			35	10			482	
	1					12	2		1			7				12	
													1			4	
						51	2		34			120	1			241	
						16	2					7	2			350	
						124	2		8		2	15	4			328	
1	3	5	2		1	138			356			135	10			426	
		8		1		55	2		2		1	15	8			245	
		13	1			20	6		31			25	10			122	
		4				19			24			15	1			34	
		8				58		1	21			21	2			116	
		3				24			10			1	2		1	150	
						7						12	3			29	
		8				3	1		12			10				40	
												1				1	
1	1		3			48	9	1	109			19	6			116	
	18								1	1		2	5			59	
			1			24			3			18	7			19	

TABLE XI—

COUNTY OR CITY	Anthrax	Chancroid	Chicken Pox	Diphtheria	Dysentery Bacillary	Endemic Typhus	German Measles	Gonorrhea	Influenza	Measles	Meningococcus Meningitis
Jones.....			6	5		1			4	378	
Lee.....			12	5					5		
Lenoir.....			63	22			2	19	1	373	
Lincoln.....			23	16			1		4	656	1
McDowell.....			2	11				18	16	289	
Macon.....			1	3			5			274	
Madison.....			2	24						282	
Martin.....			9	4			1			380	1
Mecklenburg.....			1	34		1	1		7	466	
Charlotte.....		9	7	62		1	142	285	9	2,694	1
Mitchell.....				3			14			21	
Montgomery.....			5	8						119	
Moore.....		3	64	19			2	82	1	49	
Nash.....			65	19			6	79	37	462	
Rocky Mount.....			4	9			1	5	3	467	
New Hanover.....			86	9				1		158	
Wilmington.....		10	418	23		2	8	70	1	97	
Northampton.....			6	2						30	
Onslow.....			2	10			13			251	2
Orange.....		1	33	14				6		395	1
Pamlico.....			38	5				2	1	614	
Pasquotank.....			1	9			7		5	82	
Pender.....			7	8			2		3	238	
Perquimans.....			3	1						76	
Person.....			70	10				2	1	126	
Pitt.....			17	41			1		3	244	2
Polk.....										139	
Randolph.....			60	31			3	45	138	1,470	1
Richmond.....			17	4			5		2	414	
Robeson.....			25	12		2	16	111	15	102	1
Rockingham.....			14	109			81	8	9	689	1
Rowan.....		1	28	43			2	38	11	1,762	1
Rutherford.....			1						1	1	
Sampson.....			35	23				21	2	65	
Scotland.....				1						12	
Stanly.....			4	31				4	5	65	
Stokes.....			10	7				1	43	799	
Surry.....			19	34			20	2	14	1,160	1
Swain.....			8				2	2		318	
Transylvania.....			3	5				4		160	
Tyrrell.....				1							
Union.....		1	19	44			8	5	2	901	
Vance.....			59	11		1	6	11		651	
Wake.....			13	25			2	7	3	338	1
Raleigh.....		1	113	24			1	97	1	287	1
Warren.....			30	6			4		4	83	
Washington.....			42	1						331	
Watauga.....				4						11	
Wayne.....			13	14			1		2	151	1
Goldsboro.....			73	6			1	2	15	772	2
Wilkes.....		3	7	26				56		330	1
Wilson.....		1	33	23			3	26	3	179	1
Yadkin.....			89	27			110	1	20	1,123	
Yancey.....			22	1						149	
Total.....	2	52	4,540	2,114		23	604	2,150	1,564	55,764	50

Continued

Ophthalmia Neonatorum	Para-typhoid Fever	Pellagra	Plague	Polionmyelitis	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Septic Sore Throat	Smallpox	Syphilis	Trachoma	Tularemia	Tuberculosis	Typhoid Fever	Typhus, Europe	Undulant Fever	Whooping- cough	Yellow Fever
		4				1	7	4					20	1			40	
				1			14	1		119			18	5		2	174	
							6	2					47	1			18	
		1					6	1		15			3	3			35	
							13	10									123	
				1			8							1			26	
		6					7	1					7	3		1	101	
		2				3	40			1			11	4		1	96	
		15		2		1	63			1,063			36	3			372	
				1			8						50				8	
	1						22	1	1				2	1		1	100	
		41					29	1		194			29	2			76	
		8				1	10			72			9	13			198	
							11			3		1	24	1			164	
1				2			5						2	2			131	
1		2					19		1	285			38	5			331	
							4			23			5	5			16	
		3					3	1	1				3	1			112	
							35			14			14	10		1	85	
		2					12			1			4	1			126	
		1					5						9	4		2	10	
										3			6	4			101	
				1			1						3	1		2	118	
				1			21						18	1			126	
		4		1			26	2		2			21	18		3	160	
													1				33	
		11				6	73	4		40			19	10			217	
		6					23		1	115			32	9			372	
1		51		1			44			108			23	18			355	
		1		1		1	38	1	1	9			17	14		1	97	
		3					79	6		51			27	2			399	
		1					4			1			3	1			2	
		2				2	25			59			55	7			65	
		1					4						12	1			12	
		3		1			29	1		4			21	1			17	
		3					7						1	2			16	
		2		4		5	57			1			19	2			44	
		46								3			9	3			363	
				1			4			3							6	
				1													2	
						1	38	3	2	24		1	6	3			54	
		4					36	1		46			18				453	
		6					33	2		2		2	11	16			298	
2	1	10		1			41			522			45	15			495	
		4					12	9		8			11	16			210	
													1				121	
							12						2	8			1	
		72					15	2	1			1	21	9			22	
		12					6			191			34	3			35	
				2			14	1		12			21	7			6	
		1					13			17			42	16			31	
							28	2		1			3	2			119	
		1					25						1	7			96	
14	15	543		45		34	2,852	104	18	5,201	1	14	2,047	464		19	14,299	

TABLE XII—DEATH RATES PER 100,000 POPULATION FROM TEN IMPORTANT CAUSES, FOR THE STATE AS A WHOLE, WITH ESTIMATED POPULATION FOR EACH YEAR—1914-1934 INCLUSIVE

YEAR	Estimated Population	Death Rate per 100,000 Population from—									
		Diarrhea and Enteritis (Under 2 Years of Age)	Diphtheria	Malaria	Measles	Pellagra	Scarlet Fever	Smallpox	Tuberculosis (All Forms)	Typhoid Fever	Whooping-cough
1914.....	2,339,452	81.2	15.8	10.8	7.6	23.6	0.9	1.1	139.3	35.8	18.7
1915.....	2,371,095	72.9	22.1	12.7	0.5	35.0	1.2	0.4	156.4	31.3	11.5
1916.....	2,402,738	72.7	17.3	12.9	7.1	19.4	2.5	0.5	146.3	29.1	18.1
1917.....	2,434,381	91.4	12.6	12.0	44.8	24.9	1.6	0.4	141.5	30.2	26.2
1918.....	2,466,024	77.5	10.2	8.2	12.4	25.7	0.9	0.1	137.5	22.2	28.5
1919.....	2,497,667	55.1	9.6	8.1	5.0	15.3	0.9	0.3	120.3	17.0	8.7
1920.....	*2,559,123	59.9	11.1	8.2	2.3	11.6	1.5	1.0	113.6	12.5	13.4
1921.....	2,614,335	61.7	13.9	6.6	4.9	12.7	1.3	0.8	101.0	11.7	14.6
1922.....	2,649,982	52.4	19.2	6.7	0.4	11.5	2.4	0.2	97.5	11.2	7.2
1923.....	2,686,325	53.0	12.3	5.6	19.0	8.3	0.9	0.4	94.7	9.9	18.6
1924.....	2,722,669	54.5	11.8	4.5	15.6	10.0	1.0	0.8	99.1	9.9	17.4
1925.....	2,812,000	52.0	11.0	4.3	0.4	14.1	1.1	0.2	89.0	9.8	5.3
1926.....	2,858,000	49.8	9.2	2.9	2.9	16.0	1.1	0.4	96.8	9.4	10.1
1927.....	2,897,000	40.7	9.5	1.8	7.9	23.7	1.0	0.4	88.9	7.8	21.8
1928.....	2,936,000	44.8	12.0	2.2	17.0	29.2	1.4	0.5	83.3	6.3	6.5
1929.....	2,975,000	33.3	10.8	2.2	0.5	32.0	1.8	0.03	85.8	5.5	9.0
1930.....	*3,170,276	35.0	8.6	1.4	0.06	32.0	1.2	0.1	76.4	4.7	9.5
1931.....	3,217,000	26.0	7.1	1.5	3.1	21.6	1.8	0.06	71.4	4.8	6.5
1932.....	3,244,000	19.9	5.1	1.7	1.8	14.6	1.0	-----	67.8	4.9	7.4
1933.....	3,275,000	24.5	6.6	1.5	2.8	12.0	1.4	-----	64.4	3.9	6.1
1934.....	3,306,000	30.3	6.3	2.4	10.1	13.2	1.2	-----	64.8	2.8	12.9

*U. S. Census years.

No deaths due to smallpox.



